

2025

Price List Nº2443-R


Valid from 1. January 2025

Baths
Showers
Washbasins

BETTE


Colour Variety

White 000 and the Key Colours can be combined with all enamelled products*




White 000


Key Colours



Snow 440



Edelweiss 004



Starwhite 287



Cream 441



Beige 422



Pergamon 001



Jasmin 006



Flax 423



Sand 424



Silver 410



Manhattan 002



Dust 413



Flanell 008



Quartz 412



Stone 416



Cashmere 415



Hazel 417



Bahama beige 003



Greige 425



Graphite 404



Slate 402



Smoke 403



Anthracite 401



Ebony 035



Raven 400



Black 056



Midnight 790



Blue Satin 418



Curry 040

*Excluded from this is the BetteFlat.
BetteAntislip Sense can only be combined with White 000.
Please use our product configurator at www.my-bette.com for this purpose
You can find the price list at www.my-bette.com/service/downloads.



High gloss

Colour Variety

Legend product categories for colour selection*

| 1 |



Showers

| 2 |



Baths
Fitted

| 3 |



Washbasins
Built-in
Undermounted
Wall mounted
Counter top

| 4 |



Free-standing
Baths
Washbasins BetteArt

| 5 |



Apron-Baths
Wall installation
Corner installation

| 6 |



BetteAir

*When combined with extras such as Upstand, Anti-Slip Pro or Anti-Slip Sense, some colours may be excluded.
Please use our product configurator at www.my-bette.com for this purpose.
You can find the price list at www.my-bette.com/service/downloads.

Bespoke Colours



Violet 124
| 1 | 2 | 3 |



Sunset 013
| 1 | 2 | 3 |



Stella 021
| 1 | 2 | 3 |



Azalee 130
| 1 | 2 |



Magnolia 077
| 1 | 2 |



Misty Pink 010
| 1 | 2 | 3 |



Ivory 014
| 1 | 2 | 3 |



Chantoung 646
| 1 | 2 |



Soft Cream 020
| 1 | 2 | 3 |



Natura 038
| 1 | 2 | 3 | 4 | 5 | 6 |



Anemone 086
| 1 | 2 | 3 |



Caramel 046
| 1 | 2 | 3 |



Cashmere 090
| 1 | 2 |



Cameol 096
| 1 | 2 | 6 |



Coffee 430
| 1 | 2 | 3 | 4 | 5 | 6 |



Rubin Red 057
| 1 | 2 |



Ebano 434
| 1 | 3 | 6 |



Taupe 438
| 1 | 6 |



Cacao 439
| 1 | 6 |



Bali Brown 065
| 1 | 2 |



Graphit 074
| 1 | 2 |



Daylight 788
| 3 |



Chinchilla 029
| 1 | 2 |



Pearl 053
| 1 | 2 |



Reffet Grey 044
| 1 | 2 |



Montblanc 140
| 1 | 2 |



Ägäis 009
| 1 | 2 | 3 |



Capri 015
| 1 | 2 | 3 |



Crocus 043
| 1 | 2 |



Key West 031
| 1 | 2 |



Bermuda Blue 023
| 1 | 2 | 3 |



Calypso 011
| 1 | 2 | 3 |



Flint 414
| 1 | 3 | 6 |



Caspian Green 112
| 1 | 2 |



Evergreen 115
| 1 | 2 | 3 |



Moss Green 016
| 1 | 2 | 3 |



Forest 791
| 3 |



High gloss


Colour deviations due to printing are possible.

Colour Variety


BetteBicolour

Selected bath models can be finished with a coloured apron.

* Only for oval baths.



Glossy Black 350
| 4 * |



Matt Black 351
| 4 * |




Violet 352
| 4 * |

BetteLux Shape

Frame colours & Real wood veneer



Black Matt 815



White Matt 807



Natural Oak 814

Real wood veneer is a natural material.
Differing grain underlines the natural
character of the surface.
UV radiation changes colouring.

BetteLux Oval Couture

Function fabric for outdoor furniture by JAB Anstoetz, haptic as a typical sofa fabric,
water-, mould- and climate resistant.



Elephant 852



Carbon 853



Ivory 850

Price List

Nº2443-R

Legend Price group

BA BASIC
CO COLLECTION
CP COMPONENTS
IN INSTALLATION
EX EXTRAS

▲ stock item

Ordering aid

- 1 Specification of the order number
- 2 The article number and 3 digit colour number are separated by a hyphen, not by a space.
- 3 Colour number must always be given in 3 digits
- 4 The 1st possible code comes after the colour number without spaces. Subsequent extras should be separated by a comma, not by a space.
- 5 Please note the order of specifying the extras.
The last item should not be followed by a space or comma.

Info:
The ordering of customized items is not possible via EDI.

List of codes for extras:

Priority	Extra	Code
1	Special production as per drawing no.	ZN:
2	BetteUpstand, indication of tiling upstand no.	Z
3	BetteSpecial size, indication of length x width in mm	M:
3	shortened BetteUpstand, right	Y1
3	shortened BetteUpstand, left	Y2
3	shortened BetteUpstand, both sides	Y3
4	Profi Corner, indication of profi corner no.	E
5	Drilling for 3-hole-tap for washbasins	HLW3
5	Tapholes and drilling as per special drawing	HLZ
6	Grips	1GR/2GR
7	BetteJet Whirlsystem	JET
9	BetteSpa Whirlsystem	SPA
11	BetteAirjet Plus Whirlsystem	AJETP
13	Bath without overflow for BetteSensory	oUeL
13	Washbasin with overflow	mUeL
14	Special depth, indication in mm	ST:
16	BetteAnti-Slip Pro	AE
16	BetteAnti-Slip Sense	AS
16	BetteAnti-Slip Pro for glazed waste cover	AY
16	BetteAnti-Slip Sense for glazed waste cover	AX
17	BetteAntinoise for bath	AD
17	BetteAntinoise for shower tray	ADD
18	BetteDisinfection for Whirlpool	DES
23	BetteGlaze® Plus	PLUS
23	BetteGlaze® Plus for washbasins	PW
24	Polystyrene support	T
24	Minimum-support	T1
24	Minimum-support for BetteAir	T2
25	Individual laser logo	Lo:

Order examples:

Shower tray BetteUltra 900 x 900 mm (5930)
Colour: Pergamon (001)
Extras: BetteUpstand (ZXX), BetteGlaze® Plus (PLUS)

5930 - 001Z71, PLUS

Order number of the product for the dimension Colour Extras

Shower area BetteFloor 900 x 900 mm (5931)
Colour: White (000)
Extras: Anti-Slip Pro (AE), Minimum-support (T1)

5931 - 000AE, T1

Order number of product for dimension Colour Extras

BetteStarlet Oval Silhouette 1750 x 800 mm (2680 CFXXK)
Colour: White (000)
Extra: BetteAnti-Slip Sense (AS)

2680 - 000CFXXK, AS

Order number of product for dimension Colour Product variation code follows after the colour and before extra. Extras

BetteLux Shape Standing mirror with rear panel oak natural 814 (Q050 FH814)
Colour frame: White matt (807)

Q050 - 807FH814

Order number of product for dimension Colour Product variation code follows after the colour and before extra.

BetteStarlet Oval 1750 x 800 mm (2680)
Colour: White (000)
Whirlsystem: Airjet Plus (AJETP) in White finish (B350-000)
Extras and Accessories: Disinfection (DES) in White finish (B480-000)

2680-000AJETP, DES

Order number of product for dimension Colour Product variation code follows after the colour and before extra. Extras

B350-000 B480-000

Accessories are listed on separate lines in the same order.

Baths

L × W × D; lying dimension	article no.
	
BetteArco → p. 28 1400 × 1400 × 450; 1426	6035
	
BetteArt → p. 30 1805 × 755 × 420; 1564	3480 CFXXK
	
BetteArt I → p. 32 1805 × 800 × 420; 1564	3480 CWWHK
	
BetteArt IV → p. 34 1850 × 800 × 420; 1564	3480 CERHK
	
BetteArt V → p. 36 1850 × 800 × 420; 1564	3480 CELHK
	
BetteBambino → p. 38 1570 × 650 × 420; 1280 1570 × 650 × 420; 1280 1570 × 700 × 420; 1280 1570 × 700 × 420; 1280	2770 2780 2570 2580

L × W × D; lying dimension	article no.
	
BetteClassic → p. 40 1400 × 700 × 450; 965 1500 × 700 × 450; 1070 1600 × 700 × 450; 1155 1600 × 750 × 450; 1170 1650 × 750 × 450; 1165 1700 × 700 × 450; 1265 1700 × 730 × 450; 1265 1700 × 750 × 450; 1265 1700 × 800 × 450; 1265 1750 × 750 × 450; 1265 1800 × 700 × 450; 1360 1800 × 750 × 450; 1360 1800 × 800 × 450; 1360 1900 × 800 × 450; 1460	1266 1268 1267 1269 1265 3108 3109 3110 3111 3112 1271 1272 1270 1273

	
BetteComodo → p. 42 1700 × 750 × 450; 1250 1700 × 800 × 450; 1250 1800 × 800 × 450; 1310 1900 × 900 × 450; 1380	1250 1253 1251 1252

	
BetteComodo with side overflow → p. 44 1700 × 750 × 450; 1250 1700 × 750 × 450; 1250 1700 × 800 × 450; 1250 1700 × 800 × 450; 1250 1800 × 800 × 450; 1310 1800 × 800 × 450; 1310 1900 × 900 × 450; 1380 1900 × 900 × 450; 1380	1620 1640 1623 1643 1621 1641 1622 1642

	
BetteDuett → p. 46 1700 × 750 × 420; 1210 1700 × 800 × 420; 1210	3020 3100

	
BetteDuo → p. 48 1800 × 800 × 420; 1280	3820

L × W × D; lying dimension	article no.
	
BetteEve → p. 50 1800 × 1000 × 450; 1270	6042
	
BetteEve Oval → p. 52 1800 × 1000 × 450; 1270	6043

	
BetteEve Oval Silhouette → p. 54 1800 × 1000 × 450; 1270	6043 CFXXS

	
BetteForm → p. 56 1400 × 700 × 420; 965 1500 × 700 × 420; 1070 1600 × 700 × 420; 1155 1600 × 750 × 420; 1170 1650 × 750 × 420; 1170 1700 × 700 × 420; 1265 1700 × 730 × 420; 1265 1700 × 750 × 420; 1275 1700 × 800 × 420; 1275 1750 × 750 × 420; 1275 1800 × 800 × 420; 1360 1900 × 800 × 420; 1460	2940 2941 2942 2943 2944 2945 2946 2947 2948 2949 2950 2951

	
BetteFree → p. 58 1700 × 750 × 450; 1160 1800 × 800 × 450; 1260 1900 × 900 × 450; 1360 2000 × 1000 × 450; 1460	6829 6830 6831 6832

	
BetteLoft → p. 60 1700 × 800 × 420; 1223 1800 × 800 × 420; 1327 1900 × 900 × 420; 1426	3171 3172 3173

Baths

L x W x D; lying dimension	article no.
	
BetteLoft Ornament → p. 62	
1810 x 810 x 420; 1327	3172 CFXX6A

	
BetteLuna → p. 64	
1700 x 750 x 450; 1365	2750
1700 x 750 x 450; 1365	2760

	
BetteLux → p. 66	
1700 x 750 x 450; 1270	3440
1800 x 800 x 450; 1345	3441
1900 x 900 x 450; 1420	3442

	
BetteLux Shape → p. 68	
1700 x 750 x 450; 1270	3451
1800 x 800 x 450; 1345	3452
1900 x 900 x 450; 1420	3453

	
BetteLux Oval → p. 70	
1700 x 750 x 450; 1270	3465
1800 x 800 x 450; 1340	3466
1900 x 900 x 450; 1420	3467

	
BetteLux Oval Couture → p. 72	
1800 x 800 x 450; 1340	3466 TX

	
BetteLux Oval Silhouette → p. 74	
1700 x 750 x 450; 1270	3465 CFXXS
1800 x 800 x 450; 1340	3466 CFXXS
1900 x 900 x 450; 1420	3467 CFXXS

L x W x D; lying dimension	article no.
	
BetteLux Oval I Silhouette → p. 76	
1700 x 800 x 450; 1270	3415 CWWVS
1800 x 850 x 450; 1340	3416 CWWVS
1900 x 950 x 450; 1420	3417 CWWVS

	
BetteLux Oval IV Silhouette → p. 78	
1750 x 800 x 450; 1270	3425 CERVS
1850 x 850 x 450; 1340	3426 CERVS
1950 x 950 x 450; 1420	3427 CERVS

	
BetteLux Oval V Silhouette → p. 80	
1750 x 800 x 450; 1270	3435 CELVS
1850 x 850 x 450; 1340	3436 CELVS
1950 x 950 x 450; 1420	3437 CELVS

	
BetteMetric → p. 82	
2060 x 900 x 450; 1470	6840
2060 x 900 x 450; 1470	6841

	
BetteOcean → p. 84	
1500 x 700 x 450; 1235	8858
1500 x 700 x 450; 1235	8859
1600 x 700 x 450; 1335	8850
1600 x 700 x 450; 1335	8851
1700 x 700 x 450; 1335	8852
1700 x 700 x 450; 1335	8853
1700 x 750 x 450; 1435	8854
1700 x 750 x 450; 1435	8855
1700 x 800 x 450; 1435	8765
1700 x 800 x 450; 1435	8865
1800 x 800 x 450; 1535	8856
1800 x 800 x 450; 1535	8857

L x W x D; lying dimension	article no.
	
BetteOcean Low-Line → p. 86	
1500 x 700 x 380; 1235	8841
1500 x 700 x 380; 1235	8842
1600 x 700 x 380; 1335	8830
1600 x 700 x 380; 1335	8831
1700 x 700 x 380; 1335	8832
1700 x 700 x 380; 1335	8833
1700 x 750 x 380; 1435	8834
1700 x 750 x 380; 1435	8835
1700 x 800 x 380; 1435	8836
1700 x 800 x 380; 1435	8837
1800 x 800 x 380; 1535	8838
1800 x 800 x 380; 1535	8839

	
BetteOne → p. 88	
1600 x 700 x 420; 1250	3310
1700 x 700 x 420; 1340	3311
1700 x 750 x 420; 1340	3312
1800 x 800 x 420; 1420	3313
1900 x 900 x 420; 1515	3314

	
BetteOne Relax → p. 90	
1800 x 800 x 450; 1080	3323
1900 x 900 x 450; 1165	3324
2000 x 900 x 450; 1285	3325

	
BettePond → p. 92	
1500 x 1500 x 450; 1235	6045

	
BettePond Silhouette → p. 94	
1500 x 1500 x 450; 1235	6045 CFXXS

	
BetteSelect → p. 96	
1600 x 700 x 420; 1200	3410
1700 x 700 x 420; 1300	3411
1700 x 750 x 420; 1300	3412
1800 x 800 x 420; 1400	3413

Baths

L × W × D; lying dimension	article no.
	
BetteSelect with side overflow	
→ p. 98	
1600 × 700 × 420; 1200	3420
1600 × 700 × 420; 1200	3430
1700 × 700 × 420; 1300	3421
1700 × 700 × 420; 1300	3431
1700 × 750 × 420; 1300	3422
1700 × 750 × 420; 1300	3432
1800 × 800 × 420; 1400	3423
1800 × 800 × 420; 1400	3433

	
BetteSelect Duo	
→ p. 100	
1700 × 750 × 420; 1185	3472
1800 × 800 × 420; 1285	3473

	
BetteSet	
→ p. 102	
1500 × 750 × 380; 1195	2560
1600 × 700 × 380; 1235	3650
1600 × 750 × 380; 1250	3660
1650 × 750 × 380; 1250	3560
1700 × 750 × 380; 1350	3060
1700 × 800 × 380; 1350	3760
1800 × 800 × 380; 1435	3860

	
BetteSetline	
→ p. 104	
1700 × 700 × 390; 1400	8880

	
BetteSpace S	
→ p. 106	
1700 × 750 × 420; 1340	1130
1700 × 750 × 420; 1340	1140

	
BetteSpace M	
→ p. 108	
1700 × 900 × 420; 1346	1131
1700 × 900 × 420; 1346	1141

L × W × D; lying dimension	article no.
	
BetteSpace L	
→ p. 110	
1700 × 1300 × 420; 1341	1132
1700 × 1300 × 420; 1341	1142

	
BetteStarlet	
→ p. 112	
1500 × 800 × 420; 1070	1210
1570 × 700 × 420; 1170	2590
1600 × 650 × 420; 1170	2540
1600 × 700 × 420; 1170	1220
1650 × 700 × 420; 1170	1230
1700 × 700 × 420; 1270	1730
1700 × 750 × 420; 1270	1380
1750 × 800 × 420; 1270	1450
1800 × 750 × 420; 1370	1430
1800 × 800 × 420; 1370	1630
1850 × 850 × 420; 1370	1631
1900 × 900 × 420; 1465	1830

	
BetteStarlet Spirit	
→ p. 114	
1700 × 750 × 420; 1270	1384
1800 × 800 × 420; 1370	1634

	
BetteStarlet I	
→ p. 116	
1650 × 750 × 420; 1170	8300
1750 × 800 × 420; 1270	8310
1850 × 850 × 420; 1370	8320

	
BetteStarlet I Silhouette	
→ p. 118	
1650 × 750 × 420; 1170	8300 CWVVK
1750 × 800 × 420; 1270	8310 CWVVK
1850 × 850 × 420; 1370	8320 CWVVK
1950 × 950 × 420; 1470	8325 CWVVK

	
BetteStarlet IV	
→ p. 120	
1650 × 750 × 420; 1170	6650
1750 × 800 × 420; 1270	6660
1850 × 850 × 420; 1370	6670

L × W × D; lying dimension	article no.
	
BetteStarlet IV Silhouette	
→ p. 122	
1650 × 750 × 420; 1170	6650 CERVK
1750 × 800 × 420; 1270	6660 CERVK
1850 × 850 × 420; 1370	6670 CERVK
1950 × 950 × 420; 1470	6677 CERVK

	
BetteStarlet V	
→ p. 124	
1650 × 750 × 420; 1170	6680
1750 × 800 × 420; 1270	6690
1850 × 850 × 420; 1370	6700

	
BetteStarlet V Silhouette	
→ p. 126	
1650 × 750 × 420; 1170	6680 CELVK
1750 × 800 × 420; 1270	6690 CELVK
1850 × 850 × 420; 1370	6700 CELVK
1950 × 950 × 420; 1470	6720 CELVK

	
BetteStarlet Flair Oval	
→ p. 128	
1580 × 680 × 420; 1170	8772
1680 × 730 × 420; 1270	8773
1780 × 780 × 420; 1370	8774
1880 × 880 × 420; 1465	8775

	
BetteStarlet Hexa	
→ p. 130	
1880 × 700 × 420; 1170	2040
2000 × 750 × 420; 1270	2060
2100 × 800 × 420; 1370	2080

	
BetteStarlet Oval	
→ p. 132	
1500 × 800 × 420; 1070	2700
1650 × 750 × 420; 1170	2720
1750 × 800 × 420; 1270	2680
1850 × 850 × 420; 1370	2740
1950 × 950 × 420; 1465	2745

Baths | Showers


L x W x D; lying dimension	article no.
	
BetteStarlet Oval Silhouette	
→ p. 134	
1500 x 800 x 420; 1070	2700 CFXXK
1650 x 750 x 420; 1170	2720 CFXXK
1750 x 800 x 420; 1270	2680 CFXXK
1850 x 850 x 420; 1370	2740 CFXXK
1950 x 950 x 420; 1470	2745 CFXXK

	
BetteStep	
→ p. 136	
1050 x 650 x 420	1050
1180 x 730 x 420	1060

	
BetteSuno Oval	
→ p. 138	
1775 x 775 x 420	2740 CFXXSR

	
LaBette	
→ p. 140	
1080 x 730 x 380; 865	1080
1180 x 730 x 380; 945	1180
1200 x 700 x 390; 920	1200
1240 x 700 x 420; 925	1240
1300 x 700 x 390; 995	1300

Showers

L x W x (D)	article no.
	
BetteAir	
→ p. 144	
900 x 900	7350
1000 x 800	7358
1000 x 900	7351
1000 x 1000	7352
1100 x 900	7359
1100 x 1000	7360
1200 x 800	7353
1200 x 900	7354
1200 x 1000	7355
1200 x 1200	7361
1400 x 900	7356
1400 x 1000	7357
1500 x 900	7362
1500 x 1000	7363
1600 x 900	7364
1600 x 1000	7365

L x W x (D)	article no.
	
BetteCaro 35 mm, same shank length	
→ p. 146	
800 x 800 x 35	5319
900 x 900 x 35	7189
1000 x 1000 x 35	7219


	
BetteCorner 35 mm, same shank length	
→ p. 148	
800 x 800 x 35	5399
900 x 900 x 35	5429
1000 x 1000 x 35	5459

	
BetteCorner 35 mm, different shank length	
→ p. 150	
750 x 900 x 35	8119
800 x 900 x 35	5401
900 x 750 x 35	8159
900 x 800 x 35	5404
900 x 1000 x 35	5461
1000 x 900 x 35	5464


	
BetteDelta 800 mm - 900 mm	
→ p. 152	
800 x 750 x 280	5660
800 x 800 x 280	5810
900 x 700 x 280	5740
900 x 750 x 280	5760
900 x 800 x 280	5960
900 x 900 x 280	5910


	
BetteDelta 1000 mm - 1200 mm	
→ p. 154	
1000 x 800 x 280	5510
1000 x 1000 x 280	5610
1200 x 800 x 280	5860

	
BetteFlat	
→ p. 156	
1200 x 1200	3372 AE

L x W x (D)	article no.
	
BetteFloor 800 mm - 1000 mm	
→ p. 158	
800 x 800	5831
900 x 700	5711
900 x 750	5841
900 x 800	8751
900 x 900	5931
1000 x 700	5881
1000 x 750	1651
1000 x 800	5491
1000 x 900	1661
1000 x 1000	5941

	
BetteFloor 1100 mm - 1200 mm	
→ p. 160	
1100 x 750	8732
1100 x 800	8731
1100 x 900	8631
1100 x 1000	8735
1200 x 700	1672
1200 x 750	1671
1200 x 800	1681
1200 x 900	1261
1200 x 1000	8661
1200 x 1200	8721

	
BetteFloor 1300 mm - 1400 mm	
→ p. 162	
1300 x 750	5797
1300 x 800	5793
1300 x 900	5791
1300 x 1000	5794
1400 x 700	5803
1400 x 750	5802
1400 x 800	5801
1400 x 900	5836
1400 x 1000	5851

	
BetteFloor = 1500 mm	
→ p. 164	
1500 x 700	5938
1500 x 750	5939
1500 x 800	5937
1500 x 900	5936
1500 x 1000	5946

Showers

L x W x (D)	article no.
	
BetteFloor 1600 mm - 1800 mm	
→ p. 166	
1600 x 700	5948
1600 x 750	5949
1600 x 800	5957
1600 x 900	5966
1600 x 1000	5969
1700 x 750	5994
1700 x 800	5989
1700 x 900	5991
1700 x 1000	5817
1800 x 800	5981
1800 x 900	5988
1800 x 1000	5818

	
BetteFloor Caro	
→ p. 168	
900 x 900	7191
1000 x 1000	7211

	
BetteFloor Corner	
→ p. 170	
900 x 900	5421
1000 x 1000	5451

	
BetteFloor Side 900 mm - 1100 mm	
→ p. 172	
900 x 900	3381
1000 x 800	3388
1000 x 900	3385
1000 x 1000	3382
1100 x 800	3374
1100 x 900	3396

	
BetteFloor Side = 1200 mm	
→ p. 174	
1200 x 800	3387
1200 x 900	3380
1200 x 1000	3383
1200 x 1200	3391

L x W x (D)	article no.
	
BetteFloor Side 1300 mm - 1500 mm	
→ p. 176	
1300 x 900	3398
1300 x 1000	3399
1400 x 800	3379
1400 x 900	3384
1400 x 1000	3386
1400 x 1200	3394
1500 x 900	3393
1500 x 1000	3389
1500 x 1200	3395

	
BetteFloor Side 1600 mm - 1800 mm	
→ p. 178	
1600 x 800	3375
1600 x 900	3390
1600 x 1000	3397
1600 x 1200	3392
1700 x 900	3376
1800 x 900	3377
1800 x 1000	3378

	
BetteQuinta 700 mm - 900 mm	
→ p. 180	
700 x 700 x 150	5700
750 x 700 x 150	5370
750 x 750 x 150	5540
800 x 700 x 150	5690
800 x 750 x 150	5650
800 x 800 x 150	5800
850 x 700 x 150	5790
850 x 750 x 150	1910
850 x 850 x 150	1920
900 x 600 x 150	8620
900 x 700 x 150	5730
900 x 750 x 150	5750
900 x 800 x 150	5950
900 x 850 x 150	1900
900 x 900 x 150	5900

	
BetteQuinta 1000 mm - 1200 mm	
→ p. 182	
1000 x 700 x 150	5890
1000 x 750 x 150	5560
1000 x 800 x 150	5500
1000 x 900 x 150	5390
1000 x 1000 x 150	5600
1050 x 750 x 150	8700
1100 x 800 x 150	8740
1100 x 900 x 150	8650
1200 x 700 x 150	5990
1200 x 750 x 150	5580
1200 x 800 x 150	5850
1200 x 900 x 150	1290
1200 x 1000 x 150	8680
1200 x 1200 x 150	5640

L x W x (D)	article no.
	
BetteSupra 700 mm - 850 mm	
→ p. 184	
700 x 700 x 65	5720
750 x 700 x 65	5360
750 x 750 x 65	5530
800 x 700 x 65	5680
800 x 750 x 65	5670
800 x 800 x 65	5820
850 x 700 x 65	5780
850 x 750 x 65	1570
850 x 850 x 65	1590

	
BetteSupra = 900 mm	
→ p. 186	
900 x 600 x 65	8610
900 x 700 x 65	5710
900 x 750 x 65	5770
900 x 800 x 65	5970
900 x 850 x 65	1560
900 x 900 x 65	5920

	
BetteSupra 1000 mm - 1100 mm	
→ p. 188	
1000 x 700 x 65	5880
1000 x 750 x 65	5550
1000 x 800 x 65	5520
1000 x 900 x 65	5380
1000 x 1000 x 65	5620
1050 x 750 x 65	8690
1100 x 700 x 65	8726
1100 x 750 x 65	8728
1100 x 800 x 65	8730
1100 x 900 x 65	8640
1100 x 1000 x 65	8738
1100 x 1100 x 65	8744

	
BetteSupra 1200 mm - 1300 mm	
→ p. 190	
1200 x 700 x 65	5980
1200 x 750 x 65	5570
1200 x 800 x 65	5870
1200 x 900 x 65	1690
1200 x 1000 x 65	8670
1200 x 1100 x 65	8665
1200 x 1200 x 65	5630
1300 x 800 x 65	5787
1300 x 900 x 65	5796
1300 x 1000 x 65	5789
1300 x 1300 x 65	5827

Showers | Washbasins

L x W x (D) article no.



BetteSupra 1400 mm - 1500 mm

→ p. 192

1400 x 700 x 65	5825
1400 x 750 x 65	5815
1400 x 800 x 65	5805
1400 x 900 x 65	5835
1400 x 1000 x 65	5839
1400 x 1400 x 65	5829
1500 x 700 x 65	5915
1500 x 750 x 65	5925
1500 x 800 x 65	5933
1500 x 900 x 65	5935
1500 x 1000 x 65	5945
1500 x 1500 x 65	5985



BetteSupra 1600 mm - 1800 mm

→ p. 194

1600 x 700 x 65	5952
1600 x 750 x 65	5954
1600 x 800 x 65	5956
1600 x 900 x 65	5962
1600 x 1000 x 65	5968
1700 x 700 x 65	5993
1700 x 750 x 65	5997
1700 x 800 x 65	5972
1700 x 900 x 65	5999
1700 x 1000 x 65	5807
1800 x 800 x 65	5987
1800 x 900 x 65	5983
1800 x 1000 x 65	5809



BetteUltra 700 mm - 850 mm

→ p. 196

700 x 700 x 25	5719
750 x 750 x 25	5529
800 x 700 x 25	5679
800 x 750 x 25	5669
800 x 800 x 25	5830
850 x 850 x 25	1589



BetteUltra = 900 mm

→ p. 198

900 x 600 x 25	8600
900 x 700 x 25	5709
900 x 750 x 25	5840
900 x 800 x 25	8750
900 x 850 x 25	1559
900 x 900 x 25	5930

L x W x (D) article no.



BetteUltra = 1000 mm

→ p. 200

1000 x 700 x 25	5879
1000 x 750 x 25	1650
1000 x 800 x 25	5490
1000 x 900 x 25	1660
1000 x 1000 x 25	5940



BetteUltra 1050 mm - 1100 mm

→ p. 202

1050 x 750 x 35	8710
1100 x 700 x 35	8725
1100 x 750 x 35	8727
1100 x 800 x 35	8729
1100 x 900 x 35	8630
1100 x 1000 x 35	8737
1100 x 1100 x 35	8743



BetteUltra = 1200 mm

→ p. 204

1200 x 700 x 35	5979
1200 x 750 x 35	1670
1200 x 800 x 35	1680
1200 x 900 x 35	1260
1200 x 1000 x 35	8660
1200 x 1100 x 35	8664
1200 x 1200 x 35	8720



BetteUltra = 1300 mm

→ p. 206

1300 x 700 x 35	5784
1300 x 750 x 35	5785
1300 x 800 x 35	5786
1300 x 900 x 35	5795
1300 x 1000 x 35	5788
1300 x 1300 x 35	5826




BetteUltra = 1400 mm

→ p. 208

1400 x 700 x 35	5824
1400 x 750 x 35	5814
1400 x 800 x 35	5804
1400 x 900 x 35	5834
1400 x 1000 x 35	5838
1400 x 1400 x 35	5828


L x W x (D) article no.



BetteUltra = 1500 mm

→ p. 210


1500 x 700 x 35	5914
1500 x 750 x 35	5924
1500 x 800 x 35	5932
1500 x 900 x 35	5934
1500 x 1000 x 35	5944
1500 x 1500 x 35	5984



BetteUltra 1600 mm - 1700 mm

→ p. 212

1600 x 700 x 35	5951
1600 x 750 x 35	5953
1600 x 800 x 35	5955
1600 x 900 x 35	5961
1600 x 1000 x 35	5967
1700 x 700 x 35	5992
1700 x 750 x 35	5996
1700 x 800 x 35	5971
1700 x 900 x 35	5998
1700 x 1000 x 35	5806



BetteUltra 1800 mm - 2000 mm

→ p. 214

1800 x 800 x 35	5986
1800 x 900 x 35	5982
1800 x 1000 x 35	5808
1900 x 900 x 35	5973
2000 x 900 x 35	5974

Washbasins

L x W x Internal depth article no.



BetteAqua Built-In

→ p. 218

600 x 495 x 80	A070
600 x 495 x 80	A070 HLW1
800 x 495 x 80	A071
800 x 495 x 80	A071 HLW1
1400 x 495 x 80	A072
1400 x 495 x 80	A072 HLW1
1400 x 495 x 80	A072 HLW2






BetteArt Counter Top


→ p. 220

300 x 400 x 80	A180
600 x 400 x 100	A181
800 x 400 x 100	A182

Washbasins

L x W x Internal depth	article no.
	
BetteArt Monolith → p. 222 600 x 400 x 100	A183
	
BetteBalance Counter Top → p. 224 425 x 425 x 143	A248
	
BetteBalance Built-in → p. 226 435 x 435 x 123	A247
	
BetteBalance Undermounted → p. 228 475 x 475 x 123	A246
	
BetteBalance Shell → p. 230 400 x 400 x 120	A249
	
BetteComodo Built-In → p. 232 600 x 495 x 120 600 x 495 x 120 800 x 495 x 120 800 x 495 x 120	A215 A215 HLW1 A216 A216 HLW1
	
BetteComodo Undermounted → p. 234 574 x 380 x 120 774 x 380 x 120	A217 A218

L x W x Internal depth	article no.
	
BetteComodo Undermounted with overflow → p. 236 574 x 380 x 120 774 x 380 x 120	A217 mUeL A218 mUeL
	
BetteCraft Shell → p. 238 350 x 350 x 120 450 x 450 x 120	A240 A241
	
BetteCurve Shell → p. 240 320 x 320 x 115 420 x 420 x 115	A244 A245
	
BetteLiv Shell → p. 242 320 x 320 x 100 420 x 420 x 100	A242 A243
	
BetteLoft Built-In → p. 244 800 x 495 x 100 800 x 495 x 100	A230 A230 HLW1
	
BetteLoft Undermounted → p. 246 740 x 386 x 100	A231
	
BetteLoft Undermounted with overflow → p. 248 740 x 386 x 100	A231 mUeL

L x W x Internal depth	article no.
	
BetteLoft Ornament Wall Mounted, 1 row → p. 250 825 x 525 x 100 825 x 525 x 100	A230 SWV1A A230 SWV1A,HLW1
	
BetteLoft Ornament Wall Mounted, 4 rows → p. 252 815 x 510 x 100 815 x 510 x 100	A230 SWV4A A230 SWV4A,HLW1
	
BetteLux Built-In → p. 254 600 x 495 x 120 600 x 495 x 120 800 x 495 x 120 800 x 495 x 120	A160 A160 HLW1 A161 A161 HLW1
	
BetteLux Shape → p. 256 600 x 495 x 120 600 x 495 x 120 800 x 495 x 120 800 x 495 x 120 1000 x 495 x 120 1000 x 495 x 120	A170 A170 HLW1 A171 A171 HLW1 A172 A172 HLW1
	
BetteLux Oval Built-In → p. 258 500 x 500 x 100 500 x 500 x 100	A220 A220 HLW1
	
BetteLux Oval Couture → p. 260 500 x 500 x 100 500 x 500 x 100	A220 TX A220 HLW1,TX

Washbasins

L × W × Internal depth

article no.



BetteOne Built-In

→ p. 262

600 × 495 × 130

A138

600 × 495 × 130

A138 HLW1

800 × 495 × 130

A139

800 × 495 × 130

A139 HLW1



BetteOne Undermounted

→ p. 264

434 × 416 × 130

A135

587 × 408 × 130

A136

767 × 400 × 130

A137



BetteSuno Counter Top

→ p. 266

340 × 340 × 100

A250



BetteSuno Pedestal

→ p. 268

340 × 340 × 863

A250 VK1

340 × 340 × 863

A250 VK2

Baths

CO	BetteArco	p. 28
CO	BetteArt	p. 30
CO	BetteArt I	p. 32
CO	BetteArt IV	p. 34
CO	BetteArt V	p. 36
BA	BetteBambino	p. 38
BA	BetteClassic	p. 40
CO	BetteComodo	p. 42
CO	BetteComodo with side overflow	p. 44
CO	BetteDuett	p. 46
CO	BetteDuo	p. 48
CO	BetteEve	p. 50
CO	BetteEve Oval	p. 52
CO	BetteEve Oval Silhouette	p. 54
BA	BetteForm	p. 56
CO	BetteFree	p. 58
CO	BetteLoft	p. 60
CO	BetteLoft Ornament	p. 62
CO	BetteLuna	p. 64
CO	BetteLux	p. 66
CO	BetteLux Oval	p. 70
CO	BetteLux Oval I Silhouette	p. 76
CO	BetteLux Oval IV Silhouette	p. 78
CO	BetteLux Oval V Silhouette	p. 80
CO	BetteLux Oval Couture	p. 72
CO	BetteLux Oval Silhouette	p. 74
CO	BetteLux Shape	p. 68
CO	BetteMetric	p. 82
CO	BetteOcean	p. 84
CO	BetteOcean Low-Line	p. 86
CO	BetteOne	p. 88
CO	BetteOne Relax	p. 90
CO	BettePond	p. 92
CO	BettePond Silhouette	p. 94
BA	BetteSelect	p. 96
BA	BetteSelect Duo	p. 100
BA	BetteSelect with side overflow	p. 98
BA	BetteSet	p. 102
CO	BetteSetline	p. 104
CO	BetteSpace L	p. 110
CO	BetteSpace M	p. 108
CO	BetteSpace S	p. 106
CO	BetteStarlet	p. 112
CO	BetteStarlet I	p. 116
CO	BetteStarlet I Silhouette	p. 118
CO	BetteStarlet IV	p. 120
CO	BetteStarlet IV Silhouette	p. 122
CO	BetteStarlet V	p. 124
CO	BetteStarlet V Silhouette	p. 126
CO	BetteStarlet Flair Oval	p. 128
CO	BetteStarlet Hexa	p. 130
CO	BetteStarlet Oval	p. 132
CO	BetteStarlet Oval Silhouette	p. 134
CO	BetteStarlet Spirit	p. 114
BA	BetteStep	p. 136
CO	BetteSuno Oval	p. 138
BA	LaBette	p. 140

Showers

CO	BetteAir	p. 144
CO	BetteCaro 35 mm, same shank length	p. 146
CO	BetteCorner 35 mm, different shank length	p. 150
CO	BetteCorner 35 mm, same shank length	p. 148
BA	BetteDelta 800 mm - 900 mm	p. 152
BA	BetteDelta 1000 mm - 1200 mm	p. 154
CO	BetteFlat	p. 156
CO	BetteFloor 800 mm - 1000 mm	p. 158
CO	BetteFloor 1100 mm - 1200 mm	p. 160
CO	BetteFloor 1300 mm - 1400 mm	p. 162
CO	BetteFloor = 1500 mm	p. 164
CO	BetteFloor 1600 mm - 1800 mm	p. 166
CO	BetteFloor Caro	p. 168
CO	BetteFloor Corner	p. 170
CO	BetteFloor Side 900 mm - 1100 mm	p. 172
CO	BetteFloor Side = 1200 mm	p. 174
CO	BetteFloor Side 1300 mm - 1500 mm	p. 176
CO	BetteFloor Side 1600 mm - 1800 mm	p. 178
BA	BetteQuinta 700 mm - 900 mm	p. 180
BA	BetteQuinta 1000 mm - 1200 mm	p. 182
CO	BetteSupra 700 mm - 850 mm	p. 184
CO	BetteSupra = 900 mm	p. 186
CO	BetteSupra 1000 mm - 1100 mm	p. 188
CO	BetteSupra 1200 mm - 1300 mm	p. 190
CO	BetteSupra 1400 mm - 1500 mm	p. 192
CO	BetteSupra 1600 mm - 1800 mm	p. 194
CO	BetteUltra 700 mm - 850 mm	p. 196
CO	BetteUltra = 900 mm	p. 198
CO	BetteUltra = 1000 mm	p. 200
CO	BetteUltra 1050 mm - 1100 mm	p. 202
CO	BetteUltra = 1200 mm	p. 204
CO	BetteUltra = 1300 mm	p. 206
CO	BetteUltra = 1400 mm	p. 208
CO	BetteUltra = 1500 mm	p. 210
CO	BetteUltra 1600 mm - 1700 mm	p. 212
CO	BetteUltra 1800 mm - 2000 mm	p. 214

Washbasins

CO	BetteAqua Built-In	p. 218
CO	BetteArt Counter Top	p. 220
CO	BetteArt Monolith	p. 222
CO	BetteBalance Built-in	p. 226
CO	BetteBalance Counter Top	p. 224
CO	BetteBalance Shell	p. 230
CO	BetteBalance Undermounted	p. 228
CO	BetteComodo Built-In	p. 232
CO	BetteComodo Undermounted	p. 234
CO	BetteComodo Undermounted with overflow	p. 236
CO	BetteCraft Shell	p. 238
CO	BetteCurve Shell	p. 240
CO	BetteLiv Shell	p. 242
CO	BetteLoft Built-In	p. 244
CO	BetteLoft Ornament Wall Mounted, 1 row	p. 250
CO	BetteLoft Ornament Wall Mounted, 4 rows	p. 252
CO	BetteLoft Undermounted	p. 246
CO	BetteLoft Undermounted with overflow	p. 248
CO	BetteLux Built-In	p. 254
CO	BetteLux Oval Built-In	p. 258
CO	BetteLux Oval Couture	p. 260
CO	BetteLux Shape	p. 256
CO	BetteOne Built-In	p. 262
CO	BetteOne Undermounted	p. 264
CO	BetteSuno Counter Top	p. 266
CO	BetteSuno Pedestal	p. 268

Extras

EX	Antinoise System	p. 274
EX	BetteAnti-Slip Pro	p. 272
EX	BetteAnti-Slip Sense	p. 273
EX	BetteGlaze® Plus	p. 274
EX	BetteUpstand	p. 278
EX	BetteUpstand installation aid	p. 281
EX	BetteUpstand ordering aid	p. 279
EX	BetteUpstand shortened	p. 280
EX	BetteUpstand tailor-made	p. 280
EX	Drillings	p. 275
EX	Individual laser logo	p. 274
EX	Minimum support	p. 276
EX	Minimum-support for BetteAir	p. 277
EX	Overview BetteUpstand, Special size, Profi Corner	p. 286
EX	Overview Extras	p. 296
EX	Profi Corner	p. 282
EX	Profi Corner ordering aid	p. 283
EX	Special depth	p. 274
EX	Special size	p. 284

Waste and overflow

IN	BetteSensory	p. 333
CP	Hair Trap for wastes	p. 308
CP	Spare covers waste fittings showers	p. 305
IN	Waste fittings showers	p. 300
IN	Bath waste and overflow fittings	p. 310

Mounting aid

IN	Bath divider	p. 355
IN	BetteLevel Locks	p. 339
IN	BetteLevel installation feet	p. 338
IN	Feet	p. 336
IN	Foam Central Support System	p. 354
IN	Foot-System	p. 346
IN	Installation Box BetteAir	p. 334
IN	Installation box BetteAir installation aid	p. 335
IN	Installation planning flush-to-floor showers	p. 341
IN	Minimum support Flex	p. 351
IN	Planning help installation systems	p. 342
IN	Planning help installation systems	p. 343
IN	Planning help installation systems	p. 345
IN	Planning help installation systems	p. 344
IN	Sealing Set BetteUpstand installation flush-to-floor	p. 353
IN	Sealing System	p. 352
IN	Sealing tape on roll	p. 353
IN	Sound insulation set	p. 354
IN	Support foot BetteLevel	p. 340
IN	Wall brackets	p. 355

Washbasin Accessories

CP	Overflow cover	p. 358
IN	Pushwaste	p. 358
CP	Spare cover	p. 357
IN	Unslotted Waste	p. 356
IN	Waste and overflow fitting BetteFlow	p. 359

Equipment / surface

CP	Blind plugs for grip holes	p. 363
IN	Grips	p. 360
IN	LED-Colour Spot Light	p. 363
CP	Relax Bath cushion	p. 363

Cleaning products

CP	Bath Rubber	p. 365
CP	Care Cloth	p. 363
CP	Enamel Cleaner	p. 364
CP	Enamel Spray Cleaner	p. 364
CP	Remalle	p. 365

Furniture

CP	Standing Mirror	p. 366
CP	Stool	p. 367
CP	Towel Rail	p. 366
CP	Wooden Inserts	p. 367

Whirlsystems

IN	BetteAirjet Plus Whirlsystem	p. 372
IN	BetteJet Whirlsystem	p. 373
IN	BetteSpa Whirlsystem	p. 374
CP	Disinfection liquid	p. 375
IN	Whirlsystem Disinfection	p. 375

Rectangular baths

1050 × 650 mm	BetteStep	p. 136
1080 × 730 mm	LaBette	p. 140
1180 × 730 mm	BetteStep	p. 136
	LaBette	p. 140
1200 × 700 mm	LaBette	p. 140
1240 × 700 mm	LaBette	p. 140
1300 × 700 mm	LaBette	p. 140
1400 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
1500 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
1500 × 750 mm	BetteSet	p. 102
1500 × 800 mm	BetteStarlet	p. 112
1570 × 700 mm	BetteStarlet	p. 112
1600 × 650 mm	BetteStarlet	p. 112
1600 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteStarlet	p. 112
1600 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteSet	p. 102
1650 × 700 mm	BetteStarlet	p. 112
1650 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteSet	p. 102
1700 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98

1700 × 700 mm	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteStarlet	p. 112
	BetteSetline	p. 104
1700 × 730 mm	BetteClassic	p. 40
	BetteForm	p. 56
1700 × 750 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteDuett	p. 46
	BetteForm	p. 56
	BetteFree	p. 58
	BetteLux	p. 66
	BetteLux Shape	p. 68
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect Duo	p. 100
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteStarlet	p. 112
	BetteStarlet Spirit	p. 114
1700 × 800 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteDuett	p. 46
	BetteForm	p. 56
	BetteLoft	p. 60
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSet	p. 102
1750 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
1750 × 800 mm	BetteStarlet	p. 112
1800 × 700 mm	BetteClassic	p. 40
1800 × 750 mm	BetteClassic	p. 40
	BetteStarlet	p. 112
1800 × 800 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44

1800 × 800 mm	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteDuo	p. 48
	BetteForm	p. 56
	BetteFree	p. 58
	BetteLoft	p. 60
	BetteLux	p. 66
	BetteLux Shape	p. 68
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteOne	p. 88
	BetteOne Relax	p. 90
	BetteSelect	p. 96
	BetteSelect Duo	p. 100
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteStarlet	p. 112
	BetteStarlet Spirit	p. 114
1800 × 1000 mm	BetteEve	p. 50
1810 × 810 mm	BetteLoft Ornament	p. 62
1850 × 850 mm	BetteStarlet	p. 112
1900 × 800 mm	BetteClassic	p. 40
	BetteForm	p. 56
1900 × 900 mm	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteFree	p. 58
	BetteLoft	p. 60
	BetteLux	p. 66
	BetteLux Shape	p. 68
	BetteOne	p. 88
	BetteOne Relax	p. 90
	BetteStarlet	p. 112
2000 × 900 mm	BetteOne Relax	p. 90
2000 × 1000 mm	BetteFree	p. 58

Oval baths

1500 × 800 mm	BetteStarlet Oval	p. 132
	BetteStarlet Oval Silhouette	p. 134
1500 × 1500 mm	BettePond	p. 92
	BettePond Silhouette	p. 94
1580 × 680 mm	BetteStarlet Flair Oval	p. 128
1650 × 750 mm	BetteStarlet Oval	p. 132
	BetteStarlet Oval Silhouette	p. 134
1680 × 730 mm	BetteStarlet Flair Oval	p. 128
	BetteLux Oval	p. 70
1700 × 750 mm	BetteLux Oval Silhouette	p. 74
	BetteStarlet Oval	p. 132
1750 × 800 mm	BetteStarlet Oval Silhouette	p. 134
	BetteSuno Oval	p. 138
1775 × 775 mm	BetteStarlet Flair Oval	p. 128
1780 × 780 mm	BetteLux Oval	p. 70
1800 × 800 mm	BetteLux Oval Couture	p. 72
	BetteLux Oval Silhouette	p. 74
1800 × 1000 mm	BetteEve Oval	p. 52
	BetteEve Oval Silhouette	p. 54
1805 × 755 mm	BetteArt	p. 30
1850 × 850 mm	BetteStarlet Oval	p. 132
	BetteStarlet Oval Silhouette	p. 134
1880 × 880 mm	BetteStarlet Flair Oval	p. 128
1900 × 900 mm	BetteLux Oval	p. 70
	BetteLux Oval Silhouette	p. 74
1950 × 950 mm	BetteStarlet Oval	p. 132
	BetteStarlet Oval Silhouette	p. 134

Hexagonal baths

1880 × 700 mm	BetteStarlet Hexa	p. 130
2000 × 750 mm	BetteStarlet Hexa	p. 130
2060 × 900 mm	BetteMetric - foot end right, overflow front	p. 82
	BetteMetric - foot end left, overflow front	p. 82
2100 × 800 mm	BetteStarlet Hexa	p. 130

Baths with apron

1500 × 800 mm	BetteStarlet Oval Silhouette	p. 134
1500 × 1500 mm	BettePond Silhouette	p. 94
1650 × 750 mm	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
	BetteStarlet Oval Silhouette	p. 134
1700 × 750 mm	BetteLux Oval Silhouette	p. 74
1700 × 800 mm	BetteLux Oval I Silhouette	p. 76
1750 × 800 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
	BetteStarlet Oval Silhouette	p. 134
1775 × 775 mm	BetteSuno Oval	p. 138
1800 × 800 mm	BetteLux Oval Silhouette	p. 74
1800 × 850 mm	BetteLux Oval I Silhouette	p. 76
1800 × 1000 mm	BetteEve Oval Silhouette	p. 54
1805 × 755 mm	BetteArt	p. 30
1805 × 800 mm	BetteArt I	p. 32
1810 × 810 mm	BetteLoft Ornament	p. 62
1850 × 800 mm	BetteArt IV	p. 34
	BetteArt V	p. 36
1850 × 850 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
	BetteStarlet Oval Silhouette	p. 134
1900 × 900 mm	BetteLux Oval Silhouette	p. 74
1900 × 950 mm	BetteLux Oval I Silhouette	p. 76
1950 × 950 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
	BetteStarlet Oval Silhouette	p. 134

Corner baths

1400 × 1400 mm	BetteArco	p. 28
1650 × 750 mm	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
1750 × 800 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
1850 × 800 mm	BetteArt IV	p. 34
	BetteArt V	p. 36
1850 × 850 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
1950 × 950 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126

Free-standing baths

1500 × 800 mm	BetteStarlet Oval Silhouette	p. 134
1500 × 1500 mm	BettePond Silhouette	p. 94
1650 × 750 mm	BetteStarlet Oval Silhouette	p. 134
1700 × 750 mm	BetteLux Oval Silhouette	p. 74
	BetteLux Shape	p. 68
1750 × 800 mm	BetteStarlet Oval Silhouette	p. 134
1775 × 775 mm	BetteSuno Oval	p. 138
1800 × 800 mm	BetteLux Oval Couture	p. 72
	BetteLux Oval Silhouette	p. 74
	BetteLux Shape	p. 68
1800 × 1000 mm	BetteEve Oval Silhouette	p. 54
1805 × 755 mm	BetteArt	p. 30
1810 × 810 mm	BetteLoft Ornament	p. 62
1850 × 850 mm	BetteStarlet Oval Silhouette	p. 134
1900 × 900 mm	BetteLux Oval Silhouette	p. 74
	BetteLux Shape	p. 68
1950 × 950 mm	BetteStarlet Oval Silhouette	p. 134

Mini baths

1050 × 650 mm	BetteStep	p. 136
1080 × 730 mm	LaBette	p. 140
1180 × 730 mm	BetteStep	p. 136
	LaBette	p. 140
1200 × 700 mm	LaBette	p. 140
1240 × 700 mm	LaBette	p. 140
1300 × 700 mm	LaBette	p. 140
1570 × 650 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1570 × 700 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1700 × 750 mm	BetteLuna - left	p. 64
	BetteLuna - right	p. 64
	BetteSpace S - left	p. 106
	BetteSpace S - right	p. 106
1700 × 900 mm	BetteSpace M - left	p. 108
	BetteSpace M - right	p. 108

Bath and shower combinations

1400 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
1500 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
1500 × 750 mm	BetteSet	p. 102
1600 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
1600 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteSet	p. 102
1650 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteSet	p. 102
1700 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSetline	p. 104
1700 × 730 mm	BetteClassic	p. 40
	BetteForm	p. 56
1700 × 750 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSelect	p. 96

1700 × 750 mm	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
1700 × 800 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSet	p. 102
	BetteSpace M - left	p. 108
1700 × 900 mm	BetteSpace M - right	p. 108
	BetteSet	p. 102
1750 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
1800 × 700 mm	BetteClassic	p. 40
1800 × 750 mm	BetteClassic	p. 40
1800 × 800 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteClassic	p. 40
	BetteForm	p. 56
	BetteComodo	p. 42
1900 × 800 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteComodo	p. 42
1900 × 900 mm	BetteComodo	p. 42

Special baths

1500 × 1500 mm	BettePond	p. 92
	BettePond Silhouette	p. 94
1570 × 650 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1570 × 700 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1650 × 750 mm	BetteStarlet I	p. 116
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV	p. 120
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V	p. 124
	BetteStarlet V Silhouette	p. 126
1700 × 750 mm	BetteLuna - left	p. 64
	BetteLuna - right	p. 64
	BetteSpace S - left	p. 106
	BetteSpace S - right	p. 106
	BetteLux Oval I Silhouette	p. 76
	BetteSpace M - left	p. 108
1700 × 800 mm	BetteSpace M - right	p. 108
	BetteSpace L - left	p. 110
1700 × 900 mm	BetteSpace L - right	p. 110
	BetteSpace L - left	p. 110
1700 × 1300 mm	BetteSpace L - right	p. 110
	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I	p. 116
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV	p. 120
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V	p. 124
	BetteStarlet V Silhouette	p. 126
	BetteLux Oval I Silhouette	p. 76
1800 × 850 mm	BetteArt I	p. 32
1805 × 800 mm	BetteArt IV	p. 34
	BetteArt V	p. 36
1850 × 800 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I	p. 116
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV	p. 120
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V	p. 124
	BetteStarlet V Silhouette	p. 126
	BetteLux Oval I Silhouette	p. 76
	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126
1900 × 950 mm	BetteLux Oval I Silhouette	p. 76
1950 × 950 mm	BetteLux Oval IV Silhouette	p. 78
	BetteLux Oval V Silhouette	p. 80
	BetteStarlet I Silhouette	p. 118
	BetteStarlet IV Silhouette	p. 122
	BetteStarlet V Silhouette	p. 126

Undermounted baths

1050 × 650 mm	BetteStep	p. 136
1080 × 730 mm	LaBette	p. 140
1180 × 730 mm	BetteStep	p. 136
	LaBette	p. 140
1200 × 700 mm	LaBette	p. 140
1240 × 700 mm	LaBette	p. 140
1300 × 700 mm	LaBette	p. 140
1400 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
1400 × 1400 mm	BetteArco	p. 28
1500 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
1500 × 750 mm	BetteSet	p. 102
1500 × 800 mm	BetteStarlet	p. 112
	BetteStarlet Oval	p. 132
1570 × 650 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1570 × 700 mm	BetteBambino - left	p. 38
	BetteBambino - right	p. 38
1600 × 650 mm	BetteStarlet	p. 112
1600 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteStarlet	p. 112
1600 × 750 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteSet	p. 102
1650 × 750 mm	BetteForm	p. 56
	BetteStarlet Oval	p. 132
1700 × 700 mm	BetteClassic	p. 40
	BetteForm	p. 56
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
1700 × 750 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteDuett	p. 46

1700 × 750 mm	BetteForm	p. 56
	BetteLuna - left	p. 64
	BetteLuna - right	p. 64
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
	BetteOne	p. 88
	BetteSelect	p. 96
	BetteSelect Duo	p. 100
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSpace S - left	p. 106
	BetteSpace S - right	p. 106
	BetteStarlet	p. 112
1700 × 800 mm	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteOcean - foot end right, overflow rear	p. 84
	BetteOcean - foot end right, overflow front	p. 84
	BetteOcean Low-Line - foot end right, overflow rear	p. 86
	BetteOcean Low-Line - foot end right, overflow front	p. 86
1700 × 900 mm	BetteSpace M - left	p. 108
	BetteSpace M - right	p. 108
1700 × 1300 mm	BetteSpace L - left	p. 110
	BetteSpace L - right	p. 110
1750 × 800 mm	BetteStarlet Oval	p. 132
1800 × 700 mm	BetteClassic	p. 40
1800 × 800 mm	BetteClassic	p. 40
	BetteComodo	p. 42
	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteDuo	p. 48
	BetteForm	p. 56
	BetteOne	p. 88
	BetteOne Relax	p. 90
	BetteSelect	p. 96
	BetteSelect Duo	p. 100
	BetteSelect with side overflow - foot end right, overflow front	p. 98
	BetteSelect with side overflow - foot end right, overflow rear	p. 98
	BetteSet	p. 102
	BetteStarlet	p. 112
	BetteStarlet Oval	p. 132
1850 × 850 mm	BetteClassic	p. 40
1900 × 800 mm	BetteForm	p. 56
1900 × 900 mm	BetteComodo	p. 42

1900 × 900 mm	BetteComodo with side overflow - foot end right, overflow front	p. 44
	BetteComodo with side overflow - foot end right, overflow rear	p. 44
	BetteOne	p. 88
	BetteOne Relax	p. 90
	BetteStarlet	p. 112
1950 × 950 mm	BetteStarlet Oval	p. 132
2000 × 900 mm	BetteOne Relax	p. 90

Rectangular shower trays

700 × 700 mm	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
750 × 700 mm	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
750 × 750 mm	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
800 × 700 mm	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
800 × 750 mm	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
	BetteDelta 800-900 mm	p. 152
800 × 800 mm	BetteFloor	p. 158
	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
850 × 700 mm	BetteDelta 800-900 mm	p. 152
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
850 × 750 mm	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
850 × 850 mm	BetteUltra 700-900 mm	p. 196
	BetteSupra 700-900 mm	p. 184
	BetteQuinta 700-900 mm	p. 180
900 × 600 mm	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180
900 × 700 mm	BetteFloor	p. 158
	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180
	BetteDelta 800-900 mm	p. 152
900 × 750 mm	BetteFloor	p. 158
	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180
	BetteDelta 800-900 mm	p. 152
900 × 800 mm	BetteFloor	p. 158
	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180
	BetteDelta 800-900 mm	p. 152
900 × 850 mm	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180
900 × 900 mm	BetteFloor	p. 158
	BetteFloor Side	p. 172
	BetteAir	p. 144
	BetteUltra 700-900 mm	p. 198
	BetteSupra 700-900 mm	p. 186
	BetteQuinta 700-900 mm	p. 180

900 × 900 mm	BetteDelta 800-900 mm	p. 152
1000 × 700 mm	BetteFloor	p. 158
	BetteUltra 1000 mm	p. 200
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
1000 × 750 mm	BetteFloor	p. 158
	BetteUltra 1000 mm	p. 200
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
1000 × 800 mm	BetteFloor	p. 158
	BetteFloor Side	p. 172
	BetteAir	p. 144
	BetteUltra 1000 mm	p. 200
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
1000 × 900 mm	BetteFloor	p. 158
	BetteFloor Side	p. 172
	BetteAir	p. 144
	BetteUltra 1000 mm	p. 200
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
1000 × 1000 mm	BetteFloor	p. 158
	BetteFloor Side	p. 172
	BetteAir	p. 144
	BetteUltra 1000 mm	p. 200
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
1050 × 750 mm	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
1100 × 700 mm	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
1100 × 750 mm	BetteFloor	p. 160
	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
1100 × 800 mm	BetteFloor	p. 160
	BetteFloor Side	p. 172
	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
1100 × 900 mm	BetteFloor	p. 160
	BetteFloor Side	p. 172
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
1100 × 1000 mm	BetteFloor	p. 160
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
1100 × 1100 mm	BetteUltra 1050-1500 mm	p. 202
	BetteSupra 1000-1500 mm	p. 188
	BetteQuinta 1000-1200 mm	p. 182
1200 × 700 mm	BetteFloor	p. 160
	BetteUltra 1050-1500 mm	p. 204

1200 × 700 mm	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
1200 × 750 mm	BetteFloor	p. 160
	BetteUltra 1050-1500 mm	p. 204
	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
1200 × 800 mm	BetteFloor	p. 160
	BetteFloor Side	p. 174
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 204
	BetteSupra 1000-1500 mm	p. 190
1200 × 900 mm	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
	BetteFloor	p. 160
	BetteFloor Side	p. 174
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 204
	BetteSupra 1000-1500 mm	p. 190
1200 × 1000 mm	BetteQuinta 1000-1200 mm	p. 182
	BetteFloor	p. 160
	BetteFloor Side	p. 174
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 204
1200 × 1100 mm	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
	BetteDelta 1000-1200 mm	p. 154
1200 × 1200 mm	BetteFloor	p. 160
	BetteFloor Side	p. 174
1300 × 700 mm	BetteFlat	p. 156
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 204
	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
	BetteUltra 1050-1500 mm	p. 206
	BetteDelta 1000-1200 mm	p. 154
1300 × 750 mm	BetteFloor	p. 162
	BetteUltra 1050-1500 mm	p. 206
	BetteSupra 1000-1500 mm	p. 190
1300 × 800 mm	BetteFloor	p. 162
	BetteUltra 1050-1500 mm	p. 206
	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
1300 × 900 mm	BetteFloor	p. 162
	BetteFloor Side	p. 176
	BetteUltra 1050-1500 mm	p. 206
	BetteSupra 1000-1500 mm	p. 190
1300 × 1000 mm	BetteFloor	p. 162
	BetteFloor Side	p. 176
	BetteUltra 1050-1500 mm	p. 206
	BetteSupra 1000-1500 mm	p. 190
1300 × 1300 mm	BetteUltra 1050-1500 mm	p. 206
	BetteSupra 1000-1500 mm	p. 190
	BetteQuinta 1000-1200 mm	p. 182
1400 × 700 mm	BetteFloor	p. 162
	BetteUltra 1050-1500 mm	p. 208
	BetteSupra 1000-1500 mm	p. 192
1400 × 750 mm	BetteFloor	p. 162
	BetteUltra 1050-1500 mm	p. 208
	BetteSupra 1000-1500 mm	p. 192

1400 × 800 mm	BetteFloor	p. 162
	BetteFloor Side	p. 176
	BetteUltra 1050-1500 mm	p. 208
	BetteSupra 1000-1500 mm	p. 192
1400 × 900 mm	BetteFloor	p. 162
	BetteFloor Side	p. 176
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 208
1400 × 1000 mm	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 162
	BetteFloor Side	p. 176
	BetteAir	p. 144
1400 × 1200 mm	BetteUltra 1050-1500 mm	p. 208
	BetteSupra 1000-1500 mm	p. 192
	BetteFloor Side	p. 176
	BetteFloor	p. 162
1400 × 1400 mm	BetteUltra 1050-1500 mm	p. 208
1500 × 700 mm	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 164
	BetteUltra 1050-1500 mm	p. 210
	BetteSupra 1000-1500 mm	p. 192
1500 × 750 mm	BetteFloor	p. 164
	BetteUltra 1050-1500 mm	p. 210
	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 164
1500 × 800 mm	BetteFloor	p. 164
	BetteUltra 1050-1500 mm	p. 210
	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 164
1500 × 900 mm	BetteFloor	p. 164
	BetteFloor Side	p. 176
	BetteAir	p. 144
	BetteUltra 1050-1500 mm	p. 210
1500 × 1000 mm	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 164
	BetteFloor Side	p. 176
	BetteAir	p. 144
1500 × 1200 mm	BetteUltra 1050-1500 mm	p. 210
	BetteSupra 1000-1500 mm	p. 192
	BetteFloor Side	p. 176
	BetteFloor	p. 164
1500 × 1500 mm	BetteUltra 1050-1500 mm	p. 210
	BetteSupra 1000-1500 mm	p. 192
	BetteFloor	p. 164
	BetteFloor Side	p. 176
1600 × 700 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1600 × 750 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1600 × 800 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1600 × 900 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1600 × 1000 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178

1600 × 1000 mm	BetteAir	p. 144
	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
1600 × 1200 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1700 × 700 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1700 × 750 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1700 × 800 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1700 × 900 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1700 × 1000 mm	BetteUltra 1600-2000 mm	p. 212
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1800 × 800 mm	BetteUltra 1600-2000 mm	p. 214
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1800 × 900 mm	BetteUltra 1600-2000 mm	p. 214
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1800 × 1000 mm	BetteUltra 1600-2000 mm	p. 214
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
1900 × 900 mm	BetteUltra 1600-2000 mm	p. 214
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178
2000 × 900 mm	BetteUltra 1600-2000 mm	p. 214
	BetteSupra 1600-1800 mm	p. 194
	BetteFloor	p. 166
	BetteFloor Side	p. 178

Quadrant shower trays

750 × 900 mm	BetteCorner 35 mm, different shank length	p. 150
800 × 800 mm	BetteCorner 35 mm, same shank length	p. 148
800 × 900 mm	BetteCorner 35 mm, different shank length	p. 150
900 × 750 mm	BetteCorner 35 mm, different shank length	p. 150
900 × 800 mm	BetteCorner 35 mm, different shank length	p. 150
900 × 900 mm	BetteFloor Corner	p. 170
	BetteCorner 35 mm, same shank length	p. 148
900 × 1000 mm	BetteCorner 35 mm, different shank length	p. 150
1000 × 900 mm	BetteCorner 35 mm, different shank length	p. 150
1000 × 1000 mm	BetteFloor Corner	p. 170
	BetteCorner 35 mm, same shank length	p. 148

Pentagonal shower trays

800 × 800 mm	BetteCaro 35 mm, same shank length	p. 146
900 × 900 mm	BetteFloor Caro	p. 168
	BetteCaro 35 mm, same shank length	p. 146
1000 × 1000 mm	BetteFloor Caro	p. 168
	BetteCaro 35 mm, same shank length	p. 146

Counter top washbasins

300 × 400 mm	BetteArt Counter Top	p. 220
320 × 320 mm	BetteCurve Shell	p. 240
	BetteLiv Shell	p. 242
340 × 340 mm	BetteSuno Counter Top	p. 266
350 × 350 mm	BetteCraft Shell	p. 238
400 × 400 mm	BetteBalance Shell	p. 230
420 × 420 mm	BetteCurve Shell	p. 240
	BetteLiv Shell	p. 242
425 × 425 mm	BetteBalance Counter Top	p. 224
450 × 450 mm	BetteCraft Shell	p. 238
600 × 400 mm	BetteArt Counter Top	p. 220
800 × 400 mm	BetteArt Counter Top	p. 220

Built-in washbasins

435 × 435 mm	BetteBalance Built-in	p. 226
500 × 500 mm	BetteLux Oval Built-In	p. 258
	BetteLux Oval Built-In - 1 drilling	p. 258
600 × 495 mm	BetteAqua Built-In	p. 218
	BetteAqua Built-In - 1 drilling	p. 218
	BetteComodo Built-In	p. 232
	BetteComodo Built-In - 1 drilling	p. 232
	BetteLux Built-In	p. 254
	BetteLux Built-In - 1 drilling	p. 254
	BetteOne Built-In	p. 262
	BetteOne Built-In - 1 drilling	p. 262
800 × 495 mm	BetteAqua Built-In	p. 218
	BetteAqua Built-In - 1 drilling	p. 218
	BetteComodo Built-In	p. 232
	BetteComodo Built-In - 1 drilling	p. 232
	BetteLoft Built-In	p. 244
	BetteLoft Built-In - 1 drilling	p. 244
	BetteLux Built-In	p. 254
	BetteLux Built-In - 1 drilling	p. 254
	BetteOne Built-In	p. 262
	BetteOne Built-In - 1 drilling	p. 262
1400 × 495 mm	BetteAqua Built-In	p. 218
	BetteAqua Built-In - 1 drilling	p. 218
	BetteAqua Built-In - 2 drillings	p. 218

Wall-mounted washbasins

815 × 510 mm	BetteLoft Ornament Wall-mounted, 4 rows	p. 252
	BetteLoft Ornament Wall-mounted, 4 rows - 1 drilling	p. 252
825 × 525 mm	BetteLoft Ornament Wall-mounted, 1 row	p. 250
	BetteLoft Ornament Wall-mounted, 1 row - 1 drilling	p. 250


Undermounted washbasins

434 × 416 mm	BetteOne Undermounted	p. 264
475 × 475 mm	BetteBalance Undermounted	p. 228
574 × 380 mm	BetteComodo Undermounted	p. 234
	BetteComodo Undermounted with overflow	p. 236
587 × 408 mm	BetteOne Undermounted	p. 264
740 × 386 mm	BetteLoft Undermounted	p. 246
	BetteLoft Undermounted with overflow	p. 248
767 × 400 mm	BetteOne Undermounted	p. 264
774 × 380 mm	BetteComodo Undermounted	p. 234
	BetteComodo Undermounted with overflow	p. 236

Free-standing washbasins

340 × 340 mm	BetteSuno Pedestal	p. 268
	BetteSuno Pedestal - 1 drilling	p. 268
500 × 500 mm	BetteLux Oval Couture	p. 260
	BetteLux Oval Couture - 1 drilling	p. 260
600 × 400 mm	BetteArt Monolith	p. 222
600 × 495 mm	BetteLux Shape	p. 256
	BetteLux Shape - 1 drilling	p. 256
800 × 495 mm	BetteLux Shape	p. 256
	BetteLux Shape - 1 drilling	p. 256
1000 × 495 mm	BetteLux Shape	p. 256
	BetteLux Shape - 1 drilling	p. 256

Baths



28	BetteArco	88	BetteOne
30	BetteArt	90	BetteOne Relax
32	BetteArt I	92	BettePond
34	BetteArt IV	94	BettePond Silhouette
36	BetteArt V	96	BetteSelect
38	BetteBambino	100	BetteSelect Duo
40	BetteClassic	98	BetteSelect with side overflow
42	BetteComodo	102	BetteSet
44	BetteComodo with side overflow	104	BetteSetline
46	BetteDuett	110	BetteSpace L
48	BetteDuo	108	BetteSpace M
50	BetteEve	106	BetteSpace S
52	BetteEve Oval	112	BetteStarlet
54	BetteEve Oval Silhouette	116	BetteStarlet I
56	BetteForm	118	BetteStarlet I Silhouette
58	BetteFree	120	BetteStarlet IV
60	BetteLoft	122	BetteStarlet IV Silhouette
62	BetteLoft Ornament	124	BetteStarlet V
64	BetteLuna	126	BetteStarlet V Silhouette
66	BetteLux	128	BetteStarlet Flair Oval
70	BetteLux Oval	130	BetteStarlet Hexa
76	BetteLux Oval I Silhouette	132	BetteStarlet Oval
78	BetteLux Oval IV Silhouette	134	BetteStarlet Oval Silhouette
80	BetteLux Oval V Silhouette	114	BetteStarlet Spirit
72	BetteLux Oval Couture	136	BetteStep
74	BetteLux Oval Silhouette	138	BetteSuno Oval
68	BetteLux Shape	140	LaBette
82	BetteMetric		
84	BetteOcean		
86	BetteOcean Low-Line		




Information

For professional installation we recommend the use of the original bath feet B50-0015.

Scope of delivery

Including noise-reducing pads.

Design: schmiedem design



Dimensions

article no.	dimensions in mm	volume*
6035	1400 x 1400 x 450	267 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6035	1400 x 1400 x 450	58.8 kg	£ 2,244	£ 2,412	£ 2,567

Extras




PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				

Accessories

PG	article no.	description	see	price
IN	B50-0015	Height-adjustable feet (4 pieces)	p. 337	£ 47
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		



Information



The special bath waste and overflow fitting BetteArt is compulsory for installation. The BetteArt bath waste and overflow comes prefitted. If ordered with waste and overflow with filling unit the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is included in delivery.

Available with matching washbasin BetteArt or BetteArt Monolith.
→ P. 220

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	V1	W1	volume*
3480 CFXXK	1805 x 755 x 420	570	480	248 litre

*bath capacity = volume + 70 litre human water displacement.

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3480 CFXXK	1805 x 755 x 420	113 kg	£ 5,890	£ 6,628	£ 7,043
Please note the ordering information on page 5, in particular the position of the colour number.						


Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings (required accessories)

PG	article no.	description	see	Chrome 901	White 000
IN	B614-	Bath waste and overflow fitting BetteArt	p. 332	£ 611	£ 677
IN	B615-	Bath filling, waste and overflow fitting unit Trio BetteArt, 725 mm	p. 332	£ 927	£ 1,091

BetteArt I



Information





The special Bath waste and overflow fitting BetteArt is compulsory for installation. The BetteArt bath waste and overflow comes prefitted. If ordered with waste and overflow with filling unit the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is included in delivery.

Available with matching washbasin BetteArt or BetteArt Monolith.
→ P. 220

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	V1	W1	volume*
3480 CWHVK	1805 × 800 × 420	545	665	248 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3480 CWVHK	1805 x 800 x 420	105 kg	£ 5,657	£ 6,395	£ 6,810
Please note the ordering information on page 5, in particular the position of the colour number.						


Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings (required accessories)

PG	article no.	description	see	Chrome 901	White 000
IN	B614-	Bath waste and overflow fitting BetteArt	p. 332	£ 611	£ 677
IN	B615-	Bath filling, waste and overflow fitting unit Trio BetteArt, 725 mm	p. 332	£ 927	£ 1,091

BetteArt IV



Information





The special Bath waste and overflow fitting BetteArt is compulsory for installation. The BetteArt bath waste and overflow comes prefitted. If ordered with waste and overflow with filling unit the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is included in delivery.

Available with matching washbasin BetteArt or BetteArt Monolith.
→ P. 220

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	V1	W1	volume*
3480 CERHK	1850 × 800 × 420	545	665	248 litre

*bath capacity = volume + 70 litre human water displacement.

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3480 CERHK	1850 x 800 x 420	93 kg	£ 5,657	£ 6,395	£ 6,810
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings (required accessories)

PG	article no.	description	see	Chrome 901	White 000
IN	B614-	Bath waste and overflow fitting BetteArt	p. 332	£ 611	£ 677
IN	B615-	Bath filling, waste and overflow fitting unit Trio BetteArt, 725 mm	p. 332	£ 927	£ 1,091

BetteArt V



Information






The special Bath waste and overflow fitting BetteArt is compulsory for installation. The BetteArt bath waste and overflow comes prefitted. If ordered with waste and overflow with filling unit the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is included in delivery.

Available with matching washbasin BetteArt or BetteArt Monolith.
→ P. 220

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	V1	W1	volume*
3480 CELHK	1850 × 800 × 420	545	665	248 litre

*bath capacity = volume + 70 litre human water displacement.

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3480 CELHK	1850 x 800 x 420	93 kg	£ 5,657	£ 6,395	£ 6,810
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings (required accessories)

PG	article no.	description	see	Chrome 901	White 000
IN	B614-	Bath waste and overflow fitting BetteArt	p. 332	£ 611	£ 677
IN	B615-	Bath filling, waste and overflow fitting unit Trio BetteArt, 725 mm	p. 332	£ 927	£ 1,091

BetteBambino



N° 1: foot end left




N° 2: foot end right


Information

For professional installation we recommend the use of the original bath feet B23-1500.



This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.



N° 1: foot end left



N° 2: foot end right



Dimensions

article no.	dimensions in mm	variant	A	B	B2	M	N	volume*
2770	1570 × 650 × 420	N° 1	1570	650	500	50	50	104 litre
2780	1570 × 650 × 420	N° 2	1570	650	500	50	50	104 litre
2570	1570 × 700 × 420	N° 1	1570	700	550	60	90	104 litre
2580	1570 × 700 × 420	N° 2	1570	700	550	60	90	104 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	2770	1570 x 650 x 420	Nº 1	39 kg	10	£ 707 	£ 875	£ 1,030
BA	2780	1570 x 650 x 420	Nº 2	39 kg	9	£ 707 	£ 875	£ 1,030
BA	2570	1570 x 700 x 420	Nº 1	41 kg	10	£ 707 	£ 875	£ 1,030
BA	2580	1570 x 700 x 420	Nº 2	41 kg	9	£ 707 	£ 875	£ 1,030

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		Profi Corner	p. 282	from £ 385
EX	AD	Antinoise for baths	p. 274	£ 48
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteClassic



Information


The BetteClassic, 1900 × 800 × 450 mm, article no. 1273, is not available with BetteUpstand or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	L	N	O	P	T	T1	volume*
1266	1400 × 700 × 450	1400	700	100	1230	70	400	420	580	965	450	475	65	590	320	405	395	92 litre
1268	1500 × 700 × 450	1500	700	100	1330	70	400	520	580	1070	450	475	70	640	320	390	360	108 litre
1267	1600 × 700 × 450	1600	700	100	1430	70	400	620	580	1155	450	470	65	690	320	430	415	125 litre
1269	1600 × 750 × 450	1600	750	100	1430	70	400	620	580	1170	470	495	65	690	320	440	405	136 litre
1265	1650 × 750 × 450	1650	750	120	1430	100	420	620	610	1170	470	495	65	710	340	420	405	136 litre
3108	1700 × 700 × 450	1700	700	100	1530	70	420	700	580	1265	450	475	65	740	320	395	410	140 litre
3109	1700 × 730 × 450	1700	730	100	1530	70	420	700	580	1265	450	475	80	740	320	403	405	140 litre
3110	1700 × 750 × 450	1700	750	90	1555	55	420	690	590	1275	505	525	65	740	320	405	360	162 litre
3111	1700 × 800 × 450	1700	800	90	1555	55	420	690	590	1275	505	525	90	740	320	385	360	162 litre
3112	1750 × 750 × 450	1750	750	120	1555	75	450	690	610	1275	505	525	65	770	350	385	360	162 litre
1271	1800 × 700 × 450	1800	700	100	1635	65	460	730	610	1360	420	450	70	790	320	420	420	163 litre
1272	1800 × 750 × 450	1800	750	100	1635	65	460	730	610	1360	420	450	95	790	320	420	420	163 litre
1270	1800 × 800 × 450	1800	800	100	1635	65	430	790	580	1360	550	570	65	790	320	455	400	197 litre
1273	1900 × 800 × 450	1900	800	100	1730	70	440	860	600	1460	485	510	70	840	320	455	440	197 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	1266	1400 × 700 × 450	38.6 kg	10	£ 812	£ 980	£ 1,135
BA	1268	1500 × 700 × 450	41.2 kg	10	£ 812	£ 980	£ 1,135
BA	1267	1600 × 700 × 450	44 kg	10	£ 812	£ 980	£ 1,135
BA	1269	1600 × 750 × 450	45.8 kg	10	£ 812	£ 980	£ 1,135
BA	1265	1650 × 750 × 450	46.6 kg	10	£ 812	£ 980	£ 1,135
BA	3108	1700 × 700 × 450	46.7 kg	10	£ 812	£ 980	£ 1,135
BA	3109	1700 × 730 × 450	47.5 kg	10	£ 812	£ 980	£ 1,135
BA	3110	1700 × 750 × 450	48.3 kg	12	£ 812 	£ 980	£ 1,135
BA	3111	1700 × 800 × 450	50.6 kg	10	£ 812	£ 980	£ 1,135
BA	3112	1750 × 750 × 450	49.6 kg	10	£ 853	£ 1,021	£ 1,176
BA	1271	1800 × 700 × 450	49 kg	10	£ 853 	£ 1,021	£ 1,176
BA	1272	1800 × 750 × 450	52.7 kg	14	£ 853 	£ 1,021	£ 1,176
BA	1270	1800 × 800 × 450	53.4 kg	10	£ 894 	£ 1,062	£ 1,217
BA	1273	1900 × 800 × 450	55.2 kg	10	£ 1,010	£ 1,178	£ 1,333

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteComodo



Information

The BetteComodo, 1900 × 900 × 450 mm, article no. 1252, is not available with BetteUpstand or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.


This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Available with matching washbasin BetteComodo.
→ P. 232

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	D	E	F	G	H	I	K	M	M1	N	N1	U	V	W	volume*
1250	1700 × 750 × 450	1700	750	1580	65	470	580	650	1250	540	43	355	445	420	374	15	445	155 litre
1253	1700 × 800 × 450	1700	800	1580	65	470	580	650	1250	540	70	355	445	420	374	40	445	155 litre
1251	1800 × 800 × 450	1800	800	1670	75	470	660	670	1310	575	45	375	460	450	395	15	495	182 litre
1252	1900 × 900 × 450	1900	900	1770	75	520	660	720	1380	650	50	410	530	520	432	15	585	228 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1250	1700 x 750 x 450	45 kg	7	£ 797 ▲	£ 965	£ 1,120
CO	1253	1700 x 800 x 450	50 kg	7	£ 797 ▲	£ 965	£ 1,120
CO	1251	1800 x 800 x 450	52.5 kg	7	£ 876 ▲	£ 1,044	£ 1,199
CO	1252	1900 x 900 x 450	52.8 kg	7	£ 1,100	£ 1,268	£ 1,423

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteComodo with side overflow



N° 1: foot end right, overflow front



N° 2: foot end right, overflow rear

Information

The BetteComodo with side overflow, 1900 x 900 x 450 mm, article no. 1622 and 1642, are not available with BetteUpstand or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.


This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Available with matching washbasin BetteComodo.
→ P. 232


Scope of delivery

Including noise-reducing pads.



Design: Tesseraux + Partner



N° 1: foot end right, overflow front



N° 2: foot end right, overflow rear



Dimensions

article no.	dimensions in mm	variant	A	B	D	E	F	G	H	I	K	M	M1	N	N1	U	V	W	volume*
1620	1700 x 750 x 450	N° 1	1700	750	1580	65	470	650	540	1250	540	43	355	445	420	374	15	445	155 litre
1640	1700 x 750 x 450	N° 2	1700	750	1580	65	470	580	650	1250	540	43	355	445	420	374	15	445	155 litre
1623	1700 x 800 x 450	N° 1	1700	800	1580	65	470	580	650	1250	540	70	355	445	420	374	40	445	155 litre
1643	1700 x 800 x 450	N° 2	1700	800	1580	65	470	580	650	1250	540	70	355	445	420	374	40	445	155 litre
1621	1800 x 800 x 450	N° 1	1800	800	1670	75	470	660	670	1310	575	45	375	460	450	395	15	495	182 litre
1641	1800 x 800 x 450	N° 2	1800	800	1670	75	470	660	670	1310	575	45	375	460	450	395	15	495	182 litre
1622	1900 x 900 x 450	N° 1	1900	900	1770	75	520	660	720	1380	650	50	410	530	520	432	15	585	228 litre
1642	1900 x 900 x 450	N° 2	1900	900	1770	75	520	660	720	1380	650	50	410	530	520	432	15	585	228 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1620	1700 x 750 x 450	Nº 1	45 kg	7	£ 797 	£ 965	£ 1,120
CO	1640	1700 x 750 x 450	Nº 2	45 kg	7	£ 797	£ 965	£ 1,120
CO	1623	1700 x 800 x 450	Nº 1	50 kg	7	£ 797	£ 965	£ 1,120
CO	1643	1700 x 800 x 450	Nº 2	50 kg	7	£ 797	£ 965	£ 1,120
CO	1621	1800 x 800 x 450	Nº 1	52.5 kg	7	£ 876 	£ 1,044	£ 1,199
CO	1641	1800 x 800 x 450	Nº 2	52.5 kg	7	£ 876 	£ 1,044	£ 1,199
CO	1622	1900 x 900 x 450	Nº 1	52.8 kg	7	£ 1,100	£ 1,268	£ 1,423
CO	1642	1900 x 900 x 450	Nº 2	52.8 kg	7	£ 1,100	£ 1,268	£ 1,423

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteDuett



Information


The BetteDuett, article no. 3100: The rim on the overflowside is 50 mm larger, the internal shape is the same as BetteDuett article no. 3020.

For professional installation we recommend the use of the original bath feet B23-1500.


This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery



Including noise-reducing pads.



1700 x 750 mm, article no. 3020



1700 x 800 mm, asymmetrical rim, article no. 3100



Dimensions

article no.	dimensions in mm	volume*
3020	1700 x 750 x 420	128 litre
3100	1700 x 800 x 420	128 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3020	1700 x 750 x 420	45 kg	10	£ 923	£ 1,091	£ 1,246
CO	3100	1700 x 800 x 420	473 kg	10	£ 923	£ 1,091	£ 1,246

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteDuo



Information


If an overflow filling waste is being used, water may hit the internal ledge.

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	volume*
3820	1800 x 800 x 420	143 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3820	1800 x 800 x 420	50.1 kg	12	£ 1,016 	£ 1,184	£ 1,339

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		






Information

For professional installation we recommend the use of the original bath feet B23-1525.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	volume*
6042	1800 × 1000 × 450	215 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6042	1800 x 1000 x 450	54 kg	9	£ 1,254	£ 1,422	£ 1,577

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1525	Bath feet oval	p. 336	£ 83
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm	p. 312	£ 184	£ 219	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		

BetteEve Oval






Information

For professional installation we recommend the use of the original bath feet B23-1525.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	volume*
6043	1800 × 1000 × 450	215 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6043	1800 x 1000 x 450	47 kg	£ 2,007	£ 2,175	£ 2,330

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).



Accessories

PG	article no.	description	see	price
IN	B23-1525	Bath feet oval	p. 336	£ 83
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm	p. 312	£ 184	£ 219	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		

BetteEve Oval Silhouette



Information




If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	V1	W1	volume*
6043 CFXXS	1800 × 1000 × 450	630	880	215 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover	Bicolour → cover
CO	6043 CFXXS	1800 x 1000 x 450	95 kg	£ 4,976	£ 5,714	£ 6,129	£ 7,044
Please note the ordering information on page 5, in particular the position of the colour number.							

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteForm






Information

The BetteForm, 1900 x 800 x 420 mm, article no. 2951, is not available with BetteUpstand or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	L	N	O	P	T	T1	volume*
2940	1400 x 700 x 420	1400	700	100	1230	70	400	420	580	965	450	475	65	590	320	405	395	74 litre
2941	1500 x 700 x 420	1500	700	100	1330	70	400	520	580	1070	450	475	65	640	320	390	360	89 litre
2942	1600 x 700 x 420	1600	700	100	1430	70	400	620	580	1155	450	475	65	690	320	430	415	103 litre
2943	1600 x 750 x 420	1600	750	100	1430	70	400	620	580	1170	470	498	65	690	320	440	405	113 litre
2944	1650 x 750 x 420	1650	750	120	1430	100	420	620	610	1170	470	498	65	710	340	420	405	113 litre
2945	1700 x 700 x 420	1700	700	100	1530	70	420	700	580	1265	450	475	65	740	320	395	410	118 litre
2946	1700 x 730 x 420	1700	730	100	1530	70	420	700	580	1265	450	475	80	740	320	403	405	118 litre
2947	1700 x 750 x 420	1700	750	90	1555	55	420	690	590	1280	505	525	65	740	320	405	360	140 litre
2948	1700 x 800 x 420	1700	800	90	1555	55	420	690	590	1280	505	525	90	740	320	385	360	140 litre
2949	1750 x 750 x 420	1750	750	120	1555	75	450	690	610	1280	505	525	65	770	350	385	360	140 litre
2950	1800 x 800 x 420	1800	800	100	1635	65	430	790	580	1360	555	570	65	790	320	455	400	170 litre
2951	1900 x 800 x 420	1900	800	100	1730	70	440	860	600	1460	485	510	70	840	320	455	440	167 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	2940	1400 × 700 × 420	37 kg	12	£ 560 	£ 728	£ 883
BA	2941	1500 × 700 × 420	39.6 kg	12	£ 560 	£ 728	£ 883
BA	2942	1600 × 700 × 420	42.3 kg	12	£ 501 	£ 669	£ 824
BA	2943	1600 × 750 × 420	44.1 kg	12	£ 501 	£ 669	£ 824
BA	2944	1650 × 750 × 420	44.9 kg	12	£ 560 	£ 728	£ 883
BA	2945	1700 × 700 × 420	44.9 kg	12	£ 501 	£ 669	£ 824
BA	2946	1700 × 730 × 420	45.8 kg	12	£ 560	£ 728	£ 883
BA	2947	1700 × 750 × 420	44 kg	12	£ 501 	£ 669	£ 824
BA	2948	1700 × 800 × 420	48.8 kg	12	£ 590 	£ 758	£ 913
BA	2949	1750 × 750 × 420	47.9 kg	12	£ 619 	£ 787	£ 942
BA	2950	1800 × 800 × 420	51.6 kg	12	£ 616 	£ 784	£ 939
BA	2951	1900 × 800 × 420	53 kg	12	£ 733 	£ 901	£ 1,056

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
EX	AD	Antinoise for baths	p. 274	£ 48
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		



Information




Tapholes can be placed on the overflow rim and on both short side rims.

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.

Design: schmiedem design



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	T	U	V	volume*
6829	1700 × 750 × 450	1700	750	1534	555	590	555	1160	485	430	76	68	150 litre
6830	1800 × 800 × 450	1800	800	1634	580	640	580	1260	535	480	76	67	180 litre
6831	1900 × 900 × 450	1900	900	1734	580	740	580	1360	635	580	76	72	210 litre
6832	2000 × 1000 × 450	2000	1000	1834	625	750	625	1460	735	680	76	73	240 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6829	1700 × 750 × 450	471 kg	15	£ 1,212	£ 1,380	£ 1,535
CO	6830	1800 × 800 × 450	53.1 kg	15	£ 1,333 	£ 1,501	£ 1,656
CO	6831	1900 × 900 × 450	61 kg	15	£ 1,506 	£ 1,674	£ 1,829
CO	6832	2000 × 1000 × 450	67.2 kg	14	£ 1,818	£ 1,986	£ 2,141

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1900 × 900 mm, 2000 × 1000 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1900 × 900 mm, 2000 × 1000 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteLoft



Information

Due to the folded edge, standard commercially available bath anchors cannot be combined. We therefore recommend the Wall Brackets (item no. Z0008669) for mounting.


For professional installation we recommend the use of the original bath feet B23-1500.

Available with matching washbasin BetteLoft.
→ P. 244

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	N	volume*
3171	1700 × 800 × 420	1700	800	1646	450	800	450	1223	518	445	156 litre
3172	1800 × 800 × 420	1800	800	1746	450	900	450	1327	521	445	173 litre
3173	1900 × 900 × 420	1900	900	1846	480	940	480	1426	620	455	235 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3171	1700 × 800 × 420	45 kg	12	£ 1,469 	£ 1,637	£ 1,792
CO	3172	1800 × 800 × 420	48 kg	12	£ 1,616 	£ 1,784	£ 1,939
CO	3173	1900 × 900 × 420	55 kg	12	£ 1,817 	£ 1,985	£ 2,140

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories




PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteLoft Ornament



Information



If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

Available with matching washbasin BetteLoft Ornament.
→ P. 250

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	V1	W1	volume*
3172 CFXX6A	1810 × 810 × 420	495	650	173 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3172 CFXX6A	1810 x 810 x 420	110 kg	£ 6,171	£ 6,909	£ 7,324
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		



N° 1: foot end left



N° 2: foot end right


Information

Increased water level due to angled overflow.


For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.



Design: schmiedem design



N° 1: foot end left



N° 2: foot end right



N° 2: foot end right

Dimensions

article no.	dimensions in mm	variant	volume*
2750	1700 × 750 × 450	N° 1	158 litre
2760	1700 × 750 × 450	N° 2	158 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	2750	1700 x 750 x 450	Nº 1	48.5 kg	8	£ 1,012 	£ 1,180	£ 1,335
CO	2760	1700 x 750 x 450	Nº 2	48.5 kg	8	£ 1,012 	£ 1,180	£ 1,335

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	



Information

Due to the folded edge, standard commercially available bath anchors cannot be combined. We therefore recommend the Wall Brackets (item no. Z0008669) for mounting.




For professional installation we recommend the use of the original bath feet B23-1500.

Available with matching washbasin BetteLux.
→ P. 254

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	F	G	H	I	K	N	volume*
3440	1700 × 750 × 450	1700	750	495	710	495	1270	505	400	156 litre
3441	1800 × 800 × 450	1800	800	495	810	495	1345	545	450	185 litre
3442	1900 × 900 × 450	1900	900	520	860	520	1420	615	500	234 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3440	1700 × 750 × 450	41 kg	12	£ 1,543 🏠	£ 1,711	£ 1,866
CO	3441	1800 × 800 × 450	45 kg	12	£ 1,697 🏠	£ 1,865	£ 2,020
CO	3442	1900 × 900 × 450	50 kg	12	£ 1,907 🏠	£ 2,075	£ 2,230

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).




Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteLux Shape



Information

The BetteLux Shape is enamelled on the inside and outside and delivered without overflow. The overflow function is safeguarded by a pressure sensor integrated in the pop-up waste.

A 12 V electrical connection under the bath is needed for the installation of the pop-up waste. Delivery includes two 8 m long cables for connection to the control box. The control box can be integrated in a concealed socket and needs a 230 V electrical connection.

Baths and frame are fixed at the factory, but must be ordered separately. An order of the individual components is not possible.


The BetteSensory must be ordered separately.

Available with matching washbasin BetteLux Shape.
→ P. 256

Scope of delivery

- waste and overflow set sensory (pre-assembled)
- control box
- 12v power supply
- emergency battery
- two 8m long control cables
- drain box in frame colour

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	A	B	I	K	V1	W1	volume*
3451	1700 × 750 × 450	1700	750	1270	507	485	265	156 litre
3452	1800 × 800 × 450	1800	800	1345	545	485	265	185 litre
3453	1900 × 900 × 450	1900	900	1420	615	485	265	234 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3451	1700 × 750 × 450	41.6 kg	£ 2,355	£ 2,523	£ 2,678
CO	3452	1800 × 800 × 450	46.2 kg	£ 2,590	£ 2,758	£ 2,913
CO	3453	1900 × 900 × 450	54.2 kg	£ 2,826	£ 2,994	£ 3,149

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156

*Not available with Glaze® Plus. Only available in combination with White (000).

Bath waste and overflow fittings (required accessories)


PG	article no.	description	see	Chrome 901	White 000
IN	B631-	BetteSensory*	p. 333	£ 985	£ 1,089

* The baths need to be ordered with the ending oUeL.

Frame (required accessories)

PG	article no.	dimensions in mm	White matt 807 Black matt 815 → cover
IN	Q001	1700 × 750 × 575	£ 1,741
IN	Q002	1800 × 800 × 575	£ 1,828
IN	Q003	1900 × 900 × 575	£ 1,915

BetteLux Oval



Information

Due to the folded edge, standard commercially available bath anchors cannot be combined. We therefore recommend the Wall Brackets (item no. Z0008669) for mounting.



For professional installation we recommend the use of the original bath feet B23-1500.

Available with matching washbasin BetteLux Oval.
→ P. 258

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	F	G	H	I	K	N	volume*
3465	1700 × 750 × 450	1700	750	500	700	500	1270	515	395	150 litre
3466	1800 × 800 × 450	1800	800	500	800	500	1340	545	445	177 litre
3467	1900 × 900 × 450	1900	900	520	860	520	1420	618	545	224 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3465	1700 × 750 × 450	43.5 kg	£ 2,027 	£ 2,195	£ 2,350
CO	3466	1800 × 800 × 450	47.5 kg	£ 2,229 	£ 2,397	£ 2,552
CO	3467	1900 × 900 × 450	52.5 kg	£ 2,432	£ 2,600	£ 2,755

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).




Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteLux Oval Couture



Information

Bath and upholstered fabric panel are fixed at the factory, but must be ordered separately.



If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

Available with matching washbasin BetteLux Oval Couture.
→ P. 260

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	volume*
3466 TX	1800 × 800 × 450	177 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3466 TX	1800 x 800 x 450	47.5 kg	£ 2,229	£ 2,397	£ 2,552
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				


Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

Upholstered Fabric-panel (required accessories)

PG	article no.	dimensions in mm	Ivory 850 Elephant 852 Carbon 853 → cover
IN	B804-	1850 x 850 x 580	£ 8,946

BetteLux Oval Silhouette



Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.



The BetteSpring Tap is not possible with this model in combination with the BetteWhirlsystem.

Available with matching washbasin BetteLux Oval.
→ P. 258

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	I	K	V1	W1	volume*
3465 CFXXS	1700 × 750 × 450	1700	750	1270	515	500	630	150 litre
3466 CFXXS	1800 × 800 × 450	1800	800	1340	545	550	680	177 litre
3467 CFXXS	1900 × 900 × 450	1900	900	1420	618	650	780	224 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover	Bicolour → cover
CO	3465 CFXXS	1700 x 750 x 450	111 kg	£ 4,739	£ 5,477	£ 5,892	£ 6,807
CO	3466 CFXXS	1800 x 800 x 450	118 kg	£ 5,213	£ 5,951	£ 6,366	£ 7,281
CO	3467 CFXXS	1900 x 900 x 450	124 kg	£ 5,687	£ 6,425	£ 6,840	£ 7,755

Please note the ordering information on page 5, in particular the position of the colour number.

Extras


PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteLux Oval I Silhouette



Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanifix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.



The BetteSpring Tap is not possible with this model in combination with the BetteWhirlsystem.

Available with matching washbasin BetteLux Oval.
→ P. 258

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	A	B	I	K	R	V	V1	W1	volume*
3415 CWWVS	1700 × 800 × 450	1700	800	1270	515	375	425	545	715	150 litre
3416 CWWVS	1800 × 850 × 450	1800	850	1340	545	400	450	545	765	177 litre
3417 CWWVS	1900 × 950 × 450	1900	950	1420	618	450	500	545	865	224 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3415 CWWVS	1700 x 800 x 450	80 kg	£ 4,599	£ 5,337	£ 5,752
CO	3416 CWWVS	1800 x 850 x 450	90 kg	£ 5,059	£ 5,797	£ 6,212
CO	3417 CWWVS	1900 x 950 x 450	100 kg	£ 5,519	£ 6,257	£ 6,672

Please note the ordering information on page 5, in particular the position of the colour number.

Extras




PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteLux Oval IV Silhouette



Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.



The BetteSpring Tap is not possible with this model in combination with the BetteWhirlsystem.

Available with matching washbasin BetteLux Oval.
→ P. 258

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	I	K	P	R	V	V1	W1	volume*
3425 CERVS	1750 × 800 × 450	1750	800	1270	515	900	375	425	545	715	150 litre
3426 CERVS	1850 × 850 × 450	1850	850	1340	545	950	400	450	545	765	177 litre
3427 CERVS	1950 × 950 × 450	1950	950	1420	618	1000	450	500	545	865	224 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3425 CERVS	1750 x 800 x 450	84 kg	£ 4,390	£ 5,128	£ 5,543
CO	3426 CERVS	1850 x 850 x 450	93 kg	£ 4,599	£ 5,337	£ 5,752
CO	3427 CERVS	1950 x 950 x 450	102 kg	£ 5,018	£ 5,756	£ 6,171

Please note the ordering information on page 5, in particular the position of the colour number.

Extras




PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteLux Oval V Silhouette



Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.



The BetteSpring Tap is not possible with this model in combination with the BetteWhirlsystem.

Available with matching washbasin BetteLux Oval.
→ P. 258

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	I	K	P	R	V	V1	W1	volume*
3435 CELVS	1750 × 800 × 450	1750	800	1270	515	900	375	425	545	715	150 litre
3436 CELVS	1850 × 850 × 450	1850	850	1340	545	950	400	450	545	765	177 litre
3437 CELVS	1950 × 950 × 450	1950	950	1420	618	1000	450	500	545	865	224 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3435 CELVS	1750 x 800 x 450	84 kg	£ 4,390	£ 5,128	£ 5,543
CO	3436 CELVS	1850 x 850 x 450	90 kg	£ 4,599	£ 5,337	£ 5,752
CO	3437 CELVS	1950 x 950 x 450	119 kg	£ 5,018	£ 5,756	£ 6,171

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		



N° 1: foot end right, overflow front



N° 2: foot end left, overflow front


Information

For professional installation we recommend the use of the original bath feet B23-1525.


Scope of delivery

Including noise-reducing pads.


Design: schmiedem design



N° 1: foot end right, overflow front, article no. 6840



N° 2: foot end left, overflow front, article no. 6841



Dimensions

article no.	dimensions in mm	variant	volume*
6840	2060 × 900 × 450	N° 1	190 litre
6841	2060 × 900 × 450	N° 2	190 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
CO	6840	2060 × 900 × 450	Nº 1	61 kg	£ 2,026	£ 2,194	£ 2,349
CO	6841	2060 × 900 × 450	Nº 2	61 kg	£ 2,026	£ 2,194	£ 2,349

Extras


PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				

Accessories


PG	article no.	description		see	price
IN	B23-1525	Bath feet oval		p. 336	£ 83
IN	B57-0408	Sealing tape on roll 4 m		p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm		p. 355	£ 31
IN	Z0008669	Wall Brackets		p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours
						→ cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		



Article no. 6840



Article no. 6841



N° 1: foot end right, overflow rear



N° 2: foot end right, overflow front

Information


For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.


Scope of delivery

Including noise-reducing pads.


Design: schmiedem design



N° 1: foot end right, overflow rear



N° 2: foot end right, overflow front



Dimensions

article no.	dimensions in mm	variant	A	B	C	D	E	F	G	H	I	K	L	O	U	volume*
8858	1500 × 700 × 450	N° 1	1500	700	65	1375	60	470	700	330	1235	505	565	540	650	139 litre
8859	1500 × 700 × 450	N° 2	1500	700	65	1375	60	470	700	330	1235	505	565	540	650	139 litre
8850	1600 × 700 × 450	N° 1	1600	700	65	1475	60	470	760	370	1335	505	565	590	700	148 litre
8851	1600 × 700 × 450	N° 2	1600	700	65	1475	60	470	760	370	1335	505	565	590	700	148 litre
8852	1700 × 700 × 450	N° 1	1700	700	115	1475	110	520	760	420	1335	505	565	640	750	148 litre
8853	1700 × 700 × 450	N° 2	1700	700	115	1475	110	520	760	420	1335	505	565	640	750	148 litre
8854	1700 × 750 × 450	N° 1	1700	750	65	1575	60	490	890	320	1435	555	615	690	800	185 litre
8855	1700 × 750 × 450	N° 2	1700	750	65	1575	60	490	890	320	1435	555	615	690	800	185 litre
8765	1700 × 800 × 450	N° 1	1700	800	65	1575	60	540	800	360	1435	605	665	690	800	202 litre
8865	1700 × 800 × 450	N° 2	1700	800	65	1575	60	540	800	360	1435	605	665	690	800	202 litre
8856	1800 × 800 × 450	N° 1	1800	800	65	1675	60	540	900	360	1535	605	665	690	800	235 litre
8857	1800 × 800 × 450	N° 2	1800	800	65	1675	60	540	900	360	1535	605	665	690	800	235 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8858	1500 x 700 x 450	Nº 1	53 kg	10	£ 918	£ 1,086	£ 1,241
CO	8859	1500 x 700 x 450	Nº 2	53 kg	10	£ 918	£ 1,086	£ 1,241
CO	8850	1600 x 700 x 450	Nº 1	54 kg	10	£ 918	£ 1,086	£ 1,241
CO	8851	1600 x 700 x 450	Nº 2	54 kg	10	£ 918	£ 1,086	£ 1,241
CO	8852	1700 x 700 x 450	Nº 1	55 kg	10	£ 918	£ 1,086	£ 1,241
CO	8853	1700 x 700 x 450	Nº 2	55 kg	10	£ 918	£ 1,086	£ 1,241
CO	8854	1700 x 750 x 450	Nº 1	59 kg	10	£ 918 	£ 1,086	£ 1,241
CO	8855	1700 x 750 x 450	Nº 2	59 kg	10	£ 918 	£ 1,086	£ 1,241
CO	8765	1700 x 800 x 450	Nº 1	57 kg	10	£ 918	£ 1,086	£ 1,241
CO	8865	1700 x 800 x 450	Nº 2	57 kg	10	£ 918	£ 1,086	£ 1,241
CO	8856	1800 x 800 x 450	Nº 1	64 kg	8	£ 1,122 	£ 1,290	£ 1,445
CO	8857	1800 x 800 x 450	Nº 2	64 kg	8	£ 1,122 	£ 1,290	£ 1,445

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteOcean Low-Line



N° 1: foot end right, overflow rear



N° 2: foot end right, overflow front

Information


For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.


Scope of delivery

Including noise-reducing pads.


Design: schmiedem design



N° 1: foot end right, overflow rear



N° 2: foot end right, overflow front



Dimensions

article no.	dimensions in mm	variant	A	B	C	D	E	F	G	H	I	K	L	O	U	volume*
8841	1500 × 700 × 380	N° 1	1500	700	60	1375	65	470	700	330	1235	505	565	540	650	90 litre
8842	1500 × 700 × 380	N° 2	1500	700	60	1375	65	470	700	330	1235	505	565	540	650	90 litre
8830	1600 × 700 × 380	N° 1	1600	700	65	1475	60	470	760	370	1335	505	565	590	700	120 litre
8831	1600 × 700 × 380	N° 2	1600	700	65	1475	60	470	760	370	1335	505	565	590	700	120 litre
8832	1700 × 700 × 380	N° 1	1700	700	115	1475	110	500	880	320	1335	505	565	640	750	120 litre
8833	1700 × 700 × 380	N° 2	1700	700	115	1475	110	500	880	320	1335	505	565	640	750	120 litre
8834	1700 × 750 × 380	N° 1	1700	750	65	1575	60	500	880	320	1435	555	615	690	800	140 litre
8835	1700 × 750 × 380	N° 2	1700	750	65	1575	60	500	880	320	1435	555	615	690	800	140 litre
8836	1700 × 800 × 380	N° 1	1700	800	65	1575	60	540	800	360	1435	605	665	690	800	165 litre
8837	1700 × 800 × 380	N° 2	1700	800	65	1575	60	540	800	360	1435	605	665	690	800	165 litre
8838	1800 × 800 × 380	N° 1	1800	800	65	1675	60	540	900	360	1535	605	665	690	800	180 litre
8839	1800 × 800 × 380	N° 2	1800	800	65	1675	60	540	900	360	1535	605	665	690	800	180 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8841	1500 x 700 x 380	Nº 1	47 kg	10	£ 918	£ 1,086	£ 1,241
CO	8842	1500 x 700 x 380	Nº 2	47 kg	10	£ 918	£ 1,086	£ 1,241
CO	8830	1600 x 700 x 380	Nº 1	49 kg	10	£ 918	£ 1,086	£ 1,241
CO	8831	1600 x 700 x 380	Nº 2	49 kg	10	£ 918	£ 1,086	£ 1,241
CO	8832	1700 x 700 x 380	Nº 1	51 kg	10	£ 918	£ 1,086	£ 1,241
CO	8833	1700 x 700 x 380	Nº 2	51 kg	10	£ 918	£ 1,086	£ 1,241
CO	8834	1700 x 750 x 380	Nº 1	54 kg	10	£ 918	£ 1,086	£ 1,241
CO	8835	1700 x 750 x 380	Nº 2	54 kg	10	£ 918	£ 1,086	£ 1,241
CO	8836	1700 x 800 x 380	Nº 1	53 kg	10	£ 918	£ 1,086	£ 1,241
CO	8837	1700 x 800 x 380	Nº 2	53 kg	10	£ 918	£ 1,086	£ 1,241
CO	8838	1800 x 800 x 380	Nº 1	60 kg	10	£ 1,122	£ 1,290	£ 1,445
CO	8839	1800 x 800 x 380	Nº 2	60 kg	10	£ 1,122	£ 1,290	£ 1,445

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		



Information

The BetteOne, 1900 x 900 x 420 mm, article no. 3314, is not available with BetteUpstands or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.


This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Available with matching washbasin BetteOne.
→ P. 262

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	N	V	volume*
3310	1600 x 700 x 420	1600	700	90	1420	90	360	880	360	1250	415	345	85	100 litre
3311	1700 x 700 x 420	1700	700	90	1520	90	375	950	375	1340	415	345	90	112 litre
3312	1700 x 750 x 420	1700	750	95	1510	95	375	950	375	1340	455	385	95	129 litre
3313	1800 x 800 x 420	1800	800	100	1600	100	370	1060	370	1420	495	425	100	158 litre
3314	1900 x 900 x 420	1900	900	105	1690	105	400	1100	400	1515	595	525	100	217 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3310	1600 x 700 x 420	43 kg	14	£ 970 ▲	£ 1,138	£ 1,293
CO	3311	1700 x 700 x 420	45 kg	14	£ 970	£ 1,138	£ 1,293
CO	3312	1700 x 750 x 420	49 kg	14	£ 970 ▲	£ 1,138	£ 1,293
CO	3313	1800 x 800 x 420	51.8 kg	14	£ 1,067 ▲	£ 1,235	£ 1,390
CO	3314	1900 x 900 x 420	63 kg	14	£ 1,205	£ 1,373	£ 1,528

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteOne Relax



Information

The BetteOne Relax, 1900 x 900 x 450 mm, article no. 3324 and 2000 x 900 x 450 mm, article no. 3325, are not available with BetteUpstands or in special size.

For professional installation we recommend the use of the original bath feet B23-1500.




This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Available with matching washbasin BetteOne.
→ P. 262

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	N	O	U	V	volume*
3323	1800 x 800 x 450	1800	800	95	1600	105	360	645	795	1080	515	455	690	433	100	155 litre
3324	1900 x 900 x 450	1900	900	100	1690	110	320	780	800	1165	600	545	740	438	105	210 litre
3325	2000 x 900 x 450	2000	900	100	1790	110	320	880	800	1285	600	545	790	438	105	226 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	3323	1800 x 800 x 450	54 kg	12	£ 1,280 	£ 1,448	£ 1,603
CO	3324	1900 x 900 x 450	61 kg	12	£ 1,446	£ 1,614	£ 1,769
CO	3325	2000 x 900 x 450	65 kg	12	£ 1,621 	£ 1,789	£ 1,944

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		




Information

For professional installation we recommend the use of the original bath feet B50-0016.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	volume*
6045	1500 x 1500 x 450	342 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6045	1500 x 1500 x 450	56 kg	£ 3,366	£ 3,534	£ 3,689

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B50-0016	Height-adjustable feet (6 pieces)	p. 337	£ 57
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000
IN	B608-	Bath waste and overflow fitting Ø 90 mm, 725 mm	p. 316	£ 219	£ 232
IN	B611-	Bath filling, waste and overflow fitting unit Ø 90 mm, 725 mm	p. 317	£ 506	£ 536
IN	B621-	Bath waste and overflow fitting Plus 5, Ø 90 mm, 1070 mm	p. 320	£ 271	
IN	B622-	Bath filling, waste and overflow fitting unit Plus 5, Ø 90 mm, 1070 mm	p. 324	£ 620	

BettePond Silhouette



Information



If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	V1	W1	volume*
6045 CFXXS	1500 × 1500 × 450	480	450	342 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions


PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover	Bicolour → cover
CO	6045 CFXXS	1500 x 1500 x 450	119 kg	£ 5,818	£ 6,556	£ 6,971	£ 7,886
Please note the ordering information on page 5, in particular the position of the colour number.							

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000
IN	B609-	Bath waste and overflow fitting Silhouette Ø 90 mm, 725 mm	p. 316	£ 294	£ 322
IN	B612-	Bath filling, waste and overflow fitting unit Silhouette Ø 90 mm, 725 mm	p. 317	£ 721	£ 764
IN	B627-	Bath waste and overflow fitting Plus 5 Silhouette Ø 90 mm, 1070 mm	p. 321	£ 363	
IN	B628-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette, Ø 90 mm, 1070 mm	p. 325	£ 890	



Information


For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	N	O	volume*
3410	1600 × 700 × 420	1600	700	1410	560	640	400	1200	500	405	590	119 litre
3411	1700 × 700 × 420	1700	700	1510	560	760	380	1300	500	405	690	131 litre
3412	1700 × 750 × 420	1700	750	1510	560	760	380	1300	545	455	690	151 litre
3413	1800 × 800 × 420	1800	800	1610	550	845	405	1400	600	505	790	187 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	3410	1600 x 700 x 420	45 kg	10	£ 681	£ 849	£ 1,004
BA	3411	1700 x 700 x 420	47 kg	10	£ 681	£ 849	£ 1,004
BA	3412	1700 x 750 x 420	50 kg	10	£ 681 	£ 849	£ 1,004
BA	3413	1800 x 800 x 420	55 kg	10	£ 749 	£ 917	£ 1,072

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.


Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm	p. 312	£ 184	£ 219	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteSelect with side overflow



N° 1: foot end right, overflow front



N° 2: foot end right, overflow rear

Information


For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.


Scope of delivery

Including noise-reducing pads.



Design: Tesseraux + Partner



N° 1: foot end right, overflow front



N° 2: foot end right, overflow rear



Dimensions

article no.	dimensions in mm	variant	A	B	D	F	G	H	I	K	N	O	volume*
3420	1600 × 700 × 420	N° 1	1600	700	1410	560	640	400	1200	500	405	590	119 litre
3430	1600 × 700 × 420	N° 2	1600	700	1410	560	640	400	1200	500	405	590	119 litre
3421	1700 × 700 × 420	N° 1	1700	700	1510	560	760	380	1300	500	405	690	131 litre
3431	1700 × 700 × 420	N° 2	1700	700	1510	560	760	380	1300	500	405	690	131 litre
3422	1700 × 750 × 420	N° 1	1700	750	1510	560	760	380	1300	545	455	690	151 litre
3432	1700 × 750 × 420	N° 2	1700	750	1510	560	760	380	1300	545	455	690	151 litre
3423	1800 × 800 × 420	N° 1	1800	800	1610	550	845	405	1400	600	505	790	187 litre
3433	1800 × 800 × 420	N° 2	1800	800	1610	550	845	405	1400	600	505	790	187 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	3420	1600 x 700 x 420	Nº 1	45 kg	10	£ 681	£ 849	£ 1,004
BA	3430	1600 x 700 x 420	Nº 2	45 kg	10	£ 681	£ 849	£ 1,004
BA	3421	1700 x 700 x 420	Nº 1	47 kg	10	£ 681	£ 849	£ 1,004
BA	3431	1700 x 700 x 420	Nº 2	47 kg	10	£ 681	£ 849	£ 1,004
BA	3422	1700 x 750 x 420	Nº 1	50 kg	10	£ 681 🏠	£ 849	£ 1,004
BA	3432	1700 x 750 x 420	Nº 2	50 kg	10	£ 681 🏠	£ 849	£ 1,004
BA	3423	1800 x 800 x 420	Nº 1	55 kg	10	£ 749 🏠	£ 917	£ 1,072
BA	3433	1800 x 800 x 420	Nº 2	55 kg	10	£ 749 🏠	£ 917	£ 1,072

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteSelect Duo



Information




For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	N	volume*
3472	1700 × 750 × 420	1700	750	1500	500	700	500	1185	520	435	134 litre
3473	1800 × 800 × 420	1800	800	1600	480	840	480	1285	570	485	170 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	3472	1700 × 750 × 420	44 kg	10	£ 712 	£ 880	£ 1,035
BA	3473	1800 × 800 × 420	48 kg	10	£ 783 	£ 951	£ 1,106

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		




Information

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	L	N	U	V	W	volume*
2560	1500 x 750 x 380	1500	750	85	1355	60	375	705	420	1195	560	470	540	100	720	435	94 litre
3650	1600 x 700 x 380	1600	700	95	1440	65	390	730	480	1235	520	435	545	105	780	445	86 litre
3660	1600 x 750 x 380	1600	750	85	1455	60	390	730	480	1250	560	470	545	100	740	445	105 litre
3560	1650 x 750 x 380	1650	750	95	1455	100	385	710	555	1250	560	470	530	100	760	455	105 litre
3060	1700 x 750 x 380	1700	750	95	1545	60	400	820	480	1350	560	470	530	100	800	430	116 litre
3760	1700 x 800 x 380	1700	800	85	1560	55	405	830	465	1350	610	520	580	105	800	435	128 litre
3860	1800 x 800 x 380	1800	800	85	1655	60	425	850	525	1435	610	520	600	105	820	420	140 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	2560	1500 x 750 x 380	42.1 kg	8	£ 715	£ 883	£ 1,038
BA	3650	1600 x 700 x 380	43 kg	8	£ 715 	£ 883	£ 1,038
BA	3660	1600 x 750 x 380	46.1 kg	8	£ 715 	£ 883	£ 1,038
BA	3560	1650 x 750 x 380	47 kg	8	£ 715	£ 883	£ 1,038
BA	3060	1700 x 750 x 380	48.7 kg	8	£ 715 	£ 883	£ 1,038
BA	3760	1700 x 800 x 380	48.9 kg	8	£ 715 	£ 883	£ 1,038
BA	3860	1800 x 800 x 380	51 kg	8	£ 786 	£ 954	£ 1,109

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B110-901	Grips B110, Chrome*	p. 361	£ 212
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteSetline




Information

The BetteSetline, 1700 x 700 x 390 mm, article no. 8880, can not be delivered with BetteUpstand.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	E	H	M	N	volume*
8880	1700 x 700 x 390	1700	700	100	85	460	55	55	118 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8880	1700 x 700 x 390	47 kg	8	£ 927	£ 1,095	£ 1,250

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	


*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		





For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Including noise-reducing pads.

Design: Tesseraux + Partner



article no.	dimensions in mm	variant	volume*
1130	1700 x 750 x 420	Nº 1	122 litre
1140	1700 x 750 x 420	Nº 2	122 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1130	1700 x 750 x 420	Nº 1	41.5 kg	15	£ 964 	£ 1,132	£ 1,287
CO	1140	1700 x 750 x 420	Nº 2	41.5 kg	15	£ 964 	£ 1,132	£ 1,287

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		






For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



article no.	dimensions in mm	variant	volume*
1131	1700 x 900 x 420	Nº 1	192 litre
1141	1700 x 900 x 420	Nº 2	192 litre

108

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1131	1700 x 900 x 420	Nº 1	475 kg	15	£ 1,192	£ 1,360	£ 1,515
CO	1141	1700 x 900 x 420	Nº 2	475 kg	15	£ 1,192	£ 1,360	£ 1,515

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings


PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		



For professional installation we recommend the use of the original bath feet B50-0015.

Scope of delivery

Design: Tesseraux + Partner



article no.	dimensions in mm	variant	volume*
1132	1700 x 1300 x 420	Nº 1	262 litre
1142	1700 x 1300 x 420	Nº 2	262 litre

110

Dimensions

PG	article no.	dimensions in mm	variant	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1132	1700 x 1300 x 420	N° 1	55.8 kg	£ 2,007 ▲	£ 2,175	£ 2,330
CO	1142	1700 x 1300 x 420	N° 2	55.8 kg	£ 2,007 ▲	£ 2,175	£ 2,330

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B50-0015	Height-adjustable feet (4 pieces)	p. 337	£ 47
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteStarlet



Information




The BetteStarlet, 1900 x 900 x 420 mm, article no. 1830, is not available with BetteUpstand.

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	T	U	V	volume*
1210	1500 x 800 x 420	1500	800	80	1340	80	540	420	540	1070	555	495	80	80	107 litre
2590	1570 x 700 x 420	1570	700	65	1440	65	470	630	470	1170	455	425	65	95	92 litre
2540	1600 x 650 x 420	1600	650	80	1440	80	480	640	480	1170	455	425	55	55	92 litre
1220	1600 x 700 x 420	1600	700	80	1440	80	485	630	485	1170	455	425	80	80	92 litre
1230	1650 x 700 x 420	1650	700	105	1440	105	510	630	510	1170	455	425	80	80	92 litre
1730	1700 x 700 x 420	1700	700	80	1540	80	505	690	505	1270	505	480	55	55	122 litre
1380	1700 x 750 x 420	1700	750	80	1540	80	500	700	500	1270	505	480	80	80	122 litre
1450	1750 x 800 x 420	1750	800	105	1540	105	520	710	520	1270	505	485	105	105	122 litre
1430	1800 x 750 x 420	1800	750	80	1640	80	530	740	530	1370	555	485	55	55	155 litre
1630	1800 x 800 x 420	1800	800	80	1640	80	530	740	530	1370	555	485	80	80	155 litre
1631	1850 x 850 x 420	1850	850	105	1640	105	562	726	562	1370	555	485	105	105	155 litre
1830	1900 x 900 x 420	1900	900	85	1730	85	560	780	560	1465	625	560	80	80	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1210	1500 × 800 × 420	43.53 kg	13	£ 785	£ 953	£ 1,108
CO	2590	1570 × 700 × 420	50 kg	6	£ 785	£ 953	£ 1,108
CO	2540	1600 × 650 × 420	50 kg	6	£ 785 ▲	£ 953	£ 1,108
CO	1220	1600 × 700 × 420	42.1 kg	12	£ 785	£ 953	£ 1,108
CO	1230	1650 × 700 × 420	45.5 kg	14	£ 785	£ 953	£ 1,108
CO	1730	1700 × 700 × 420	43.8 kg	14	£ 785 ▲	£ 953	£ 1,108
CO	1380	1700 × 750 × 420	46.2 kg	14	£ 785 ▲	£ 953	£ 1,108
CO	1450	1750 × 800 × 420	50.9 kg	14	£ 824 ▲	£ 992	£ 1,147
CO	1430	1800 × 750 × 420	48.7 kg	14	£ 873 ▲	£ 1,041	£ 1,196
CO	1630	1800 × 800 × 420	51 kg	14	£ 914 ▲	£ 1,082	£ 1,237
CO	1631	1850 × 850 × 420	50 kg	8	£ 1,016	£ 1,184	£ 1,339
CO	1830	1900 × 900 × 420	57.7 kg	13	£ 1,148 ▲	£ 1,316	£ 1,471

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1900 × 900 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet Spirit




Information

Due to the folded edge, standard commercially available bath anchors cannot be combined. We therefore recommend the Wall Brackets (item no. Z0008669) for mounting.

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	volume*
1384	1700 × 750 × 420	1700	750	1540	500	700	500	1270	505	122 litre
1634	1800 × 800 × 420	1800	800	1640	530	740	530	1370	555	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	1384	1700 × 750 × 420	42 kg	12	£ 1,469	£ 1,637	£ 1,792
CO	1634	1800 × 800 × 420	48 kg	12	£ 1,616 	£ 1,784	£ 1,939

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38
* The baths need to be ordered with the ending 1GR.				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet I






Information

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	R	T	U	volume*
8300	1650 × 750 × 420	1650	750	1440	505	640	505	1170	455	375	425	540	92 litre
8310	1750 × 800 × 420	1750	800	1540	510	730	510	1270	505	400	480	590	122 litre
8320	1850 × 850 × 420	1850	850	1640	550	750	550	1370	555	425	485	640	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8300	1650 x 750 x 420	48 kg	6	£ 1,900	£ 2,068	£ 2,223
CO	8310	1750 x 800 x 420	48 kg	6	£ 1,995	£ 2,163	£ 2,318
CO	8320	1850 x 850 x 420	48 kg	8	£ 2,090	£ 2,258	£ 2,413

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories




PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet I Silhouette





Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

Scope of delivery

Including noise-reducing pads.



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	A	B	I	K	R	U	V	V1	W	W1	volume*
8300 CWVVK	1650 × 750 × 420	1650	750	1170	455	375	540	1450	570	650	665	92 litre
8310 CWVVK	1750 × 800 × 420	1750	800	1270	505	400	590	1550	570	700	715	122 litre
8320 CWVVK	1850 × 850 × 420	1850	850	1370	555	425	640	1650	570	750	765	155 litre
8325 CWVVK	1950 × 950 × 420	1950	950	1470	625	475	735	1750	570	845	865	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8300 CWVVK	1650 x 750 x 420	74 kg	£ 3,878	£ 4,616	£ 5,031
CO	8310 CWVVK	1750 x 800 x 420	88 kg	£ 4,072	£ 4,810	£ 5,225
CO	8320 CWVVK	1850 x 850 x 420	92 kg	£ 4,266	£ 5,004	£ 5,419
CO	8325 CWVVK	1950 x 950 x 420	97 kg	£ 4,654	£ 5,392	£ 5,807

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteStarlet IV




Information

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	R	T	U	volume*
6650	1650 × 750 × 420	1650	750	1440	500	650	500	1170	455	375	425	540	92 litre
6660	1750 × 800 × 420	1750	800	1540	550	650	550	1270	505	400	480	590	122 litre
6670	1850 × 850 × 420	1850	850	1640	550	750	550	1370	555	425	485	640	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6650	1650 x 750 x 420	44 kg	6	£ 1,900	£ 2,068	£ 2,223
CO	6660	1750 x 800 x 420	49 kg	6	£ 1,995	£ 2,163	£ 2,318
CO	6670	1850 x 850 x 420	54 kg	6	£ 2,090	£ 2,258	£ 2,413

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories




PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet IV Silhouette





Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	I	K	R	U	V	V1	W	W1	volume*
6650 CERVK	1650 × 750 × 420	1650	750	1170	455	375	540	1550	570	650	665	92 litre
6660 CERVK	1750 × 800 × 420	1750	800	1270	505	400	590	1650	570	700	715	122 litre
6670 CERVK	1850 × 850 × 420	1850	850	1370	555	425	640	1750	570	750	765	155 litre
6677 CERVK	1950 × 950 × 420	1950	950	1470	625	475	735	1850	590	850	865	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6650 CERVK	1650 x 750 x 420	80 kg	£ 3,757	£ 4,495	£ 4,910
CO	6660 CERVK	1750 x 800 x 420	85 kg	£ 3,945	£ 4,683	£ 5,098
CO	6670 CERVK	1850 x 850 x 420	90 kg	£ 4,133	£ 4,871	£ 5,286
CO	6677 CERVK	1950 x 950 x 420	100 kg	£ 4,799	£ 5,537	£ 5,952

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteStarlet V




Information

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	R	T	U	volume*
6680	1650 × 750 × 420	1650	750	1440	505	640	505	1170	455	375	425	540	92 litre
6690	1750 × 800 × 420	1750	800	1540	550	650	550	1270	505	400	480	590	122 litre
6700	1850 × 850 × 420	1850	850	1640	550	750	550	1370	555	425	485	640	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6680	1650 x 750 x 420	44.3 kg	6	£ 1,900	£ 2,068	£ 2,223
CO	6690	1750 x 800 x 420	48 kg	6	£ 1,995	£ 2,163	£ 2,318
CO	6700	1850 x 850 x 420	48 kg	6	£ 2,090	£ 2,258	£ 2,413

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		Profi Corner	p. 282	from £ 385
IN		Whirlsystems	p. 368	
*Not available with Glaze® Plus. Only available in combination with White (000).				


Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38
* The baths need to be ordered with the ending 1GR.				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet V Silhouette






Information

If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	I	K	R	U	V	V1	W	W1	volume*
6680 CELVK	1650 × 750 × 420	1650	750	1170	455	375	540	1550	570	650	665	92 litre
6690 CELVK	1750 × 800 × 420	1750	800	1270	505	400	590	1650	570	700	715	122 litre
6700 CELVK	1850 × 850 × 420	1850	850	1370	555	425	640	1750	570	750	765	155 litre
6720 CELVK	1950 × 950 × 420	1950	950	1470	625	475	735	1850	590	850	865	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	6680 CELVK	1650 x 750 x 420	80 kg	£ 3,757	£ 4,495	£ 4,910
CO	6690 CELVK	1750 x 800 x 420	85 kg	£ 3,945	£ 4,683	£ 5,098
CO	6700 CELVK	1850 x 850 x 420	90 kg	£ 4,133	£ 4,871	£ 5,286
CO	6720 CELVK	1950 x 950 x 420	101 kg	£ 4,799	£ 5,537	£ 5,952

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		

BetteStarlet Flair Oval




Information

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	D	F	G	H	I	K	R	T	U	volume*
8772	1580 × 680 × 420	1580	680	1440	460	660	460	1170	455	340	495	540	92 litre
8773	1680 × 730 × 420	1680	730	1540	490	700	490	1270	505	365	425	590	122 litre
8774	1780 × 780 × 420	1780	780	1640	530	720	530	1370	555	390	480	640	155 litre
8775	1880 × 880 × 420	1880	880	1740	555	770	555	1465	625	440	485	740	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8772	1580 × 680 × 420	39.6 kg	14	£ 1,484	£ 1,652	£ 1,807
CO	8773	1680 × 730 × 420	43.4 kg	14	£ 1,484	£ 1,652	£ 1,807
CO	8774	1780 × 780 × 420	47.9 kg	14	£ 1,558	£ 1,726	£ 1,881
CO	8775	1880 × 880 × 420	51.5 kg	14	£ 1,633	£ 1,801	£ 1,956

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1880 × 880 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1880 × 880 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet Hexa




Information

For professional installation we recommend the use of the original bath feet B23-1500.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	M	N	P	Q	R	T	volume*
2040	1880 x 700 x 420	1880	700	220	1440	220	635	610	635	1170	455	1180	495	1330	80	1290	425	92 litre
2060	2000 x 750 x 420	2000	750	230	1540	230	637	725	637	1270	505	1250	530	1415	85	1375	480	122 litre
2080	2100 x 800 x 420	2100	800	230	1640	230	687	726	687	1370	555	1300	565	1485	85	1450	485	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	2040	1880 × 700 × 420	43 kg	£ 1,995	£ 2,163	£ 2,318
CO	2060	2000 × 750 × 420	48 kg	£ 2,358	£ 2,526	£ 2,681
CO	2080	2100 × 800 × 420	57 kg	£ 2,358	£ 2,526	£ 2,681

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories

PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet Oval




Information

For professional installation we recommend the use of the original bath feet B23-1500.

The Bette Starlet Oval, 1500 x 800 x 420, article no. 2700, is not available with the BetteSpa whirlpool system.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	R	T	U	volume*
2700	1500 x 800 x 420	1500	800	80	1340	80	540	420	540	1070	555	400	495	640	107 litre
2720	1650 x 750 x 420	1650	750	105	1440	105	520	610	520	1170	455	375	425	540	92 litre
2680	1750 x 800 x 420	1750	800	105	1540	105	510	730	510	1270	505	400	480	590	122 litre
2740	1850 x 850 x 420	1850	850	105	1640	105	560	730	560	1370	555	425	485	640	155 litre
2745	1950 x 950 x 420	1950	950	105	1740	105	590	770	590	1465	625	475	560	740	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	2700	1500 x 800 x 420	36.6 kg	9	£ 1,385	£ 1,553	£ 1,708
CO	2720	1650 x 750 x 420	48 kg	12	£ 1,385	£ 1,553	£ 1,708
CO	2680	1750 x 800 x 420	47.7 kg	14	£ 1,454	£ 1,622	£ 1,777
CO	2740	1850 x 850 x 420	50.5 kg	14	£ 1,524	£ 1,692	£ 1,847
CO	2745	1950 x 950 x 420	54 kg	12	£ 1,781	£ 1,949	£ 2,104

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories




PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B602-	Bath waste and overflow fitting Ø 52 mm, 725 mm	p. 311	£ 146	£ 168	
IN	B603-	Bath waste and overflow fitting Ø 52 mm, 1070 mm → 1950 x 950 mm	p. 312	£ 184	£ 219	
IN	B606-	Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm	p. 314	£ 400	£ 486	
IN	B607-	Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm → 1950 x 950 mm	p. 315	£ 444	£ 522	
IN	B619-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm	p. 319	£ 253		
IN	B620-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm	p. 323	£ 501		

BetteStarlet Oval Silhouette



Information



If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

If combined with BetteWhirlsystems it is necessary to provide an adequate air supply under the bath.

The Bette Starlet Oval Silhouette, 1500 x 800 x 420, article no. 2700 CFXXK, is not available with the BetteSpa whirlpool system.

Scope of delivery

Including noise-reducing pads.



Adequate position to connect the drainage

Dimensions

article no.	dimensions in mm	A	B	C	I	K	R	U	V	V1	W	W1	volume*
2700 CFXXK	1500 × 800 × 420	1500	800	80	1070	555	400	640	1040	300	600	680	107 litre
2720 CFXXK	1650 × 750 × 420	1650	750	105	1170	455	375	540	1187	440	548	630	92 litre
2680 CFXXK	1750 × 800 × 420	1750	800	105	1270	505	400	590	1287	460	598	680	122 litre
2740 CFXXK	1850 × 850 × 420	1850	850	105	1370	555	425	640	1387	530	648	730	155 litre
2745 CFXXK	1950 × 950 × 420	1950	950	105	1470	625	475	740	1487	525	745	830	205 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover	Bicolour → cover
CO	2700 CFXK	1500 × 800 × 420	85 kg	£ 4,121	£ 4,859	£ 5,274	£ 6,189
CO	2720 CFXK	1650 × 750 × 420	82.8 kg	£ 4,121	£ 4,859	£ 5,274	£ 6,189
CO	2680 CFXK	1750 × 800 × 420	90 kg	£ 4,327	£ 5,065	£ 5,480	£ 6,395
CO	2740 CFXK	1850 × 850 × 420	88 kg	£ 4,533	£ 5,271	£ 5,686	£ 6,601
CO	2745 CFXK	1950 × 950 × 420	97.5 kg	£ 5,236	£ 5,974	£ 6,389	£ 7,304

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
IN		Whirlsystems	p. 368	

*Not available with Glaze® Plus. Only available in combination with White (000).


Accessories

PG	article no.	description	see	price
IN	B090-901	Grip B090, Chrome*	p. 361	£ 168
IN	B120-901	Grip B120, Chrome*	p. 362	£ 168

* The baths need to be ordered with the ending 1GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		



Information


The upper edge of the grips exceeds the bath by 65 mm.

For professional installation we recommend the use of the original bath feet B23-1520.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	K	L	O	volume*
1050	1050 × 650 × 420	1050	650	60	930	60	390	500	160	450	475	465	36 litre
1060	1180 × 730 × 420	1180	730	67	1046	67	420	610	150	510	555	530	66 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	1050	1050 x 650 x 420	23.4 kg	14	£ 724	£ 892	£ 1,047
BA	1060	1180 x 730 x 420	27.8 kg	14	£ 724	£ 892	£ 1,047

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories


PG	article no.	description	see	price
IN	B23-1520	Bath feet BetteStep	p. 336	£ 92
IN	B060-901	Grips B060, Chrome*	p. 360	£ 289
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

BetteSuno Oval



Information



If this bath is ordered with waste fitting this will come prefitted. If ordered with Trio waste the bath comes with prefitted Sanfix tube for water supply. A flexible drain pipe is generally included in delivery.

Available with matching washbasin BetteSuno or BetteSuno Pedestal.
→ P. 266

Scope of delivery

Including noise-reducing pads.

Design: Barber Osgerby



Dimensions

article no.	dimensions in mm	V1	W1	volume*
2740 CFXXSR	1775 x 775 x 420	650	580	155 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	2740 CFXCSR	1775 x 775 x 420	87 kg	£ 5,695	£ 6,433	£ 6,848
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
*Not available with Glaze® Plus. Only available in combination with White (000).				

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B642-	Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled	p. 328		£ 413	£ 413
IN	B643-	Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled	p. 329		£ 758	£ 758
IN	B601-	Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm	p. 310	£ 203	£ 232	
IN	B605-	Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm	p. 313	£ 574	£ 655	
IN	B625-	Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 321	£ 328		
IN	B626-	Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm	p. 324	£ 692		




Information

For professional installation we recommend the use of the original bath feet B23-1500.

This bath is suitable for undermount installation after on-site inspection and proper installation. We can provide you with the relevant cut-out data on request.

Scope of delivery

Including noise-reducing pads.



Dimensions

article no.	dimensions in mm	A	B	C	D	E	F	G	H	I	K	L	U	V	volume*
1080	1080 × 730 × 380	1080	730	65	955	60	380	360	340	865	485	485	380	520	43 litre
1180	1180 × 730 × 380	1180	730	85	1030	65	370	460	350	945	525	510	380	520	52 litre
1200	1200 × 700 × 390	1200	700	85	1050	65	360	455	385	920	500	485	390	530	57 litre
1240	1240 × 700 × 420	1240	700	70	1105	65	390	420	430	925	475	475	420	560	73 litre
1300	1300 × 700 × 390	1300	700	85	1150	65	400	480	420	995	495	495	390	530	85 litre

*bath capacity = volume + 70 litre human water displacement.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	1080	1080 x 730 x 380	23.8 kg	14	£ 760	£ 928	£ 1,083
BA	1180	1180 x 730 x 380	25 kg	14	£ 760	£ 928	£ 1,083
BA	1200	1200 x 700 x 390	23 kg	10	£ 760 	£ 928	£ 1,083
BA	1240	1240 x 700 x 420	23.9 kg	12	£ 724	£ 892	£ 1,047
BA	1300	1300 x 700 x 390	26 kg	12	£ 760 	£ 928	£ 1,083

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

*Not available with Glaze® Plus. Only available in combination with White (000).

Accessories




PG	article no.	description	see	price
IN	B23-1500	Bath feet universal	p. 336	£ 71
IN	B080-901	Grips B080, Chrome*	p. 360	£ 221
IN	B122-901	Grips B122, Chrome*	p. 362	£ 221
IN	B57-0372	Sealing System for baths	p. 352	£ 100
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38

* The baths need to be ordered with the ending 2GR.

Bath waste and overflow fittings

PG	article no.	description	see	Chrome 901	White 000	Key Colours → cover
IN	B640-	Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled	p. 326		£ 287	£ 287
IN	B641-	Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled	p. 327		£ 543	£ 543
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170	
IN	B604-	Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm	p. 312	£ 381	£ 451	
IN	B617-	Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm	p. 318	£ 221		
IN	B618-	Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm	p. 322	£ 432		

Showers



144	BetteAir
146	BetteCaro 35 mm, same shank length
150	BetteCorner 35 mm, different shank length
148	BetteCorner 35 mm, same shank length
152	BetteDelta 800 mm - 900 mm
154	BetteDelta 1000 mm - 1200 mm
156	BetteFlat
158	BetteFloor 800 mm - 1000 mm
160	BetteFloor 1100 mm - 1200 mm
162	BetteFloor 1300 mm - 1400 mm
164	BetteFloor = 1500 mm
166	BetteFloor 1600 mm - 1800 mm
168	BetteFloor Caro
170	BetteFloor Corner
172	BetteFloor Side 900 mm - 1100 mm
174	BetteFloor Side = 1200 mm
176	BetteFloor Side 1300 mm - 1500 mm
178	BetteFloor Side 1600 mm - 1800 mm
180	BetteQuinta 700 mm - 900 mm
182	BetteQuinta 1000 mm - 1200 mm
184	BetteSupra 700 mm - 850 mm
186	BetteSupra = 900 mm
188	BetteSupra 1000 mm - 1100 mm
190	BetteSupra 1200 mm - 1300 mm
192	BetteSupra 1400 mm - 1500 mm
194	BetteSupra 1600 mm - 1800 mm
196	BetteUltra 700 mm - 850 mm
198	BetteUltra = 900 mm
200	BetteUltra = 1000 mm
202	BetteUltra 1050 mm - 1100 mm
204	BetteUltra = 1200 mm
206	BetteUltra = 1300 mm
208	BetteUltra = 1400 mm
210	BetteUltra = 1500 mm
212	BetteUltra 1600 mm - 1700 mm
214	BetteUltra 1800 mm - 2000 mm





Illustration with pre-assembled Minimum support (T2).

Scope of delivery

Including sound-reducing separating foil.

Design: Tesseraux + Partner

Installation height

Waste fittings	from
B525-	122 mm
B524-	102 mm
B599-	67 mm







Illustration with pre-assembled Minimum support (T2).



Dimensions

article no.	dimensions in mm	A	B	G	H
7350	900 × 900	900	900	450	450
7358	1000 × 800	1000	800	500	400
7351	1000 × 900	1000	900	500	450
7352	1000 × 1000	1000	1000	500	500
7359	1100 × 900	1100	900	550	450
7360	1100 × 1000	1100	1000	550	500
7353	1200 × 800	1200	800	600	400
7354	1200 × 900	1200	900	600	450
7355	1200 × 1000	1200	1000	600	500
7361	1200 × 1200	1200	1200	600	600
7356	1400 × 900	1400	900	700	450
7357	1400 × 1000	1400	1000	700	500
7362	1500 × 900	1500	900	750	450
7363	1500 × 1000	1500	1000	750	500
7364	1600 × 900	1600	900	800	450
7365	1600 × 1000	1600	1000	800	500

Subject to alteration and production tolerance.

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Bespoke Colours
					Key Colours → cover	→ cover
CO	7350	900 × 900	22.4 kg	9	£ 842	£ 1,027
CO	7358	1000 × 800	22.1 kg	9	£ 968	£ 1,153
CO	7351	1000 × 900	24.7 kg	9	£ 968	£ 1,153
CO	7352	1000 × 1000	27.1 kg	9	£ 968	£ 1,153
CO	7359	1100 × 900	26.8 kg	9	£ 1,010	£ 1,195
CO	7360	1100 × 1000	29.5 kg	9	£ 1,010	£ 1,195
CO	7353	1200 × 800	26.1 kg	9	£ 1,095	£ 1,280
CO	7354	1200 × 900	29 kg	9	£ 1,095	£ 1,280
CO	7355	1200 × 1000	32 kg	9	£ 1,095	£ 1,280
CO	7361	1200 × 1200	37.7 kg	9	£ 1,170	£ 1,355
CO	7356	1400 × 900	33.5 kg	9	£ 1,170	£ 1,355
CO	7357	1400 × 1000	36.9 kg	9	£ 1,170	£ 1,355
CO	7362	1500 × 900	35.5 kg	9	£ 1,170	£ 1,355
CO	7363	1500 × 1000	39.2 kg	9	£ 1,246	£ 1,431
CO	7364	1600 × 900	37.8 kg	9	£ 1,246	£ 1,431
CO	7365	1600 × 1000	41.7 kg	9	£ 1,294	£ 1,479

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T2	Minimum support (pre-assembled at factory) for BetteAir	p. 277	£ 80

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings



PG	article no.	description	see	White 000	coloured	White and coloured
					→ p. 307	with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B525-	BetteAir 50, side outlet - 0,6 l/s	p. 303	£ 253	£ 253	£ 253
IN	B524-	BetteAir 30, side outlet - 0,6 l/s	p. 303	£ 253	£ 253	£ 253
IN	B599-	BetteAir Down, vertical outlet - 0,6 l/s	p. 303	£ 261	£ 261	£ 261

* Please also state code AY or AX, refer to page 5 for order Information.

Accessories

PG	article no.	description	see	price
IN	B57-0401	Installation Box BetteAir	p. 334	£ 258

BetteCaro 35 mm, same shank length



Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	110 mm
B637-	139 mm
B638-	70 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	F	G	H	I	K	L	M	Q	R
5319	800 × 800 × 35	800	800	35	50	813	210	210	350	350	65	65	60	636
7189	900 × 900 × 35	900	900	35	50	955	210	210	450	450	65	65	60	636
7219	1000 × 1000 × 35	1000	1000	35	50	1061	210	210	500	500	70	70	60	707

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5319	800 x 800 x 35	14.1 kg	40	£ 1,069 	£ 1,156	£ 1,254
CO	7189	900 x 900 x 35	16.6 kg	40	£ 1,069 	£ 1,156	£ 1,254
CO	7219	1000 x 1000 x 35	21.4 kg	40	£ 1,229 	£ 1,316	£ 1,414

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0374	Sealing System for Caro shower trays	p. 352	£ 115
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System BetteCaro

→ P. 348

dimensions in mm	PG	article no.	price
800 x 800	IN	B51-3041	£ 199
900 x 900	IN	B51-3051	£ 199
1000 x 1000	IN	B51-3064	£ 199

BetteCorner 35 mm, same shank length



Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	110 mm
B637-	139 mm
B638-	70 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	F	G	H	I	K	L	M
5399	800 × 800 × 35	800	800	924	210	210	300	300	65	65
5429	900 × 900 × 35	900	900	1066	210	210	400	400	65	65
5459	1000 × 1000 × 35	1000	1000	1207	210	210	500	500	65	65

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5399	800 × 800 × 35	13.8 kg	40	£ 835	£ 922	£ 1,020
CO	5429	900 × 900 × 35	17.9 kg	40	£ 835	£ 922	£ 1,020
CO	5459	1000 × 1000 × 35	21.8 kg	40	£ 960	£ 1,047	£ 1,145

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0373	Sealing System for Corner shower trays	p. 352	£ 115
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System BetteCorner

→ P. 348

dimensions in mm	PG	article no.	price
800 × 800	IN	B52-3041	£ 191
900 × 900	IN	B52-3051	£ 191
1000 × 1000	IN	B52-3064	£ 191


BetteCorner 35 mm, different shank length



Scope of delivery
Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	115 mm
B637-	139 mm
B638-	70 mm
B594-	55 mm



Dimensions

article no.	dimensions in mm	A	B	F	G	H	I	K	L	M
8119	750 × 900 × 35	750	900	965	210	210	400	250	55	55
5401	800 × 900 × 35	800	900	997	260	210	400	300	55	105
8159	900 × 750 × 35	900	750	965	210	210	250	400	55	55
5404	900 × 800 × 35	900	800	997	210	260	300	400	105	55
5461	900 × 1000 × 35	900	1000	1139	210	210	500	400	70	70
5464	1000 × 900 × 35	1000	900	1139	210	210	400	500	70	70

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8119	750 × 900 × 35	15.7 kg	40	£ 835	£ 922	£ 1,020
CO	5401	800 × 900 × 35	15.7 kg	40	£ 835	£ 922	£ 1,020
CO	8159	900 × 750 × 35	15.9 kg	40	£ 835	£ 922	£ 1,020
CO	5404	900 × 800 × 35	15.7 kg	40	£ 835	£ 922	£ 1,020
CO	5461	900 × 1000 × 35	20.3 kg	40	£ 960	£ 1,047	£ 1,145
CO	5464	1000 × 900 × 35	21 kg	40	£ 960	£ 1,047	£ 1,145

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0373	Sealing System for Corner shower trays	p. 352	£ 115
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System BetteCorner

→ P. 348

dimensions in mm	PG	article no.	price
750 × 900	IN	B52-3034	£ 191
800 × 900	IN	B52-3043	£ 191
900 × 1000	IN	B52-3053	£ 191

BetteDelta 800 mm - 900 mm



Installation height

Waste fittings	from
B600-	400 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5660	800 × 750 × 280	800	750	670	620	210	210
5810	800 × 800 × 280	800	800	670	670	210	210
5740	900 × 700 × 280	900	700	770	570	210	210
5760	900 × 750 × 280	900	750	770	620	210	210
5960	900 × 800 × 280	900	800	770	670	210	210
5910	900 × 900 × 280	900	900	770	770	210	210

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
BA	5660	800 × 750 × 280	22.5 kg	40	£ 411	£ 498	£ 596
BA	5810	800 × 800 × 280	22.5 kg	40	£ 411	£ 498	£ 596
BA	5740	900 × 700 × 280	20 kg	40	£ 472	£ 559	£ 657
BA	5760	900 × 750 × 280	23.6 kg	40	£ 411	£ 498	£ 596
BA	5960	900 × 800 × 280	25.8 kg	40	£ 472	£ 559	£ 657
BA	5910	900 × 900 × 280	27 kg	40	£ 411 🏠	£ 498	£ 596

Extras

PG	code	description		see	price
EX	AS	BetteAnti-Slip Sense*1,2		p. 273	£ 179
EX	PLUS	BetteGlaze® Plus		p. 274	£ 156
EX		BetteUpstand		p. 278	from £ 408
EX		Special size		p. 284	£ 385
EX		Profi Corner		p. 282	from £ 385
EX	ADD	Antinoise for shower trays		p. 274	£ 48

*1 Not available with Glaze® Plus.

*2 Only available in combination with White (000).


Waste fittings

PG	article no.	description		see	Chrome 901	White 000
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm		p. 310	£ 142	£ 170

Accessories

PG	article no.	description		see	price
IN	B57-0370	Sealing System for rectangular shower trays		p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m		p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm		p. 355	£ 31

BetteDelta 1000 mm - 1200 mm



Installation height

Waste fittings	from
B600-	400 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5510	1000 × 800 × 280	1000	800	870	670	210	400
5610	1000 × 1000 × 280	1000	1000	870	870	210	500
5860	1200 × 800 × 280	1200	800	1070	670	210	400

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	5510	1000 x 800 x 280	19 kg	40	£ 585	£ 672	£ 770
BA	5610	1000 x 1000 x 280	22 kg	40	£ 585	£ 672	£ 770
BA	5860	1200 x 800 x 280	32.1 kg	40	£ 661	£ 748	£ 846

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
EX	ADD	Antinoise for shower trays	p. 274	£ 48


^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White 000
IN	B600-	Bath waste and overflow fitting Ø 52 mm, 560 mm	p. 310	£ 142	£ 170

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31



Information

We recommend the combination with the BetteLevel installation feet, installation height: 85 - 225 mm. Alternatively use the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Standard with Anti-slip Pro surface.

Including noise-reducing pads.



Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm
3372 AE	1200 x 1200

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Pergamon 001 Manhattan 002 Bahama beige 003 Edelweiss 004 Jasmin 006 Ebony 035 → cover
CO	3372 AE	1200 x 1200	41 kg	15	£ 1,236

Please note the ordering information on page 5, in particular the position of the colour number.

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1200 x 1200	IN	B50-3165	£ 291

BetteFloor 800 mm - 1000 mm



Illustration with pre-assembled Minimum support (T1).





Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H
5831	800 x 800	800	800	400	400
5711	900 x 700	900	700	450	350
5841	900 x 750	900	750	450	375
8751	900 x 800	900	800	450	400
5931	900 x 900	900	900	450	450
5881	1000 x 700	1000	700	500	350
1651	1000 x 750	1000	750	500	375
5491	1000 x 800	1000	800	500	400
1661	1000 x 900	1000	900	500	450
5941	1000 x 1000	1000	1000	500	500

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Bespoke Colours
					Key Colours → cover	→ cover
CO	5831	800 × 800	20.4 kg	30	£ 653 	£ 838
CO	5711	900 × 700	20.2 kg	30	£ 726	£ 911
CO	5841	900 × 750	21.6 kg	30	£ 726	£ 911
CO	8751	900 × 800	22.5 kg	30	£ 726 	£ 911
CO	5931	900 × 900	25 kg	30	£ 653 	£ 838
CO	5881	1000 × 700	22.3 kg	30	£ 835	£ 1,020
CO	1651	1000 × 750	23.2 kg	30	£ 835	£ 1,020
CO	5491	1000 × 800	24.7 kg	30	£ 835 	£ 1,020
CO	1661	1000 × 900	27.5 kg	30	£ 835 	£ 1,020
CO	5941	1000 × 1000	30.8 kg	30	£ 835 	£ 1,020

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
800 × 800	IN	B50-3141	£ 265
900 × 700	IN	B50-3124	£ 265
900 × 750	IN	B50-3134	£ 265
900 × 800	IN	B50-3143	£ 265
900 × 900	IN	B50-3151	£ 265
1000 × 700	IN	B50-3126	£ 265
1000 × 750	IN	B50-3136	£ 265
1000 × 800	IN	B50-3145	£ 265
1000 × 900	IN	B50-3153	£ 265
1000 × 1000	IN	B50-3164	£ 265

BetteFloor 1100 mm - 1200 mm



Illustration with pre-assembled Minimum support (T1).





Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H
8732	1100 x 750	1100	750	550	375
8731	1100 x 800	1100	800	550	400
8631	1100 x 900	1100	900	550	450
8735	1100 x 1000	1100	1000	550	500
1672	1200 x 700	1200	700	600	350
1671	1200 x 750	1200	750	600	375
1681	1200 x 800	1200	800	600	400
1261	1200 x 900	1200	900	600	450
8661	1200 x 1000	1200	1000	600	500
8721	1200 x 1200	1200	1200	600	600

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Bespoke Colours
					Key Colours → cover	→ cover
CO	8732	1100 × 750	22.75 kg	30	£ 871	£ 1,056
CO	8731	1100 × 800	26.7 kg	30	£ 871 	£ 1,056
CO	8631	1100 × 900	29.8 kg	30	£ 871 	£ 1,056
CO	8735	1100 × 1000	29.5 kg	30	£ 871	£ 1,056
CO	1672	1200 × 700	22.5 kg	30	£ 981	£ 1,166
CO	1671	1200 × 750	27.2 kg	30	£ 981	£ 1,166
CO	1681	1200 × 800	29.2 kg	30	£ 981 	£ 1,166
CO	1261	1200 × 900	31.9 kg	30	£ 981 	£ 1,166
CO	8661	1200 × 1000	35.5 kg	15	£ 981 	£ 1,166
CO	8721	1200 × 1200	41 kg	15	£ 981 	£ 1,166

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1100 × 750	IN	B50-3127	£ 265
1100 × 800	IN	B50-3147	£ 265
1100 × 900	IN	B50-3155	£ 265
1100 × 1000	IN	B50-3128	£ 265
1200 × 700	IN	B50-3130	£ 291
1200 × 750	IN	B50-3140	£ 291
1200 × 800	IN	B50-3149	£ 291
1200 × 900	IN	B50-3157	£ 291
1200 × 1000	IN	B50-3174	£ 291
1200 × 1200	IN	B50-3165	£ 291

BetteFloor 1300 mm - 1400 mm



Illustration with pre-assembled Minimum support (T1).





Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H
5797	1300 x 750	1300	750	650	375
5793	1300 x 800	1300	800	650	400
5791	1300 x 900	1300	900	650	450
5794	1300 x 1000	1300	1000	650	500
5803	1400 x 700	1400	700	700	350
5802	1400 x 750	1400	750	700	375
5801	1400 x 800	1400	800	700	400
5836	1400 x 900	1400	900	700	450
5851	1400 x 1000	1400	1000	700	500

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	5797	1300 x 750	28.5 kg	15	£ 981	£ 1,166
CO	5793	1300 x 800	30.9 kg	15	£ 981	£ 1,166
CO	5791	1300 x 900	34.2 kg	15	£ 981 ▲	£ 1,166
CO	5794	1300 x 1000	38.4 kg	15	£ 981	£ 1,166
CO	5803	1400 x 700	27 kg	15	£ 981	£ 1,166
CO	5802	1400 x 750	31.2 kg	15	£ 981	£ 1,166
CO	5801	1400 x 800	33 kg	15	£ 981	£ 1,166
CO	5836	1400 x 900	36.4 kg	15	£ 1,019 ▲	£ 1,204
CO	5851	1400 x 1000	39.9 kg	15	£ 1,019 ▲	£ 1,204

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1300 x 750	IN	B50-3154	£ 291
1300 x 800	IN	B50-3160	£ 291
1300 x 900	IN	B50-3138	£ 291
1300 x 1000	IN	B50-3161	£ 291
1400 x 700	IN	B50-3158	£ 317
1400 x 750	IN	B50-3159	£ 317
1400 x 800	IN	B50-3150	£ 317
1400 x 900	IN	B50-3162	£ 317
1400 x 1000	IN	B50-3139	£ 317

BetteFloor = 1500 mm



Illustration with pre-assembled Minimum support (T1).





Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H
5938	1500 x 700	1500	700	750	350
5939	1500 x 750	1500	750	750	375
5937	1500 x 800	1500	800	750	400
5936	1500 x 900	1500	900	750	450
5946	1500 x 1000	1500	1000	750	500

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	5938	1500 × 700	28.5 kg	15	£ 1,019	£ 1,204
CO	5939	1500 × 750	30 kg	15	£ 1,019	£ 1,204
CO	5937	1500 × 800	35 kg	15	£ 1,019	£ 1,204
CO	5936	1500 × 900	39.5 kg	15	£ 1,019	£ 1,204
CO	5946	1500 × 1000	39.5 kg	15	£ 1,019	£ 1,204

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1500 × 700	IN	B50-3175	£ 317
1500 × 750	IN	B50-3176	£ 317
1500 × 800	IN	B50-3179	£ 317
1500 × 900	IN	B50-3177	£ 317
1500 × 1000	IN	B50-3178	£ 317

BetteFloor 1600 mm - 1800 mm



Illustration with pre-assembled Minimum support (T1).






Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H
5948	1600 x 700	1600	700	800	350
5949	1600 x 750	1600	750	800	375
5957	1600 x 800	1600	800	800	400
5966	1600 x 900	1600	900	800	450
5969	1600 x 1000	1600	1000	800	500
5994	1700 x 750	1700	750	850	375
5989	1700 x 800	1700	800	850	400
5991	1700 x 900	1700	900	850	450
5817	1700 x 1000	1700	1000	850	500
5981	1800 x 800	1800	800	900	400
5988	1800 x 900	1800	900	900	450
5818	1800 x 1000	1800	1000	900	500

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	5948	1600 × 700	30 kg	15	£ 1,019	£ 1,204
CO	5949	1600 × 750	35 kg	15	£ 1,019	£ 1,204
CO	5957	1600 × 800	37.8 kg	15	£ 1,019	£ 1,204
CO	5966	1600 × 900	41.9 kg	15	£ 1,019 ▲	£ 1,204
CO	5969	1600 × 1000	45.6 kg	15	£ 1,058 ▲	£ 1,243
CO	5994	1700 × 750	34.5 kg	15	£ 1,019	£ 1,204
CO	5989	1700 × 800	39.3 kg	15	£ 1,057	£ 1,242
CO	5991	1700 × 900	43.4 kg	15	£ 1,057	£ 1,242
CO	5817	1700 × 1000	46.5 kg	15	£ 1,098	£ 1,283
CO	5981	1800 × 800	38.8 kg	15	£ 1,098	£ 1,283
CO	5988	1800 × 900	45.4 kg	15	£ 1,098	£ 1,283
CO	5818	1800 × 1000	49.9 kg	15	£ 1,137	£ 1,322

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1600 × 700	IN	B50-3142	£ 317
1600 × 750	IN	B50-3144	£ 317
1600 × 800	IN	B50-3166	£ 317
1600 × 900	IN	B50-3146	£ 317
1600 × 1000	IN	B50-3168	£ 317
1700 × 750	IN	B50-3182	£ 317
1700 × 800	IN	B50-3163	£ 317
1700 × 900	IN	B50-3148	£ 317
1700 × 1000	IN	B50-3189	£ 317
1800 × 800	IN	B50-3169	£ 317
1800 × 900	IN	B50-3152	£ 317
1800 × 1000	IN	B50-3191	£ 317

BetteFloor Caro



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G	H	I	K	R
7191	900 x 900	900	900	450	450	450	450	636
7211	1000 x 1000	1000	1000	500	500	500	500	707

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	7191	900 x 900	22.9 kg	30	£ 1,254	£ 1,439
CO	7211	1000 x 1000	26.5 kg	30	£ 1,443	£ 1,628

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0374	Sealing System for Caro shower trays	p. 352	£ 115
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor Caro

→ P. 350

dimensions in mm	PG	article no.	price
900 x 900	IN	B51-3151	£ 306
1000 x 1000	IN	B51-3164	£ 306

BetteFloor Corner



Information


We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm



Dimensions

article no.	dimensions in mm	A	B	F	G	H
5421	900 × 900	900	900	1066	450	450
5451	1000 × 1000	1000	1000	1207	500	500

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	5421	900 x 900	23.4 kg	30	£ 980	£ 1,165
CO	5451	1000 x 1000	28.1 kg	30	£ 1,127	£ 1,312

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0373	Sealing System for Corner shower trays	p. 352	£ 115
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor Corner

→ P. 350

dimensions in mm	PG	article no.	price
900 x 900	IN	B52-3151	£ 245
1000 x 1000	IN	B52-3164	£ 245

BetteFloor Side 900 mm - 1100 mm





Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G
3381	900 × 900	900	900	450
3388	1000 × 800	1000	800	500
3385	1000 × 900	1000	900	500
3382	1000 × 1000	1000	1000	500
3374	1100 × 800	1100	800	550
3396	1100 × 900	1100	900	550

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	3381	900 × 900	25 kg	30	£ 679 	£ 864
CO	3388	1000 × 800	24.7 kg	30	£ 868	£ 1,053
CO	3385	1000 × 900	27.5 kg	30	£ 868 	£ 1,053
CO	3382	1000 × 1000	30.8 kg	30	£ 868 	£ 1,053
CO	3374	1100 × 800	26.7 kg	30	£ 906	£ 1,091
CO	3396	1100 × 900	26.6 kg	30	£ 906	£ 1,091

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
900 × 900	IN	B50-3151	£ 265
1000 × 800	IN	B50-3145	£ 265
1000 × 900	IN	B50-3153	£ 265
1000 × 1000	IN	B50-3164	£ 265
1100 × 800	IN	B50-3147	£ 265
1100 × 900	IN	B50-3155	£ 265

BetteFloor Side = 1200 mm




Illustration with pre-assembled Minimum support (T1).




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G
3387	1200 x 800	1200	800	600
3380	1200 x 900	1200	900	600
3383	1200 x 1000	1200	1000	600
3391	1200 x 1200	1200	1200	600

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	3387	1200 x 800	29.2 kg	30	£ 981 	£ 1,166
CO	3380	1200 x 900	31.9 kg	30	£ 981 	£ 1,166
CO	3383	1200 x 1000	35.5 kg	15	£ 981 	£ 1,166
CO	3391	1200 x 1200	41 kg	15	£ 1,057 	£ 1,242

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1200 x 800	IN	B50-3149	£ 291
1200 x 900	IN	B50-3157	£ 291
1200 x 1000	IN	B50-3174	£ 291
1200 x 1200	IN	B50-3165	£ 291

BetteFloor Side 1300 mm - 1500 mm



Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

The dimension 1400 x 1200 mm and 1500 x 1200 mm are not available with BetteUpstand.

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G
3398	1300 x 900	1300	900	650
3399	1300 x 1000	1300	1000	650
3379	1400 x 800	1400	800	700
3384	1400 x 900	1400	900	700
3386	1400 x 1000	1400	1000	700
3394	1400 x 1200	1400	1200	700
3393	1500 x 900	1500	900	750
3389	1500 x 1000	1500	1000	750
3395	1500 x 1200	1500	1200	750






Illustration with pre-assembled Minimum support (T1).

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Bespoke Colours
					Key Colours → cover	→ cover
CO	3398	1300 × 900	34.2 kg	15	£ 1,057	£ 1,242
CO	3399	1300 × 1000	36 kg	15	£ 1,057	£ 1,242
CO	3379	1400 × 800	33 kg	15	£ 1,057	£ 1,242
CO	3384	1400 × 900	36.4 kg	15	£ 1,057 ▲	£ 1,242
CO	3386	1400 × 1000	39.9 kg	15	£ 1,057 ▲	£ 1,242
CO	3394	1400 × 1200	42.15 kg	15	£ 1,246 ▲	£ 1,431
CO	3393	1500 × 900	39.5 kg	15	£ 1,132	£ 1,317
CO	3389	1500 × 1000	39.5 kg	15	£ 1,132	£ 1,317
CO	3395	1500 × 1200	45.05 kg	15	£ 1,246	£ 1,431

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro*1	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense*1,2	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408

*1 Not available with Glaze® Plus.

*2 Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured	White and coloured with Antislip Pro*1
					→ p. 306	White 000 with Anti-Slip Sense*1
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s *2	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s *2	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

*1 Please also state code AY or AX, refer to page 5 for order information.

*2 Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1300 × 900	IN	B50-3138	£ 291
1300 × 1000	IN	B50-3161	£ 291
1400 × 800	IN	B50-3150	£ 317
1400 × 900	IN	B50-3162	£ 317
1400 × 1000	IN	B50-3139	£ 317
1400 × 1200	IN	B50-3184	£ 317
1500 × 900	IN	B50-3177	£ 317
1500 × 1000	IN	B50-3178	£ 317
1500 × 1200	IN	B50-3185	£ 317

BetteFloor Side 1600 mm - 1800 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

The dimensions 1600 x 1200 mm, 1800 x 900 mm and 1800 x 1000 mm are not available with BetteUpstand.





Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Installation height

Waste fittings	from
B598-	118 mm
B597-	98 mm
B575-	115 mm
B637-	134 mm
B638-	50 mm
B594-	50 mm

Dimensions

article no.	dimensions in mm	A	B	G
3375	1600 x 800	1600	800	800
3390	1600 x 900	1600	900	800
3397	1600 x 1000	1600	1000	800
3392	1600 x 1200	1600	1200	800
3376	1700 x 900	1700	900	850
3377	1800 x 900	1800	900	900
3378	1800 x 1000	1800	1000	900

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 Key Colours → cover	Bespoke Colours → cover
CO	3375	1600 x 800	37.8 kg	15	£ 1,132	£ 1,317
CO	3390	1600 x 900	41.9 kg	15	£ 1,132	£ 1,317
CO	3397	1600 x 1000	41.8 kg	15	£ 1,176	£ 1,361
CO	3392	1600 x 1200	51.8 kg	15	£ 1,294	£ 1,479
CO	3376	1700 x 900	43.4 kg	15	£ 1,132	£ 1,317
CO	3377	1800 x 900	45.4 kg	15	£ 1,176	£ 1,361
CO	3378	1800 x 1000	49.9 kg	15	£ 1,176	£ 1,361

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 x 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System for BetteFloor

→ P. 349

dimensions in mm	PG	article no.	price
1600 x 800	IN	B50-3166	£ 317
1600 x 900	IN	B50-3146	£ 317
1600 x 1000	IN	B50-3168	£ 317
1600 x 1200	IN	B50-3183	£ 317
1700 x 900	IN	B50-3148	£ 317
1800 x 900	IN	B50-3152	£ 317
1800 x 1000	IN	B50-3191	£ 317

BetteQuinta 700 mm - 900 mm



Information

We recommend to use the Foot-System, adjustable from 80 - 200 mm. For installation height 205 - 325 mm spacers need to be ordered separately.

Installation height

Waste fittings	from
B577-	240 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5700	700 × 700 × 150	700	700	570	570	210	210
5370	750 × 700 × 150	750	700	570	570	235	210
5540	750 × 750 × 150	750	750	620	620	210	210
5690	800 × 700 × 150	800	700	670	570	210	210
5650	800 × 750 × 150	800	750	670	620	210	210
5800	800 × 800 × 150	800	800	670	670	210	210
5790	850 × 700 × 150	850	700	670	570	235	210
1910	850 × 750 × 150	850	750	670	620	235	210
1920	850 × 850 × 150	850	850	670	670	235	235
8620	900 × 600 × 150	900	600	770	470	210	210
5730	900 × 700 × 150	900	700	770	570	210	210
5750	900 × 750 × 150	900	750	770	620	210	210
5950	900 × 800 × 150	900	800	770	670	210	210
1900	900 × 850 × 150	900	850	770	670	210	235
5900	900 × 900 × 150	900	900	770	770	210	210

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
BA	5700	700 × 700 × 150	14.4 kg	40	£ 414 	£ 501	£ 599
BA	5370	750 × 700 × 150	15.5 kg	40	£ 414	£ 501	£ 599
BA	5540	750 × 750 × 150	16.6 kg	40	£ 414	£ 501	£ 599
BA	5690	800 × 700 × 150	16.9 kg	40	£ 414 	£ 501	£ 599
BA	5650	800 × 750 × 150	16.7 kg	40	£ 414 	£ 501	£ 599
BA	5800	800 × 800 × 150	17.9 kg	40	£ 414 	£ 501	£ 599
BA	5790	850 × 700 × 150	18 kg	40	£ 414	£ 501	£ 599
BA	1910	850 × 750 × 150	18 kg	40	£ 414	£ 501	£ 599
BA	1920	850 × 850 × 150	20 kg	40	£ 414	£ 501	£ 599
BA	8620	900 × 600 × 150	16.3 kg	40	£ 414	£ 501	£ 599
BA	5730	900 × 700 × 150	18.4 kg	40	£ 414	£ 501	£ 599
BA	5750	900 × 750 × 150	18.8 kg	40	£ 414 	£ 501	£ 599
BA	5950	900 × 800 × 150	19.8 kg	40	£ 414 	£ 501	£ 599
BA	1900	900 × 850 × 150	20 kg	40	£ 414	£ 501	£ 599
BA	5900	900 × 900 × 150	21.8 kg	40	£ 414 	£ 501	£ 599

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
EX	ADD	Antinoise for shower trays	p. 274	£ 48

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901
IN	B577-	Shower waste Ø 52 mm, lateral	p. 304	£ 70

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
700 × 700	IN	B50-3020	£ 169
750 × 700	IN	B50-3021	£ 169
750 × 750	IN	B50-3031	£ 169
800 × 700	IN	B50-3022	£ 169
800 × 750	IN	B50-3032	£ 169
800 × 800	IN	B50-3041	£ 169
850 × 700	IN	B50-3023	£ 169
850 × 750	IN	B50-3033	£ 169
850 × 850	IN	B50-3070	£ 169
900 × 600	IN	B50-3073	£ 169
900 × 700	IN	B50-3024	£ 169
900 × 750	IN	B50-3034	£ 169
900 × 800	IN	B50-3043	£ 169
900 × 850	IN	B50-3071	£ 169
900 × 900	IN	B50-3051	£ 169




Spacer

→ P. 347

PG	article no.	price
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50

BetteQuinta 1000 mm - 1200 mm



Information

We recommend to use the Foot-System, adjustable from 80 - 200 mm. For installation height 205 - 325 mm spacers need to be ordered separately.

Installation height

Waste fittings	from
B577-	240 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5890	1000 × 700 × 150	1000	700	870	570	210	350
5560	1000 × 750 × 150	1000	750	870	620	210	375
5500	1000 × 800 × 150	1000	800	870	670	210	400
5390	1000 × 900 × 150	1000	900	870	770	210	450
5600	1000 × 1000 × 150	1000	1000	870	870	210	500
8700	1050 × 750 × 150	1050	750	870	620	235	375
8740	1100 × 800 × 150	1100	800	870	670	260	400
8650	1100 × 900 × 150	1100	900	970	770	210	450
5990	1200 × 700 × 150	1200	700	1070	570	210	350
5580	1200 × 750 × 150	1200	750	1070	620	210	375
5850	1200 × 800 × 150	1200	800	1070	670	210	400
1290	1200 × 900 × 150	1200	900	1070	770	210	450
8680	1200 × 1000 × 150	1200	1000	1070	870	210	500
5640	1200 × 1200 × 150	1200	1200	1070	1070	210	600

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
BA	5890	1000 × 700 × 150	20.4 kg	40	£ 572	£ 659	£ 757
BA	5560	1000 × 750 × 150	22 kg	40	£ 572	£ 659	£ 757
BA	5500	1000 × 800 × 150	22.3 kg	40	£ 572	£ 659	£ 757
BA	5390	1000 × 900 × 150	26.2 kg	40	£ 572	£ 659	£ 757
BA	5600	1000 × 1000 × 150	27.8 kg	40	£ 595	£ 682	£ 780
BA	8700	1050 × 750 × 150	18 kg	40	£ 621	£ 708	£ 806
BA	8740	1100 × 800 × 150	19 kg	40	£ 621	£ 708	£ 806
BA	8650	1100 × 900 × 150	27.5 kg	40	£ 621	£ 708	£ 806
BA	5990	1200 × 700 × 150	24.4 kg	40	£ 672	£ 759	£ 857
BA	5580	1200 × 750 × 150	25.1 kg	40	£ 672	£ 759	£ 857
BA	5850	1200 × 800 × 150	26.9 kg	40	£ 672	£ 759	£ 857
BA	1290	1200 × 900 × 150	19 kg	40	£ 672	£ 759	£ 857
BA	8680	1200 × 1000 × 150	32.5 kg	14	£ 724	£ 811	£ 909
BA	5640	1200 × 1200 × 150	22 kg	14	£ 724	£ 811	£ 909

Extras

PG	code	description	see	price
EX	AS	BetteAnti-Slip Sense*1,2	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385
EX	ADD	Antinoise for shower trays	p. 274	£ 48

*1 Not available with Glaze® Plus.
*2 Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901
IN	B57-	Shower waste Ø 52 mm, lateral	p. 304	£ 70

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



Foot-System
→ P. 346


dimensions in mm	PG	article no.	price
1000 × 700	IN	B50-3026	£ 169
1000 × 750	IN	B50-3036	£ 169
1000 × 800	IN	B50-3045	£ 169
1000 × 900	IN	B50-3053	£ 169
1000 × 1000	IN	B50-3064	£ 169
1050 × 750	IN	B50-3037	£ 169
1100 × 800	IN	B50-3047	£ 169
1100 × 900	IN	B50-3055	£ 169
1200 × 700	IN	B50-3030	£ 194
1200 × 750	IN	B50-3040	£ 194
1200 × 800	IN	B50-3049	£ 194
1200 × 900	IN	B50-3057	£ 194
1200 × 1000	IN	B50-3074	£ 194
1200 × 1200	IN	B50-3065	£ 194




Spacer
→ P. 347

PG	article no.	price
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0005	£ 50
IN	B50-0006	£ 69
IN	B50-0006	£ 69
IN	B50-0006	£ 69
IN	B50-0006	£ 69
IN	B50-0007	£ 91

BetteSupra 700 mm - 850 mm



Shower trays < 1000 mm



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5720	700 × 700 × 65	700	700	600	600	210	210
5360	750 × 700 × 65	750	700	600	600	235	210
5530	750 × 750 × 65	750	750	650	650	210	210
5680	800 × 700 × 65	800	700	700	600	210	210
5670	800 × 750 × 65	800	750	700	650	210	210
5820	800 × 800 × 65	800	800	700	700	210	210
5780	850 × 700 × 65	850	700	700	600	235	210
1570	850 × 750 × 65	850	750	700	650	235	210
1590	850 × 850 × 65	850	850	700	700	235	235

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5720	700 × 700 × 65	11.8 kg	40	£ 511	£ 598	£ 696
CO	5360	750 × 700 × 65	12.7 kg	40	£ 511	£ 598	£ 696
CO	5530	750 × 750 × 65	13.6 kg	40	£ 511 ▲	£ 598	£ 696
CO	5680	800 × 700 × 65	13.6 kg	40	£ 511 ▲	£ 598	£ 696
CO	5670	800 × 750 × 65	14.6 kg	40	£ 511 ▲	£ 598	£ 696
CO	5820	800 × 800 × 65	15.4 kg	40	£ 511 ▲	£ 598	£ 696
CO	5780	850 × 700 × 65	14.4 kg	40	£ 511	£ 598	£ 696
CO	1570	850 × 750 × 65	15.4 kg	40	£ 511	£ 598	£ 696
CO	1590	850 × 850 × 65	17.4 kg	40	£ 511	£ 598	£ 696

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System


→ P. 346

dimensions in mm	PG	article no.	price
700 × 700	IN	B50-3020	£ 169
750 × 700	IN	B50-3021	£ 169
750 × 750	IN	B50-3031	£ 169
800 × 700	IN	B50-3022	£ 169
800 × 750	IN	B50-3032	£ 169
800 × 800	IN	B50-3041	£ 169
850 × 700	IN	B50-3023	£ 169
850 × 750	IN	B50-3033	£ 169
850 × 850	IN	B50-3070	£ 169

BetteSupra = 900 mm



Shower trays < 1000 mm



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
8610	900 × 600 × 65	900	600	800	500	210	210
5710	900 × 700 × 65	900	700	800	600	210	210
5770	900 × 750 × 65	900	750	800	650	210	210
5970	900 × 800 × 65	900	800	800	700	210	210
1560	900 × 850 × 65	900	850	800	700	210	235
5920	900 × 900 × 65	900	900	800	800	210	210

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8610	900 × 600 × 65	13.6 kg	40	£ 511	£ 598	£ 696
CO	5710	900 × 700 × 65	15.2 kg	40	£ 511	£ 598	£ 696
CO	5770	900 × 750 × 65	16 kg	40	£ 511	£ 598	£ 696
CO	5970	900 × 800 × 65	17 kg	40	£ 511	£ 598	£ 696
CO	1560	900 × 850 × 65	18 kg	40	£ 511	£ 598	£ 696
CO	5920	900 × 900 × 65	19.2 kg	40	£ 568	£ 655	£ 753

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System


→ P. 346

dimensions in mm	PG	article no.	price
900 × 600	IN	B50-3073	£ 169
900 × 700	IN	B50-3024	£ 169
900 × 750	IN	B50-3034	£ 169
900 × 800	IN	B50-3043	£ 169
900 × 850	IN	B50-3071	£ 169
900 × 900	IN	B50-3051	£ 169

BetteSupra 1000 mm - 1100 mm



Shower trays ≥ 1000 mm



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5880	1000 × 700 × 65	1000	700	900	600	210	350
5550	1000 × 750 × 65	1000	750	900	650	210	375
5520	1000 × 800 × 65	1000	800	900	700	210	400
5380	1000 × 900 × 65	1000	900	900	800	210	450
5620	1000 × 1000 × 65	1000	1000	900	900	210	500
8690	1050 × 750 × 65	1050	750	900	650	235	375
8726	1100 × 700 × 65	1100	700	1000	600	210	350
8728	1100 × 750 × 65	1100	750	1000	650	210	375
8730	1100 × 800 × 65	1100	800	900	700	260	400
8640	1100 × 900 × 65	1100	900	1000	800	210	450
8738	1100 × 1000 × 65	1100	1000	1000	900	210	500
8744	1100 × 1100 × 65	1100	1100	1000	1000	210	550

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5880	1000 × 700 × 65	17.1 kg	40	£ 612 	£ 699	£ 797
CO	5550	1000 × 750 × 65	16.7 kg	40	£ 612 	£ 699	£ 797
CO	5520	1000 × 800 × 65	19.1 kg	40	£ 612 	£ 699	£ 797
CO	5380	1000 × 900 × 65	21.8 kg	40	£ 612 	£ 699	£ 797
CO	5620	1000 × 1000 × 65	24.7 kg	40	£ 612 	£ 699	£ 797
CO	8690	1050 × 750 × 65	19 kg	40	£ 639	£ 726	£ 824
CO	8726	1100 × 700 × 65	17.5 kg	40	£ 639	£ 726	£ 824
CO	8728	1100 × 750 × 65	19.5 kg	40	£ 639 	£ 726	£ 824
CO	8730	1100 × 800 × 65	20.9 kg	40	£ 639 	£ 726	£ 824
CO	8640	1100 × 900 × 65	23.4 kg	40	£ 639 	£ 726	£ 824
CO	8738	1100 × 1000 × 65	25 kg	40	£ 664	£ 751	£ 849
CO	8744	1100 × 1100 × 65	28 kg	40	£ 664	£ 751	£ 849

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1000 × 700	IN	B50-3026	£ 169
1000 × 750	IN	B50-3036	£ 169
1000 × 800	IN	B50-3045	£ 169
1000 × 900	IN	B50-3053	£ 169
1000 × 1000	IN	B50-3064	£ 169
1050 × 750	IN	B50-3037	£ 169
1100 × 700	IN	B50-3025	£ 169
1100 × 750	IN	B50-3027	£ 169
1100 × 800	IN	B50-3047	£ 169
1100 × 900	IN	B50-3055	£ 169
1100 × 1000	IN	B50-3028	£ 169
1100 × 1100	IN	B50-3029	£ 169

BetteSupra 1200 mm - 1300 mm



Shower trays ≥ 1000 mm

Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5980	1200 × 700 × 65	1200	700	1100	600	210	350
5570	1200 × 750 × 65	1200	750	1100	650	210	375
5870	1200 × 800 × 65	1200	800	1100	700	210	400
1690	1200 × 900 × 65	1200	900	1100	800	210	450
8670	1200 × 1000 × 65	1200	1000	1100	900	210	500
8665	1200 × 1100 × 65	1200	1100	1100	1000	210	550
5630	1200 × 1200 × 65	1200	1200	1100	1100	210	600
5787	1300 × 800 × 65	1300	800	1200	700	210	400
5796	1300 × 900 × 65	1300	900	1200	800	210	450
5789	1300 × 1000 × 65	1300	1000	1200	900	210	500
5827	1300 × 1300 × 65	1300	1300	1200	1200	210	650

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5980	1200 × 700 × 65	20.3 kg	40	£ 720	£ 807	£ 905
CO	5570	1200 × 750 × 65	21.7 kg	40	£ 720 ▲	£ 807	£ 905
CO	5870	1200 × 800 × 65	22.8 kg	40	£ 720 ▲	£ 807	£ 905
CO	1690	1200 × 900 × 65	25.6 kg	40	£ 720 ▲	£ 807	£ 905
CO	8670	1200 × 1000 × 65	19 kg	14	£ 720	£ 807	£ 905
CO	8665	1200 × 1100 × 65	30.5 kg	14	£ 720	£ 807	£ 905
CO	5630	1200 × 1200 × 65	32.9 kg	14	£ 720	£ 807	£ 905
CO	5787	1300 × 800 × 65	25.8 kg	14	£ 720	£ 807	£ 905
CO	5796	1300 × 900 × 65	28 kg	14	£ 720	£ 807	£ 905
CO	5789	1300 × 1000 × 65	32 kg	14	£ 720	£ 807	£ 905
CO	5827	1300 × 1300 × 65	38.1 kg	14	£ 774	£ 861	£ 959

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System


→ P. 346

dimensions in mm	PG	article no.	price
1200 × 700	IN	B50-3030	£ 194
1200 × 750	IN	B50-3040	£ 194
1200 × 800	IN	B50-3049	£ 194
1200 × 900	IN	B50-3057	£ 194
1200 × 1000	IN	B50-3074	£ 194
1200 × 1100	IN	B50-3035	£ 194
1200 × 1200	IN	B50-3065	£ 194
1300 × 800	IN	B50-3060	£ 194
1300 × 900	IN	B50-3038	£ 194
1300 × 1000	IN	B50-3061	£ 194
1300 × 1300	IN	B50-3092	£ 212

BetteSupra 1400 mm - 1500 mm



Shower trays ≥ 1000 mm



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Dimension 1500 × 1500 mm is not available with BetteUpstand or in special size.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5825	1400 × 700 × 65	1400	700	1300	600	210	350
5815	1400 × 750 × 65	1400	750	1300	600	210	375
5805	1400 × 800 × 65	1400	800	1300	700	210	400
5835	1400 × 900 × 65	1400	900	1300	800	210	450
5839	1400 × 1000 × 65	1400	1000	1300	900	210	500
5829	1400 × 1400 × 65	1400	1400	1300	1300	210	700
5915	1500 × 700 × 65	1500	700	1400	600	210	350
5925	1500 × 750 × 65	1500	750	1400	600	210	375
5933	1500 × 800 × 65	1500	800	1400	700	210	400
5935	1500 × 900 × 65	1500	900	1400	800	210	450
5945	1500 × 1000 × 65	1500	1000	1400	900	210	500
5985	1500 × 1500 × 65	1500	1500	1400	1400	210	750

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5825	1400 × 700 × 65	24.1 kg	14	£ 747	£ 834	£ 932
CO	5815	1400 × 750 × 65	24 kg	14	£ 747	£ 834	£ 932
CO	5805	1400 × 800 × 65	27.1 kg	14	£ 747 	£ 834	£ 932
CO	5835	1400 × 900 × 65	29.5 kg	14	£ 747 	£ 834	£ 932
CO	5839	1400 × 1000 × 65	32.5 kg	14	£ 747	£ 834	£ 932
CO	5829	1400 × 1400 × 65	43.8 kg	14	£ 830	£ 917	£ 1,015
CO	5915	1500 × 700 × 65	24.5 kg	14	£ 830	£ 917	£ 1,015
CO	5925	1500 × 750 × 65	19 kg	14	£ 830	£ 917	£ 1,015
CO	5933	1500 × 800 × 65	29 kg	14	£ 830	£ 917	£ 1,015
CO	5935	1500 × 900 × 65	32.3 kg	14	£ 830	£ 917	£ 1,015
CO	5945	1500 × 1000 × 65	35 kg	14	£ 830	£ 917	£ 1,015
CO	5985	1500 × 1500 × 65	53.5 kg	5	£ 984	£ 1,071	£ 1,169

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System


→ P. 346

dimensions in mm	PG	article no.	price
1400 × 700	IN	B50-3058	£ 212
1400 × 750	IN	B50-3059	£ 212
1400 × 800	IN	B50-3050	£ 212
1400 × 900	IN	B50-3062	£ 212
1400 × 1000	IN	B50-3039	£ 212
1400 × 1400	IN	B50-3093	£ 238
1500 × 700	IN	B50-3075	£ 212
1500 × 750	IN	B50-3076	£ 212
1500 × 800	IN	B50-3079	£ 212
1500 × 900	IN	B50-3077	£ 212
1500 × 1000	IN	B50-3078	£ 212
1500 × 1500	IN	B50-3080	£ 238

BetteSupra 1600 mm - 1800 mm



shower trays with dimension ≥ 1600 mm are delivered with waste positioned in centre of long shank.



Information

We recommend to combine the shower area with the BetteLevel installation feet, installation height: 85 - 225 mm or the Foot-System, installation height: 80 - 200 mm.

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	153 mm
B597-	133 mm
B575-	150 mm
B637-	134 mm
B638-	85 mm
B594-	85 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5952	1600 x 700 x 65	1600	700	1500	600	210	800
5954	1600 x 750 x 65	1600	750	1500	650	210	800
5956	1600 x 800 x 65	1600	800	1500	700	210	800
5962	1600 x 900 x 65	1600	900	1500	800	210	800
5968	1600 x 1000 x 65	1600	1000	1500	900	210	800
5993	1700 x 700 x 65	1700	700	1600	600	210	850
5997	1700 x 750 x 65	1700	750	1600	700	210	850
5972	1700 x 800 x 65	1700	800	1600	700	210	850
5999	1700 x 900 x 65	1700	900	1600	800	210	850
5807	1700 x 1000 x 65	1700	1000	1600	900	210	850
5987	1800 x 800 x 65	1800	800	1700	700	210	900
5983	1800 x 900 x 65	1800	900	1700	800	210	900
5809	1800 x 1000 x 65	1800	1000	1700	900	210	900

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5952	1600 × 700 × 65	26 kg	14	£ 830	£ 917	£ 1,015
CO	5954	1600 × 750 × 65	29.5 kg	14	£ 830	£ 917	£ 1,015
CO	5956	1600 × 800 × 65	30.9 kg	14	£ 830	£ 917	£ 1,015
CO	5962	1600 × 900 × 65	33.5 kg	14	£ 830	£ 917	£ 1,015
CO	5968	1600 × 1000 × 65	35.5 kg	14	£ 862	£ 949	£ 1,047
CO	5993	1700 × 700 × 65	28 kg	14	£ 861	£ 948	£ 1,046
CO	5997	1700 × 750 × 65	30.5 kg	14	£ 861	£ 948	£ 1,046
CO	5972	1700 × 800 × 65	31.25 kg	14	£ 861	£ 948	£ 1,046
CO	5999	1700 × 900 × 65	34.3 kg	14	£ 861	£ 948	£ 1,046
CO	5807	1700 × 1000 × 65	40 kg	14	£ 894	£ 981	£ 1,079
CO	5987	1800 × 800 × 65	33.8 kg	14	£ 894	£ 981	£ 1,079
CO	5983	1800 × 900 × 65	38.6 kg	14	£ 894	£ 981	£ 1,079
CO	5809	1800 × 1000 × 65	40.5 kg	14	£ 894	£ 981	£ 1,079

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1600 × 700	IN	B50-3042	£ 238
1600 × 750	IN	B50-3044	£ 238
1600 × 800	IN	B50-3066	£ 238
1600 × 900	IN	B50-3046	£ 238
1600 × 1000	IN	B50-3068	£ 238
1700 × 700	IN	B50-3081	£ 238
1700 × 750	IN	B50-3082	£ 238
1700 × 800	IN	B50-3063	£ 238
1700 × 900	IN	B50-3048	£ 238
1700 × 1000	IN	B50-3089	£ 238
1800 × 800	IN	B50-3069	£ 238
1800 × 900	IN	B50-3052	£ 238
1800 × 1000	IN	B50-3091	£ 238

BetteUltra 700 mm - 850 mm



Illustration with pre-assembled Minimum support (T1).

Scope of delivery


Including noise-reducing pads.

Installation height


Waste fittings	from
B598-	113 mm
B597-	93 mm
B575-	110 mm
B637-	129 mm
B638-	45 mm
B594-	45 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5719	700 × 700 × 25	700	700	600	600	210	210
5529	750 × 750 × 25	750	750	650	650	210	210
5679	800 × 700 × 25	800	700	700	600	210	210
5669	800 × 750 × 25	800	750	700	650	210	210
5830	800 × 800 × 25	800	800	700	700	210	210
1589	850 × 850 × 25	850	850	700	700	235	235



Shower trays < 1000 mm



Shower trays < 1000 mm




Illustration with pre-assembled Minimum support (T1).

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
CO	5719	700 × 700 × 25	11.8 kg	40	£ 534 ▲	£ 621	£ 719
CO	5529	750 × 750 × 25	13.4 kg	40	£ 534 ▲	£ 621	£ 719
CO	5679	800 × 700 × 25	13.5 kg	40	£ 534 ▲	£ 621	£ 719
CO	5669	800 × 750 × 25	14.5 kg	40	£ 534 ▲	£ 621	£ 719
CO	5830	800 × 800 × 25	15.3 kg	40	£ 475 ▲	£ 562	£ 660
CO	1589	850 × 850 × 25	16.5 kg	40	£ 534 ▲	£ 621	£ 719

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro*1	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense*1,2	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

*1 Not available with Glaze® Plus.

*2 Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured	White and coloured
					→ p. 306	with Antislip Pro*1 White 000 with Anti-Slip Sense*1
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s *2	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s *2	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

*1 Please also state code AY or AX, refer to page 5 for order information.

*2 Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
700 × 700	IN	B50-3020	£ 169
750 × 750	IN	B50-3031	£ 169
800 × 700	IN	B50-3022	£ 169
800 × 750	IN	B50-3032	£ 169
800 × 800	IN	B50-3041	£ 169
850 × 850	IN	B50-3070	£ 169


BetteUltra = 900 mm



Shower trays < 1000 mm



Illustration with pre-assembled Minimum support (T1).



Shower trays < 1000 mm




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	113 mm
B597-	93 mm
B575-	110 mm
B637-	129 mm
B638-	45 mm
B594-	45 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
8600	900 × 600 × 25	900	600	800	500	210	210
5709	900 × 700 × 25	900	700	800	600	210	210
5840	900 × 750 × 25	900	750	800	650	210	210
8750	900 × 800 × 25	900	800	800	700	210	210
1559	900 × 850 × 25	900	850	800	700	210	235
5930	900 × 900 × 25	900	900	800	800	210	210

Subject to alteration and production tolerance.

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8600	900 × 600 × 25	13 kg	40	£ 534	£ 621	£ 719
CO	5709	900 × 700 × 25	14.9 kg	40	£ 534 ▲	£ 621	£ 719
CO	5840	900 × 750 × 25	16 kg	40	£ 534 ▲	£ 621	£ 719
CO	8750	900 × 800 × 25	16.8 kg	40	£ 534 ▲	£ 621	£ 719
CO	1559	900 × 850 × 25	18 kg	40	£ 534 ▲	£ 621	£ 719
CO	5930	900 × 900 × 25	18.8 kg	40	£ 475 ▲	£ 562	£ 660

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
900 × 600	IN	B50-3073	£ 169
900 × 700	IN	B50-3024	£ 169
900 × 750	IN	B50-3034	£ 169
900 × 800	IN	B50-3043	£ 169
900 × 850	IN	B50-3071	£ 169
900 × 900	IN	B50-3051	£ 169

BetteUltra = 1000 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery


Including noise-reducing pads.

Installation height


Waste fittings	from
B598-	113 mm
B597-	93 mm
B575-	110 mm
B637-	129 mm
B638-	45 mm
B594-	45 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5879	1000 × 700 × 25	1000	700	900	600	210	350
1650	1000 × 750 × 25	1000	750	900	650	210	375
5490	1000 × 800 × 25	1000	800	900	700	210	400
1660	1000 × 900 × 25	1000	900	900	800	210	450
5940	1000 × 1000 × 25	1000	1000	900	900	210	500



Shower trays ≥ 1000 mm



Shower trays < 1000 mm




Illustration with pre-assembled Minimum support (T1).

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5879	1000 × 700 × 25	16.5 kg	40	£ 614 	£ 701	£ 799
CO	1650	1000 × 750 × 25	17.8 kg	40	£ 614 	£ 701	£ 799
CO	5490	1000 × 800 × 25	19.3 kg	40	£ 614 	£ 701	£ 799
CO	1660	1000 × 900 × 25	21.1 kg	40	£ 614 	£ 701	£ 799
CO	5940	1000 × 1000 × 25	23.3 kg	40	£ 614 	£ 701	£ 799

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	p. 338	£ 169
IN	B57-0423	Locks for 4 BetteLevel installation feet	p. 339	£ 76
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1000 × 700	IN	B50-3026	£ 169
1000 × 750	IN	B50-3036	£ 169
1000 × 800	IN	B50-3045	£ 169
1000 × 900	IN	B50-3053	£ 169
1000 × 1000	IN	B50-3064	£ 169

BetteUltra 1050 mm - 1100 mm



Shower trays ≥ 1000 mm



Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
8710	1050 × 750 × 35	1050	750	900	650	235	375
8725	1100 × 700 × 35	1100	700	1000	600	210	350
8727	1100 × 750 × 35	1100	750	1000	650	210	375
8729	1100 × 800 × 35	1100	800	920	700	260	400
8630	1100 × 900 × 35	1100	900	1000	800	210	450
8737	1100 × 1000 × 35	1100	1000	1000	900	210	500
8743	1100 × 1100 × 35	1100	1100	1000	1000	210	550

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	8710	1050 × 750 × 35	18.7 kg	40	£ 641	£ 728	£ 826
CO	8725	1100 × 700 × 35	18.1 kg	40	£ 641 	£ 728	£ 826
CO	8727	1100 × 750 × 35	19.5 kg	40	£ 641 	£ 728	£ 826
CO	8729	1100 × 800 × 35	20.5 kg	40	£ 641 	£ 728	£ 826
CO	8630	1100 × 900 × 35	22.8 kg	40	£ 641 	£ 728	£ 826
CO	8737	1100 × 1000 × 35	25.2 kg	40	£ 641 	£ 728	£ 826
CO	8743	1100 × 1100 × 35	27.7 kg	40	£ 641 	£ 728	£ 826

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1050 × 750	IN	B50-3037	£ 169
1100 × 700	IN	B50-3025	£ 169
1100 × 750	IN	B50-3027	£ 169
1100 × 800	IN	B50-3047	£ 169
1100 × 900	IN	B50-3055	£ 169
1100 × 1000	IN	B50-3028	£ 169
1100 × 1100	IN	B50-3029	£ 169

BetteUltra = 1200 mm



Shower trays ≥ 1000 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5979	1200 × 700 × 35	1200	700	1100	600	210	350
1670	1200 × 750 × 35	1200	750	1100	650	210	375
1680	1200 × 800 × 35	1200	800	1100	700	210	400
1260	1200 × 900 × 35	1200	900	1100	800	210	450
8660	1200 × 1000 × 35	1200	1000	1100	900	210	500
8664	1200 × 1100 × 35	1200	1100	1100	1000	210	550
8720	1200 × 1200 × 35	1200	1200	1120	1120	210	600

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5979	1200 × 700 × 35	20.3 kg	40	£ 695 	£ 782	£ 880
CO	1670	1200 × 750 × 35	21 kg	40	£ 695 	£ 782	£ 880
CO	1680	1200 × 800 × 35	22.2 kg	40	£ 695 	£ 782	£ 880
CO	1260	1200 × 900 × 35	24.8 kg	40	£ 695 	£ 782	£ 880
CO	8660	1200 × 1000 × 35	27.9 kg	14	£ 695 	£ 782	£ 880
CO	8664	1200 × 1100 × 35	30 kg	14	£ 752 	£ 839	£ 937
CO	8720	1200 × 1200 × 35	32.7 kg	14	£ 752 	£ 839	£ 937

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel


PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System
→ P. 346

dimensions in mm	PG	article no.	price
1200 × 700	IN	B50-3030	£ 194
1200 × 750	IN	B50-3040	£ 194
1200 × 800	IN	B50-3049	£ 194
1200 × 900	IN	B50-3057	£ 194
1200 × 1000	IN	B50-3074	£ 194
1200 × 1100	IN	B50-3035	£ 194
1200 × 1200	IN	B50-3065	£ 194

BetteUltra = 1300 mm



Shower trays ≥ 1000 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5784	1300 × 700 × 35	1300	700	1200	600	210	350
5785	1300 × 750 × 35	1300	750	1200	600	210	375
5786	1300 × 800 × 35	1300	800	1200	700	210	400
5795	1300 × 900 × 35	1300	900	1200	800	210	450
5788	1300 × 1000 × 35	1300	1000	1200	900	210	500
5826	1300 × 1300 × 35	1300	1300	1200	1200	210	650

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
CO	5784	1300 × 700 × 35	20.5 kg	14	£ 752	£ 839	£ 937
CO	5785	1300 × 750 × 35	21.8 kg	14	£ 752	£ 839	£ 937
CO	5786	1300 × 800 × 35	24 kg	14	£ 752 ▲	£ 839	£ 937
CO	5795	1300 × 900 × 35	26.7 kg	14	£ 752 ▲	£ 839	£ 937
CO	5788	1300 × 1000 × 35	30.3 kg	14	£ 752 ▲	£ 839	£ 937
CO	5826	1300 × 1300 × 35	36.8 kg	14	£ 810	£ 897	£ 995

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured	White and coloured
					→ p. 306	with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1300 × 700	IN	B50-3056	£ 194
1300 × 750	IN	B50-3054	£ 194
1300 × 800	IN	B50-3060	£ 194
1300 × 900	IN	B50-3038	£ 194
1300 × 1000	IN	B50-3061	£ 194
1300 × 1300	IN	B50-3092	£ 212

BetteUltra = 1400 mm



Shower trays ≥ 1000 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1000 mm we recommend the use of one Support foot BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5824	1400 × 700 × 35	1400	700	1300	600	210	350
5814	1400 × 750 × 35	1400	750	1300	600	210	375
5804	1400 × 800 × 35	1400	800	1300	700	210	400
5834	1400 × 900 × 35	1400	900	1300	800	210	450
5838	1400 × 1000 × 35	1400	1000	1300	900	210	500
5828	1400 × 1400 × 35	1400	1400	1300	1300	210	700

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000	Key Colours	Bespoke Colours
					→ cover	→ cover	→ cover
CO	5824	1400 × 700 × 35	23.2 kg	14	£ 752 	£ 839	£ 937
CO	5814	1400 × 750 × 35	23.3 kg	14	£ 752 	£ 839	£ 937
CO	5804	1400 × 800 × 35	25.9 kg	14	£ 752 	£ 839	£ 937
CO	5834	1400 × 900 × 35	28.5 kg	14	£ 752 	£ 839	£ 937
CO	5838	1400 × 1000 × 35	32.2 kg	14	£ 752 	£ 839	£ 937
CO	5828	1400 × 1400 × 35	42.3 kg	14	£ 868	£ 955	£ 1,053

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured	White and coloured
					→ p. 306	with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System
→ P. 346

dimensions in mm	PG	article no.	price
1400 × 700	IN	B50-3058	£ 212
1400 × 750	IN	B50-3059	£ 212
1400 × 800	IN	B50-3050	£ 212
1400 × 900	IN	B50-3062	£ 212
1400 × 1000	IN	B50-3039	£ 212
1400 × 1400	IN	B50-3093	£ 238

BetteUltra = 1500 mm




Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

The dimension 1500 × 1500 mm is not available with BetteUpstand.




Illustration with pre-assembled Minimum support (T1).

Scope of delivery

Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5914	1500 × 700 × 35	1500	700	1400	600	210	350
5924	1500 × 750 × 35	1500	750	1400	600	210	375
5932	1500 × 800 × 35	1500	800	1400	700	210	400
5934	1500 × 900 × 35	1500	900	1400	800	210	450
5944	1500 × 1000 × 35	1500	1000	1400	900	210	500
5984	1500 × 1500 × 35	1500	1500	1400	1400	210	750

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5914	1500 × 700 × 35	24.6 kg	14	£ 868	£ 955	£ 1,053
CO	5924	1500 × 750 × 35	26.1 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5932	1500 × 800 × 35	27.3 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5934	1500 × 900 × 35	30.9 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5944	1500 × 1000 × 35	34.2 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5984	1500 × 1500 × 35	53 kg	5	£ 1,029	£ 1,116	£ 1,214

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	p. 338	£ 288
IN	B57-0425	Locks for 8 BetteLevel installation feet	p. 339	£ 133
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1500 × 700	IN	B50-3075	£ 212
1500 × 750	IN	B50-3076	£ 212
1500 × 800	IN	B50-3079	£ 212
1500 × 900	IN	B50-3077	£ 212
1500 × 1000	IN	B50-3078	£ 212
1500 × 1500	IN	B50-3080	£ 238

BetteUltra 1600 mm - 1700 mm



Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery


Including noise-reducing pads.

Installation height

Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5951	1600 × 700 × 35	1600	700	1500	600	210	800
5953	1600 × 750 × 35	1600	750	1500	650	210	800
5955	1600 × 800 × 35	1600	800	1500	700	210	800
5961	1600 × 900 × 35	1600	900	1500	800	210	800
5967	1600 × 1000 × 35	1600	1000	1500	900	210	800
5992	1700 × 700 × 35	1700	700	1600	600	210	850
5996	1700 × 750 × 35	1700	750	1600	700	210	850
5971	1700 × 800 × 35	1700	800	1600	700	210	850
5998	1700 × 900 × 35	1700	900	1600	800	210	850
5806	1700 × 1000 × 35	1700	1000	1600	900	210	850



shower trays with dimension ≥ 1600 mm are delivered with waste positioned in centre of long shank.




Illustration with pre-assembled Minimum support (T1).

Dimensions

Further dimensions on the following pages.

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5951	1600 × 700 × 35	26 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5953	1600 × 750 × 35	27.8 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5955	1600 × 800 × 35	29.3 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5961	1600 × 900 × 35	33.1 kg	14	£ 868 ▲	£ 955	£ 1,053
CO	5967	1600 × 1000 × 35	35.9 kg	14	£ 935 ▲	£ 1,022	£ 1,120
CO	5992	1700 × 700 × 35	27.8 kg	14	£ 900 ▲	£ 987	£ 1,085
CO	5996	1700 × 750 × 35	29.3 kg	14	£ 900 ▲	£ 987	£ 1,085
CO	5971	1700 × 800 × 35	30.05 kg	14	£ 900 ▲	£ 987	£ 1,085
CO	5998	1700 × 900 × 35	34.5 kg	14	£ 900 ▲	£ 987	£ 1,085
CO	5806	1700 × 1000 × 35	39.5 kg	14	£ 935	£ 1,022	£ 1,120

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.
^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.
^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76



Foot-System

→ P. 346

dimensions in mm	PG	article no.	price
1600 × 700	IN	B50-3042	£ 238
1600 × 750	IN	B50-3044	£ 238
1600 × 800	IN	B50-3066	£ 238
1600 × 900	IN	B50-3046	£ 238
1600 × 1000	IN	B50-3068	£ 238
1700 × 700	IN	B50-3081	£ 238
1700 × 750	IN	B50-3082	£ 238
1700 × 800	IN	B50-3063	£ 238
1700 × 900	IN	B50-3048	£ 238
1700 × 1000	IN	B50-3089	£ 238

BetteUltra 1800 mm - 2000 mm



Illustration with pre-assembled Minimum support (T1).

Information

From a side length of 1500 mm we recommend the use of two Support feet BetteLevel B57-0426.

The Support foot BetteLevel B57-0426 can not be combined with the preassembled Minimum support (T1).

Scope of delivery


Including noise-reducing pads.

Installation height


Waste fittings	from
B598-	123 mm
B597-	103 mm
B575-	120 mm
B637-	134 mm
B638-	55 mm
B594-	55 mm

Dimensions

article no.	dimensions in mm	A	B	C	D	G	H
5986	1800 × 800 × 35	1800	800	1700	700	210	900
5982	1800 × 900 × 35	1800	900	1700	800	210	900
5808	1800 × 1000 × 35	1800	1000	1700	900	210	900
5973	1900 × 900 × 35	1900	900	1800	800	210	950
5974	2000 × 900 × 35	2000	900	1900	800	210	1000



shower trays with dimension ≥ 1600 mm are delivered with waste positioned in centre of long shank.



Shower trays > 1000 mm




Illustration with pre-assembled Minimum support (T1).

Dimensions

PG	article no.	dimensions in mm	weight (net)	pcs/pallet	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	5986	1800 × 800 × 35	33.2 kg	14	£ 935 ▲	£ 1,022	£ 1,120
CO	5982	1800 × 900 × 35	36.4 kg	14	£ 935 ▲	£ 1,022	£ 1,120
CO	5808	1800 × 1000 × 35	40 kg	14	£ 935 ▲	£ 1,022	£ 1,120
CO	5973	1900 × 900 × 35	38 kg	14	£ 1,004	£ 1,091	£ 1,189
CO	5974	2000 × 900 × 35	40 kg	14	£ 1,004	£ 1,091	£ 1,189

Extras

PG	code	description	see	price
EX	AE	BetteAnti-Slip Pro ^{*1}	p. 272	£ 179
EX	AS	BetteAnti-Slip Sense ^{*1,2}	p. 273	£ 179
EX	PLUS	BetteGlaze® Plus	p. 274	£ 156
EX	T1	Minimum tray support (pre-assembled at factory) for showers	p. 276	£ 80
EX		BetteUpstand	p. 278	from £ 408
EX		Special size	p. 284	£ 385
EX		Profi Corner	p. 282	from £ 385

^{*1} Not available with Glaze® Plus.

^{*2} Only available in combination with White (000).

Waste fittings

PG	article no.	description	see	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro ^{*1} White 000 with Anti-Slip Sense ^{*1}
IN	B598-	BetteSolid 50, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B597-	BetteSolid 30, side outlet - 0,6 l/s	p. 300	£ 158	£ 212	£ 212
IN	B575-	BetteScope, side outlet - 0,85 l/s	p. 301	£ 164	£ 218	£ 218
IN	B637-	BetteCompact, side outlet - 0,45 l/s ^{*2}	p. 302	£ 73	£ 77	
IN	B638-	BetteCompact, vertical outlet - 0,51 l/s ^{*2}	p. 302	£ 76	£ 81	
IN	B594-	BetteDown, vertical outlet - 0,6 l/s	p. 301	£ 166	£ 220	£ 220

^{*1} Please also state code AY or AX, refer to page 5 for order Information.

^{*2} Only available in Chrome (901) and White (000).

Accessories

PG	article no.	description	see	price
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	p. 351	£ 54
IN	B57-0370	Sealing System for rectangular shower trays	p. 352	£ 104
IN	B57-0375	Sealing System onto wooden floor	p. 352	£ 134
IN	B57-0371	Sealing System for Minimum Support	p. 352	£ 104
IN	B57-0408	Sealing tape on roll 4 m	p. 353	£ 22
IN	B57-0407	Bath divider 3300 × 120 mm	p. 355	£ 31
IN	Z0008669	Wall Brackets	p. 355	£ 38



BetteLevel

PG	article no.	description	see	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	p. 338	£ 229
IN	B57-0424	Locks for 6 BetteLevel installation feet	p. 339	£ 104
IN	B57-0426	Support foot BetteLevel	p. 340	£ 76




Foot-System

→ P. 346





dimensions in mm	PG	article no.	price
1800 × 800	IN	B50-3069	£ 238
1800 × 900	IN	B50-3052	£ 238
1800 × 1000	IN	B50-3091	£ 238
1900 × 900	IN	B50-3096	£ 238
2000 × 900	IN	B50-3097	£ 238

Washbasins



218	BetteAqua Built-In
220	BetteArt Counter Top
222	BetteArt Monolith
226	BetteBalance Built-in
224	BetteBalance Counter Top
230	BetteBalance Shell
228	BetteBalance Undermounted
232	BetteComodo Built-In
234	BetteComodo Undermounted
236	BetteComodo Undermounted with overflow
238	BetteCraft Shell
240	BetteCurve Shell
242	BetteLiv Shell
244	BetteLoft Built-In
250	BetteLoft Ornament Wall Mounted, 1 row
252	BetteLoft Ornament Wall Mounted, 4 rows
246	BetteLoft Undermounted
248	BetteLoft Undermounted with overflow
254	BetteLux Built-In
258	BetteLux Oval Built-In
260	BetteLux Oval Couture
256	BetteLux Shape
262	BetteOne Built-In
264	BetteOne Undermounted
266	BetteSuno Counter Top
268	BetteSuno Pedestal

BetteAqua Built-In



Download note

Template for cutout can be downloaded at www.my-bette.com



Scope of delivery

Including fixing materials

Including noise-reducing pads.


Design: schmiedem design

BetteAqua 1400 x 495 mm with 2 tapholes



Recommended taps:

spout projection: distance to wall x mm + ca. 200 mm from outer edge



Recommended taps:

spout projection: ca. 145 mm from centre of taphole

Dimensions

article no.	dimensions in mm	Tapholes	C	D	E
A070	600 x 495 x 80		80	440	80
A070 HLW1	600 x 495 x 80	o	80	440	80
A071	800 x 495 x 80		135	530	135
A071 HLW1	800 x 495 x 80	o	135	530	135
A072	1400 x 495 x 80		185	1030	185
A072 HLW1	1400 x 495 x 80	o	185	1030	185
A072 HLW2	1400 x 495 x 80	oo	185	1030	185

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A070	600 × 495 × 80		6.5 kg	£ 454	£ 564	£ 685
CO	A070 HLW1	600 × 495 × 80	o	6.5 kg	£ 454	£ 564	£ 685
CO	A071	800 × 495 × 80		8 kg	£ 475	£ 585	£ 706
CO	A071 HLW1	800 × 495 × 80	o	8 kg	£ 475	£ 585	£ 706
CO	A072	1400 × 495 × 80		14 kg	£ 728	£ 838	£ 959
CO	A072 HLW1	1400 × 495 × 80	o	14 kg	£ 728	£ 838	£ 959
CO	A072 HLW2	1400 × 495 × 80	o o	14 kg	£ 728	£ 838	£ 959

Please note the ordering information on page 5, in particular the position of the colour number.




Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteArt Counter Top



Recommended taps:
spout projection: distance to wall x mm + dimension V1 from outer edge



Recommended taps:
spout projection: distance tap x mm + dimension V1 from outer edge

Scope of delivery

- Including fixing materials
- Including noise-reducing pads.
- Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	B	F	G	H	V	V1
A180	300 × 400 × 80	400	300	6	80	90	150	105
A181	600 × 400 × 100	600	400	8	100	110	200	155
A182	800 × 400 × 100	800	400	8	100	110	200	155

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A180	300 × 400 × 80	4.9 kg	£ 1,009	£ 1,119	£ 1,240
CO	A181	600 × 400 × 100	8.7 kg	£ 1,110	£ 1,220	£ 1,341
CO	A182	800 × 400 × 100	11 kg	£ 1,161	£ 1,271	£ 1,392




Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhatten	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteArt Monolith



Information

Washbasin Monolith, enamelled inside and outside, without taphole and overflow, unslopped waste with a white glazed cover.

Scope of delivery


Including fixing materials

Including unslopped waste with chromed or colour-matching waste cover when the following colours are selected: White 000 or one of the Key Colours → cover

Incl. Siphon.

Incl. noise-reducing sound-dampening pads.

Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm
A183	600 × 400 × 100



Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A183	600 × 400 × 100	38.4 kg	£ 2,877	£ 2,987	£ 3,108


Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

BetteBalance Counter Top



Recommended taps:
spout projection: distance tap x mm + ca. 170 mm from outer edge



Recommended taps:
spout projection: wall distance x mm + ca. 170 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including fixing materials

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A248	425 × 425 × 143

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A248	425 x 425 x 143	9.7 kg	£ 795	£ 905	£ 1,026



Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteBalance Built-in



Recommended taps:
spout projection: distance tap x mm + ca. 170 mm from outer edge



Recommended taps:
spout projection: wall distance x mm + ca. 170 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A247	435 × 435 × 123

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A247	435 x 435 x 123	5.4 kg	£ 699	£ 809	£ 930


Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteBalance Undermounted



Recommended taps:
spout projection: wall distance x mm + ca. 170 mm from outer edge



Recommended taps:
spout projection: distance tap x mm + ca. 170 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A246	475 x 475 x 123

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A246	475 × 475 × 123	6 kg	£ 607	£ 717	£ 838

Extras




PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories


PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

Washbasins

BetteBalance Shell



Recommended taps:
spout projection: distance tap x mm + ca. 170 mm from outer edge



Recommended taps:
spout projection: wall distance x mm + ca. 170 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A249	400 x 400 x 120

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A249	400 × 400 × 120	4.9 kg	£ 742	£ 852	£ 973

Extras






PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories


PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

Washbasins

BetteComodo Built-In



Recommended taps:
spout projection: ca. 183 mm from centre of taphole



Recommended taps:
spout projection: distance to wall x mm + ca. 238 mm from outer edge

Download note
Template for cutout can be downloaded at www.my-bette.com

Scope of delivery
Including fixing materials

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	Tapholes	A	D
A215	600 × 495 × 120		600	534
A215 HLW1	600 × 495 × 120	o	600	534
A216	800 × 495 × 120		800	734
A216 HLW1	800 × 495 × 120	o	800	734

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A215	600 × 495 × 120		7 kg	£ 454	£ 564	£ 685
CO	A215 HLW1	600 × 495 × 120	o	7 kg	£ 454	£ 564	£ 685
CO	A216	800 × 495 × 120		9.5 kg	£ 493	£ 603	£ 724
CO	A216 HLW1	800 × 495 × 120	o	9.5 kg	£ 493	£ 603	£ 724

Extras


PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88
EX	mUeL	with overflow		without surcharge

Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome*	p. 359	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White*	p. 359	£ 101

* For washbasins with tapholes. Activated by a lever on the washbasin fitting

BetteComodo Undermounted






Download note

Template for cutout can be downloaded at www.my-bette.com


Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner



Recommended taps:
spout projection: distance to wall x mm + ca. 150 mm from outer edge



Recommended taps:
spout projection: distance tap x mm + ca. 150 mm from outer edge

Dimensions

article no.	dimensions in mm	A	D
A217	574 x 380 x 120	574	534
A218	774 x 380 x 120	774	734

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A217	574 × 380 × 120	4.8 kg	£ 542	£ 652	£ 773
CO	A218	774 × 380 × 120	6.5 kg	£ 568	£ 678	£ 799





Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteComodo Undermounted with overflow



Recommended taps:
spout projection: distance to wall x mm + ca. 150 mm from outer edge



Recommended taps:
spout projection: distance tap x mm + ca. 150 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Including overflow fitting, Chrome.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	D
A217 mUeL	574 x 380 x 120	574	534
A218 mUeL	774 x 380 x 120	774	734

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A217 mUeL	574 × 380 × 120	4.8 kg	£ 542	£ 652	£ 773
CO	A218 mUeL	774 × 380 × 120	6.5 kg	£ 568	£ 678	£ 799

Please note the ordering information on page 5, in particular the position of the colour number.





Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B581-000	Pushwaste 1 ¼ ", White varnished	p. 358	£ 115
IN	B581-901	Pushwaste 1 ¼ ", Chrome	p. 358	£ 90

BetteCraft Shell



Recommended taps:
spout projection: distance to wall x mm + dimension V1 from outer edge



Recommended taps:
spout projection: distance tap x mm + dimension V1 from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	D	V1
A240	350 × 350 × 120	350	295	130
A241	450 × 450 × 120	450	395	180

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A240	350 × 350 × 120	4.5 kg	£ 833	£ 943	£ 1,064
CO	A241	450 × 450 × 120	6.5 kg	£ 874	£ 984	£ 1,105




Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteCurve Shell



Dimensions for installation and connection:



Dimensions for installation and connection:

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Inklusive schallreduzierender Antidröhn-Matten.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	V1
A244	320 x 320 x 115	320	115
A245	420 x 420 x 115	420	165

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A244	320 x 320 x 115	4.1 kg	£ 732	£ 842	£ 963
CO	A245	420 x 420 x 115	6.1 kg	£ 795	£ 905	£ 1,026



Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteLiv Shell



Dimensions for installation and connection:



Dimensions for installation and connection:

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	V1
A242	320 x 320 x 100	320	115
A243	420 x 420 x 100	420	165

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A242	320 x 320 x 100	3.7 kg	£ 443	£ 553	£ 674
CO	A243	420 x 420 x 100	5.6 kg	£ 519	£ 629	£ 750





Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteLoft Built-In



Recommended taps:
Spout projection: distance to wall x mm + ca. 185 mm from outer edge



Recommended taps:
distance to wall x mm + ca. 130 mm from centre of taphole

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

- Including fixing materials
- Including noise-reducing pads.
- Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	Tapholes
A230	800 × 495 × 100	
A230 HLW1	800 × 495 × 100	o

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A230	800 × 495 × 100		8 kg	£ 814	£ 924	£ 1,045
CO	A230 HLW1	800 × 495 × 100	o	8 kg	£ 814	£ 924	£ 1,045

Please note the ordering information on page 5, in particular the position of the colour number.

Extras




PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88

Accessories


PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhatten	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome*	p. 359	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White*	p. 359	£ 101

* For washbasins with tapholes. Activated by a lever on the washbasin fitting

BetteLoft Undermounted



Recommended taps:
spout projection: distance to wall x mm + ca. 95 mm from outer edge



Recommended taps:
spout projection: distance tap x mm + ca. 95 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A231	740 x 386 x 100

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A231	740 × 386 × 100	5.8 kg	£ 568	£ 678	£ 799





Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteLoft Undermounted with overflow



Recommended taps:
spout projection: distance to wall x mm + ca. 140 mm from outer edge



Recommended taps:
spout projection: distance tap x mm + ca. 140 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Including overflow fitting, Chrome.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm
A231 mUeL	740 x 386 x 100

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A231 mUeL	740 × 386 × 100	5.8 kg	£ 568	£ 678	£ 799
Please note the ordering information on page 5, in particular the position of the colour number.						

Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories




PG	article no.	description	see	price
IN	B581-000	Pushwaste 1 ¼ ", White varnished	p. 358	£ 115
IN	B581-901	Pushwaste 1 ¼ ", Chrome	p. 358	£ 90

BetteLoft Ornament Wall Mounted, 1 row




Scope of delivery


- Including fixing materials
- Including noise-reducing pads.
- Design: Tesseraux + Partner



Recommended taps:
Spout projection: ca. 185 mm from wall



Recommended taps:
Spout projection: ca. 130 mm from centre of taphole



Dimensions for installation and connection:

Dimensions

article no.	dimensions in mm	Tapholes	A	B
A230 SWV1A	825 × 525 × 100		825	525
A230 SWV1A,HLW1	825 × 525 × 100	o	825	525

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A230 SWV1A	825 x 525 x 100		13.8 kg	£ 1,337	£ 1,447	£ 1,568
CO	A230 SWV1A,HLW1	825 x 525 x 100	o	13.8 kg	£ 1,337	£ 1,447	£ 1,568

Please note the ordering information on page 5, in particular the position of the colour number.


Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhatten	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome*	p. 359	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White*	p. 359	£ 101


* For washbasins with tapholes. Activated by a lever on the washbasin fitting



Spout projection: ca. 185 mm from wall



Spout projection: ca. 130 mm from centre of taphole



Dimensions for installation and connection:

Design: Tesseraux + Partner

article no.	dimensions in mm	Tapholes	A	B
A230 SWV4A	815 × 510 × 100		815	510
A230 SWV4A,HLW1	815 × 510 × 100	o	815	510

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A230 SWV4A	815 × 510 × 100		25.2 kg	£ 1,546	£ 1,656	£ 1,777
CO	A230 SWV4A,HLW1	815 × 510 × 100	o	25.2 kg	£ 1,546	£ 1,656	£ 1,777

Please note the ordering information on page 5, in particular the position of the colour number.

Extras





PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88

Accessories


PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhatten	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome*	p. 359	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White*	p. 359	£ 101

* For washbasins with tapholes. Activated by a lever on the washbasin fitting

BetteLux Built-In



Recommended taps:
spout projection: distance to wall x mm + ca. 238 mm from outer edge



Recommended taps:
spout projection: ca. 186 mm from centre of taphole

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including fixing materials

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	Tapholes	A	D
A160	600 × 495 × 120		600	560
A160 HLW1	600 × 495 × 120	o	600	560
A161	800 × 495 × 120		800	760
A161 HLW1	800 × 495 × 120	o	800	760

Subject to alteration and production tolerance.

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A160	600 × 495 × 120		5.65 kg	£ 778	£ 888	£ 1,009
CO	A160 HLW1	600 × 495 × 120	o	5.65 kg	£ 778	£ 888	£ 1,009
CO	A161	800 × 495 × 120		7.3 kg	£ 814	£ 924	£ 1,045
CO	A161 HLW1	800 × 495 × 120	o	7.3 kg	£ 814	£ 924	£ 1,045

Please note the ordering information on page 5, in particular the position of the colour number.

Extras


PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88

Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome*	p. 359	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White*	p. 359	£ 101

* For washbasins with tapholes. Activated by a lever on the washbasin fitting

BetteLux Shape



Information





Built-in washbasin for BetteLux Shape washbasin frame, enameled inside and outside, without overflow

Washbasin and frame are fixed at the factory, but must be ordered separately. An order of the individual components is not possible.

Scope of delivery

Including fixing materials, prefitted washbasin adapter 1¼" and unslotted waste with chromed or colour-matching waste cover when the following colours are selected: White 000 or one of the Key Colours → cover

Design: Tesseraux + Partner



Recommended taps:
spout projection: distance to wall 55 mm + ca. 186 mm from centre of taphole

Dimensions

article no.	dimensions in mm	Tapholes	A	D	W
A170	600 × 495 × 120		600	560	360
A170 HLW1	600 × 495 × 120	o	600	560	360
A171	800 × 495 × 120		800	760	560
A171 HLW1	800 × 495 × 120	o	800	760	560
A172	1000 × 495 × 120		1000	960	760
A172 HLW1	1000 × 495 × 120	o	1000	960	760

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A170	600 × 495 × 120		6.1 kg	£ 1,262	£ 1,372	£ 1,493
CO	A170 HLW1	600 × 495 × 120	o	6.1 kg	£ 1,262	£ 1,372	£ 1,493
CO	A171	800 × 495 × 120		7.9 kg	£ 1,319	£ 1,429	£ 1,550
CO	A171 HLW1	800 × 495 × 120	o	7.9 kg	£ 1,319	£ 1,429	£ 1,550
CO	A172	1000 × 495 × 120		9.5 kg	£ 1,319	£ 1,429	£ 1,550
CO	A172 HLW1	1000 × 495 × 120	o	9.5 kg	£ 1,319	£ 1,429	£ 1,550


Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88


Frame (required accessories)

PG	article no.	dimensions in mm	White matt 807 Black matt 815 → cover
IN	Q010	600 × 495 × 890	£ 985
IN	Q011	800 × 495 × 890	£ 1,034
IN	Q012	1000 × 495 × 890	£ 1,083




Dimensions for installation and connection:

BetteLux Oval Built-In



Recommended taps:
Spout projection: distance to wall x mm + ca. 220 mm from outer edge



Recommended taps:
distance to wall x mm + ca. 165 mm from centre of taphole

Download note
Template for cutout can be downloaded at www.my-bette.com

Scope of delivery
Including fixing materials
Including noise-reducing pads.

Dimensions

article no.	dimensions in mm	Tapholes
A220	500 x 500 x 100	
A220 HLW1	500 x 500 x 100	o

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A220	500 × 500 × 100		4 kg	£ 743	£ 853	£ 974
CO	A220 HLW1	500 × 500 × 100	o	4 kg	£ 743	£ 853	£ 974

Please note the ordering information on page 5, in particular the position of the colour number.




Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88


Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

BetteLux Oval Couture




Recommended taps:
Spout projection: ca. 165 mm from centre of taphole



Recommended taps:
Spout projection: distance tap x mm + ca. 255 mm from outer edge

Scope of delivery

- Including fixing materials
- Including noise-reducing pads.
- Design: Tesseraux + Partner



Dimensions

article no.	dimensions in mm	Tapholes
A220 TX	500 x 500 x 100	
A220 HLW1,TX	500 x 500 x 100	o

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A220 TX	500 × 500 × 100		4 kg	£ 743	£ 853	£ 974
CO	A220 HLW1,TX	500 × 500 × 100	o	4 kg	£ 743	£ 853	£ 974

Please note the ordering information on page 5, in particular the position of the colour number.

Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88




Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114


Upholstered Fabric-panel (required accessories)

PG	article no.	dimensions in mm	Ivory 850 Elephant 852 Carbon 853 → cover
IN	B805-	550 × 550 × 890	£ 4,659

BetteOne Built-In



Recommended taps:
spout projection: ca. 178 mm from centre of taphole



Recommended taps:
spout projection: distance to wall x mm + ca. 230 mm from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including fixing material and overflow fitting as well as overflow rosette in Chrome.

Including noise-reducing pads.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	Tapholes	A	D	M	P
A138	600 × 495 × 130		600	544	40	273
A138 HLW1	600 × 495 × 130	o	600	544	40	273
A139	800 × 495 × 130		800	724	50	267
A139 HLW1	800 × 495 × 130	o	800	724	50	267

Subject to alteration and production tolerance.

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A138	600 × 495 × 130		8 kg	£ 471	£ 581	£ 702
CO	A138 HLW1	600 × 495 × 130	o	8 kg	£ 471	£ 581	£ 702
CO	A139	800 × 495 × 130		10.5 kg	£ 493	£ 603	£ 724
CO	A139 HLW1	800 × 495 × 130	o	10.5 kg	£ 493	£ 603	£ 724




Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64
EX	HLZ	Tapholes and drilling as per special drawing	p. 275	£ 88
EX	HLW3	Drilling for 3-hole-tap	p. 275	£ 88


Accessories

PG	article no.	description	see	price
IN	B581-000	Pushwaste 1 ¼ ", White varnished	p. 358	£ 115
IN	B581-901	Pushwaste 1 ¼ ", Chrome	p. 358	£ 90

BetteOne Undermounted



Recommended taps:
spout projection: distance to wall x mm + dimension V1 from outer edge



Recommended taps:
spout projection: distance tap x mm + dimension V1 from outer edge

Download note

Template for cutout can be downloaded at www.my-bette.com

Scope of delivery

Including noise-reducing pads.

Including overflow fitting as well as overflow rosette in Chrome.

Design: Tesseraux + Partner

Dimensions

article no.	dimensions in mm	A	B	C	D	V1
A135	434 x 416 x 130	434	416	375	394	170
A136	587 x 408 x 130	587	408	368	547	165
A137	767 x 400 x 130	767	400	358	726	160

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A135	434 x 416 x 130	4.4 kg	£ 516	£ 626	£ 747
CO	A136	587 x 408 x 130	5.4 kg	£ 542	£ 652	£ 773
CO	A137	767 x 400 x 130	7.4 kg	£ 568	£ 678	£ 799

Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories



PG	article no.	description	see	price
IN	B581-000	Pushwaste 1 ¼ ", White varnished	p. 358	£ 115
IN	B581-901	Pushwaste 1 ¼ ", Chrome	p. 358	£ 90

BetteSuno Counter Top




Scope of delivery

- Including fixing materials
- Including noise-reducing pads.
- Design: Barber Osgerby



Recommended taps:



Recommended taps:

Dimensions

article no.	dimensions in mm
A250	340 x 340 x 100

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A250	340 × 340 × 100	4.1 kg	£ 757	£ 867	£ 988

Extras





PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Accessories

PG	article no.	description	see	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	p. 356	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	p. 356	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	p. 356	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	p. 356	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	p. 356	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	p. 356	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	p. 356	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	p. 356	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	p. 356	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	p. 356	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	p. 356	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	p. 356	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	p. 356	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	p. 356	£ 114
IN	B580-287	Unslotted waste 1¼ ", enamelled, Starwhite	p. 356	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	p. 356	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	p. 356	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	p. 356	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	p. 356	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	p. 356	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	p. 356	£ 114
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	p. 356	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	p. 356	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	p. 356	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	p. 356	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	p. 356	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	p. 356	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	p. 356	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	p. 356	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	p. 356	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	p. 356	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	p. 356	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	p. 356	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	p. 356	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	p. 356	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	p. 356	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	p. 356	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	p. 356	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	p. 356	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	p. 356	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	p. 356	£ 114

Washbasins

BetteSuno Pedestal



Dimensions for installation and connection:

Information

Washbasin for wall mounting, without overflow, Unslotted Waste with matching colour enamelled waste cover.

Washbasin and pedestal are made of glazed titanium steel.

Scope of delivery

Including fixing materials

Incl. Siphon.

Including noise-reducing pads.

Design: Barber Osgerby

Dimensions

article no.	dimensions in mm	Tapholes
A250 VK1	340 × 340 × 863	
A250 VK2	340 × 340 × 863	o

Technical information and prices of additional BetteExtras on page 270. You will find the colours in the cover. Subject to alteration and production tolerance. Prices excluding VAT.

Dimensions

PG	article no.	dimensions in mm	Tapholes	weight (net)	White 000 → cover	Key Colours → cover	Bespoke Colours → cover
CO	A250 VK1	340 x 340 x 863		17.5 kg	£ 2,615	£ 2,725	£ 2,846
CO	A250 VK2	340 x 340 x 863	o	17.5 kg	£ 2,615	£ 2,725	£ 2,846

Extras

PG	code	description	see	price
EX	PW	BetteGlaze® Plus for washbasin	p. 274	£ 64

Extras

274	Antinoise System
272	BetteAnti-Slip Pro
273	BetteAnti-Slip Sense
274	BetteGlaze® Plus
278	BetteUpstand
281	BetteUpstand installation aid
279	BetteUpstand ordering aid
280	BetteUpstand shortened
280	BetteUpstand tailor-made
275	Drillings
274	Individual laser logo
276	Minimum support
277	Minimum-support for BetteAir
286	Overview BetteUpstand, Special size, Profi Corner
296	Overview Extras
282	Profi Corner
283	Profi Corner ordering aid
274	Special depth
284	Special size

BetteAnti-Slip Pro



Information

- Virtually invisible, non-slip surface
- Full-surface and permanently burned into the surface
- Available for White (000), Pergamon (001), Manhattan (002), Bahama beige (003), Edelweiss (004), Jasmin (006), Flanell (008), Ebony (035), Curry (040), Starwhite (287), Raven (400), Anthracite (401), Slate (402), Smoke (403), Graphite (404), Silver (410), Quartz (412), Dust (413), Flint (414), Cashmere (415), Stone (416), Hazel (417), Blue Satin (418), Beige (422), Flax (423), Sand (424), Greige (425), Coffee (430), Ebano (434), Taupe (438), Cacao (439), Snow (440), Cream (441), Midnight (790)
- You will find all the combination options on our website and in our product configurator at www.my-bette.com.
- For showers BetteAir, BetteFloor, BetteFloor Side, BetteUltra and BetteSupra
- Not available with BetteGlaze® Plus

A waste cover with the BetteAnti-Slip Pro surface can be ordered for the shower waste.

Certification

In conjunction with our special BetteAntislip Pro, the BetteUltra 1500 x 1500 mm complies with the requirements of DIN 18040-1 barrier-free construction of publicly available buildings and DIN 18040-2 barrier-free construction of residences.

In conjunction with our special BetteAntislip Pro, the shower trays complies with the requirements of DIN 18040-2 barrier-free construction of residences: BetteUltra 1200 x 1200 mm, 1300 x 1300 mm, 1400 x 1400 mm, 1500 x 1500 mm.

In conjunction with our BetteAntislip Pro, the shower area complies with the requirements of DIN 18040-2 barrier-free construction of residences: BetteFloor 1200 x 1200 mm
BetteFloor Side 1200 x 1200 mm, 1400 x 1200 mm, 1500 x 1200 mm, 1600 x 1200 mm



variant

PG	code	description	suitable for	price
EX	AE	BetteAnti-Slip Pro	Showers	£ 179
EX	AY	BetteAnti-Slip Pro for glazed waste cover	Showers	without surcharge

Subject to alteration and production tolerance.

BetteAnti-Slip Sense



Information

- Almost invisible surface treatment
- Clean, aesthetic surface
- Can be combined with White (000)
- Highest slip resistance: DIN EN 16165 class C (tested by TÜV Rheinland LGA Bautechnik GmbH, according to test certificate BTV 23V30036-01)
- Up to 27° inclination equivalence
- For all showers and baths
- Easy to clean
- Not available with BetteGlaze® Plus

30
Years
Warranty*¹



Slip resistant
Rating group C
DIN EN 16165:2023
Annex A

*1 Further information on our guarantee terms at www.my-bette.com

variant

PG	code	description	suitable for	price
EX	AS	BetteAnti-Slip Sense	Baths, Showers	£ 179
EX	AX	BetteAnti-Slip Sense for glazed waste cover	Showers	without surcharge

Extras

Subject to alteration and production tolerance.

BetteGlaze® Plus



Information

The tried-and-tested enamel surface BetteGlaze® is available with BetteGlaze® Plus, a special polymer coating which has a water repellent effect to protect the bath surface from dirt and scale.

Cannot be combined with BetteAnti-Slip Pro (AE) and BetteAnti-Slip Sense (AS).

PG	code	suitable for	price
EX	PLUS	BetteGlaze® Plus	£ 156
EX	PW	BetteGlaze® Plus for washbasin	£ 64

Individual laser logo



Information

From a minimum order quantity of 50 pieces, many of our baths, showers and washbasins can be given an individual laser logo measuring up to 60 x 15 mm.

If required, please discuss the technical options and delivery times with us.

PG	code	suitable for	price
EX	Lo:	Individual laser logo	£ 35

Special depth

Information

From a minimum order quantity of 50 pieces, we have the facility to produce certain baths and showers with special depths. Please contact us for more information.

PG	code	suitable for	price
EX	ST:	Special depth: ### mm	£ 168



Antinoise System


Information

Our products BetteBambino, BetteForm and the showers BetteQuinta and BetteDelta can be ordered with antinoise pads as an option.


PG	code	suitable for	price
EX	AD	Antinoise for baths	£ 48
EX	ADD	Antinoise for shower trays	£ 48



Drillings



Tapholes and drilling as per special drawing



Drilling for 3-hole-tap

Information

For installation of fittings on the bath rim or soap dispensers / accessories on the washbasin we can provide the necessary tapholes. After technical examination a drawing will be provided.

variant

PG	code	description	suitable for	price
EX	HLZ	Tapholes and drilling as per special drawing	Baths, Washbasins	£ 88
EX	HLW3	Drilling for 3-hole-tap	Washbasins	£ 88

Subject to alteration and production tolerance.

Minimum tray support (pre-assembled at factory) for showers




Information

- Pre-assembled at factory
- Plug and play installation of showers
- Can be glued directly to screed or wooden floor
- Can be combined with BetteFloor, BetteFloor Side, BetteUltra
- Combinable with Easy Connect installation box and sealing system
- Installation option: almost flush-to-floor
- Minimum installation height from 35 mm

variant

PG	code	description	suitable for	price
EX	T1	Minimum tray support (pre-assembled at factory) for showers	Showers	£ 80

Minimum support (pre-assembled at factory) for BetteAir



Information


- Pre-assembled at factory
- Plug and play installation of the BetteAir shower tile
- Can be glued directly to screed or wooden floor
- Combinable with the BetteAir installation box
- Installation option: flush-to-floor

Minimal installation height with
BetteAir 50 waste fitting: 68 mm
BetteAir 30 waste fitting: 48 mm


Subject to alteration and production tolerance.

variant

PG	code	description	price
EX	T2	Minimum support (pre-assembled at factory) for BetteAir	£ 80



installation on dry wall



installation on solid wall

Information

We are able to deliver many of our baths, shower areas BetteFloor Side and shower trays with tiling upstands (height: 35 mm), either on one side (back to wall), on two sides (corner) or on three sides (niche).

A sealing fleece to protect against splashes is pre-fitted at the works.

You will find an overview of the models and dimensions that are available with BetteUpstand on pages 296-297.

All possible dimensions can be found on pages 286- 295.

The combination option of upstands and taphole drillings must be checked individually.

Showers with a side length of > 1200 mm and BetteFloor Side showers with a side length of ≥ 1200 mm are supplied with a rim height of 50 mm. The height of the upstand is unchanged at 35 mm.

We recommend the BetteLevel, the Basic or Foot-System for the installation of our showers with BetteUpstand. The installation system Universal cannot be used.

Sealing system B57-0080 for flush-to-floor installation to be ordered separately.

Scope of delivery

- Sound insulation strips
- Sealing fleece (pre-assembled at works)

Certification

For standard sealing according to DIN 18534-1.



Waterproof
ETAG 022
DIN 18534



Noise level only
23dB(A) as per
DIN 4109
VDI 4100*2

*2 Structural conditions according to test certificate.

variant

PG	description	suitable for	price
EX	BetteUpstand	Baths, Showers	£ 408
EX	BetteUpstand tailor-made	Baths, Showers	£ 557

Accessories

PG	article no.	description	price
IN	B57-0080	Sealing Set BetteUpstand installation flush-to-floor	£ 101


BetteUpstand ordering aid

Information


Shower trays with shank length > 1200 mm are supplied with 50 mm rim.

Shower areas BetteFloor Side with shank length ≥ 1200 mm are supplied with 50 mm rim.


Square shower trays with dimension < 1000 mm




Rectangular shower trays with dimension < 1000 mm



Rectangular and square shower trays with centre waste, with dimension ≥ 1000 mm < 1600 mm



Rectangular and square shower trays with centre waste with dimension ≥ 1600 mm, BetteFloor Side (possible dimensions see pages 286 - 297)




BetteCorner shower trays




BetteCaro shower trays




Bath with waste at the foot end




Bath with centre waste





Bath with foot end right, overflow front (BetteComodo, BetteOcean, BetteSelect)




Bath with foot end right, overflow rear (BetteComodo, BetteOcean, BetteSelect)




BetteUpstand shortened



Y1, shortened Upstand right



Y2, shortened Upstand left



Y3, shortened Upstand both sides


Information

If a bath/tray with upstands is ordered for corner or niche installation where the wall is discontinued we recommend to have the upstand shortened by 10 mm. We offer this service without surcharge. Please mention the code as per your installation situation.

variant

PG	code	description	suitable for	price
EX	Y1	shortened Upstand right	Baths, Showers	without surcharge
EX	Y2	shortened Upstand left	Baths, Showers	without surcharge
EX	Y3	shortened Upstand both sides	Baths, Showers	without surcharge

BetteUpstand tailor-made



Information

A customized BetteUpstand solution is available on demand. We can adapt the length of the BetteUpstand to suit requirements. Please forward a drawing of the upstand location with your order.

Variants



PG	Description	suitable for	Price
EX	BetteUpstand tailor-made	Baths, Showers	£ 557

BetteUpstand installation aid


Information

As the shower tray with BetteUpstand is let into the wall, the tray installation dimension changes. Please bear this in mind when planning the shower screen. The dimensions specified relate to the rendered rough state, without tiling.

niche installation





installation on dry wall




installation on solid wall

corner installation



installation on dry wall



installation on solid wall

Subject to alteration and production tolerance.

Profi Corner



Information

Corner cuts to baths or showers may be used to offset pivot ranges of doors or downpipes.

Individual codes are available for ordering baths with corner cuts.

Please contact us if you wish to order showers with corner cuts.

With the BetteOcean and BetteOcean Lowline bath versions, the Profi corner of 150 x 150 mm is only possible at the head end.


Please contact us if you wish to have a Profi corner at the foot end.

variant


PG	description	suitable for	price
EX	1 corner	Baths, Showers	£ 385
EX	2 corners	Baths, Showers	£ 660
EX	3 corners	Baths, Showers	£ 934
EX	4 corners	Baths, Showers	£ 1,207

Profi Corner ordering aid

Bath with waste at the foot end




Bath with centre waste



Extras

Special size



Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

All possible dimensions can be found on pages 286- 295.

variant

PG	description	suitable for	price
EX	Special size	Baths, Showers	£ 385
IN	Special size Foot-System	Showers	£ 36

Special Size, BetteUpstand, Profi Corner Overview

Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

price

description	see	price
BetteUpstand	p. 278	from £ 408
Profi Corner	p. 282	from £ 385
Special size	p. 284	£ 385
Special size Foot-System	p. 284	£ 36

Overview

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteArco	1400 x 1400 x 450		6035						
BetteArt	1805 x 755 x 420		3480 CFXXK						
BetteArt I	1805 x 800 x 420		3480 CWVHK						
BetteArt IV	1850 x 800 x 420		3480 CERHK						
BetteArt V	1850 x 800 x 420		3480 CELHK						
BetteBambino	1570 x 650 x 420	No. 1	2770						x
	1570 x 650 x 420	No. 2	2780						x
	1570 x 700 x 420	No. 1	2570						x
	1570 x 700 x 420	No. 2	2580						x
BetteClassic	1400 x 700 x 450		1266	1450	1400	750	700	x	x
	1500 x 700 x 450		1268	1550	1500	750	660	x	x
	1600 x 700 x 450		1267	1650	1600	750	700	x	x
	1600 x 750 x 450		1269	1650	1600	800	730	x	x
	1650 x 750 x 450		1265				x		x
	1700 x 700 x 450		3108	1750	1700	750	700	x	
	1700 x 730 x 450		3109				x		x
	1700 x 750 x 450		3110	1750	1700	800	730	x	x
	1700 x 800 x 450		3111	1750	1700	850	800	x	x
	1750 x 750 x 450		3112				x		x
	1800 x 700 x 450		1271	1850	1800	750	700	x	x
	1800 x 750 x 450		1272	1850	1800	750	700	x	x
	1800 x 800 x 450		1270	1850	1800	850	780	x	x
	1900 x 800 x 450		1273						x
BetteComodo	1700 x 750 x 450		1250	1750	1700	800	750	x	x
	1700 x 800 x 450		1253	1750	1700	800	750	x	x
	1800 x 800 x 450		1251	1850	1800	850	800	x	x
	1900 x 900 x 450		1252						x
BetteComodo with side overflow	1700 x 750 x 450	No. 1	1620	1750	1700	800	750	x	x
	1700 x 750 x 450	No. 2	1640	1750	1700	800	750	x	x
	1700 x 800 x 450	No. 1	1623	1750	1700	800	750	x	x
	1700 x 800 x 450	No. 2	1643	1750	1700	800	750	x	x
	1800 x 800 x 450	No. 1	1621	1850	1800	850	800	x	x
	1800 x 800 x 450	No. 2	1641	1850	1800	850	800	x	x
	1900 x 900 x 450	No. 1	1622						x
	1900 x 900 x 450	No. 2	1642						x

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteDuett	1700 × 750 × 420		3020	1750	1650	800	750	x	x
	1700 × 800 × 420		3100	1750	1650	800	750	x	x
BetteDuo	1800 × 800 × 420		3820	1850	1750	850	800	x	x
BetteEve	1800 × 1000 × 450		6042					x	x
BetteEve Oval	1800 × 1000 × 450		6043						
BetteEve Oval Silhouette	1800 × 1000 × 450		6043 CFXXS						
BetteForm	1400 × 700 × 420		2940	1450	1350	750	700	x	x
	1500 × 700 × 420		2941	1550	1450	750	700	x	x
	1600 × 700 × 420		2942	1650	1550	750	700	x	x
	1600 × 750 × 420		2943	1650	1550	800	730	x	x
	1650 × 750 × 420		2944					x	x
	1700 × 700 × 420		2945	1750	1650	750	700	x	x
	1700 × 730 × 420		2946					x	x
	1700 × 750 × 420		2947	1750	1650	800	730	x	x
	1700 × 800 × 420		2948					x	x
	1750 × 750 × 420		2949					x	x
	1800 × 800 × 420		2950	1850	1750	850	780	x	x
	1900 × 800 × 420		2951						x
	1700 × 750 × 450		6829						
	1800 × 800 × 450		6830						
BetteFree	1900 × 900 × 450		6831						
	2000 × 1000 × 450		6832						
	1700 × 800 × 420		3171						
	1800 × 800 × 420		3172						
BetteLoft	1900 × 900 × 420		3173						
	1810 × 810 × 420		3172 CFXX6A						
BetteLuna	1700 × 750 × 450	No. 1	2750						x
	1700 × 750 × 450	No. 2	2760						x
BetteLux	1700 × 750 × 450		3440						
	1800 × 800 × 450		3441						
	1900 × 900 × 450		3442						
BetteLux Oval	1700 × 750 × 450		3465						
	1800 × 800 × 450		3466						
	1900 × 900 × 450		3467						
BetteLux Oval Couture	1800 × 800 × 450		3466 TX						
BetteLux Oval Silhouette	1700 × 750 × 450		3465 CFXXS						
	1800 × 800 × 450		3466 CFXXS						
	1900 × 900 × 450		3467 CFXXS						
BetteLux Oval I Silhouette	1700 × 800 × 450		3415 CWVVS						
	1800 × 850 × 450		3416 CWVVS						
	1900 × 950 × 450		3417 CWVVS						
BetteLux Oval IV Silhouette	1750 × 800 × 450		3425 CERVS						
	1850 × 850 × 450		3426 CERVS						
	1950 × 950 × 450		3427 CERVS						
BetteLux Oval V Silhouette	1750 × 800 × 450		3435 CELVS						
	1850 × 850 × 450		3436 CELVS						
	1950 × 950 × 450		3437 CELVS						
BetteLux Shape	1700 × 750 × 450		3451						
	1800 × 800 × 450		3452						
	1900 × 900 × 450		3453						
BetteMetric	2060 × 900 × 450	No. 1	6840						
	2060 × 900 × 450	No. 2	6841						
BetteOcean	1500 × 700 × 450	No. 1	8858	1550	1500	750	700	x	x
	1500 × 700 × 450	No. 2	8859	1550	1500	750	700	x	x
	1600 × 700 × 450	No. 1	8850	1650	1600	750	700	x	x
	1600 × 700 × 450	No. 2	8851	1650	1600	750	700	x	x
	1700 × 700 × 450	No. 1	8852	1750	1700	750	700	x	x
	1700 × 700 × 450	No. 2	8853	1750	1700	750	700	x	x
	1700 × 750 × 450	No. 1	8854	1750	1700	800	750	x	x
	1700 × 750 × 450	No. 2	8855	1750	1700	800	750	x	x
	1700 × 800 × 450	No. 1	8765	1750	1700	850	800	x	x
	1700 × 800 × 450	No. 2	8865	1750	1700	850	800	x	x
	1800 × 800 × 450	No. 1	8856	1850	1800	850	800	x	x
	1800 × 800 × 450	No. 2	8857	1850	1800	850	800	x	x

Special Size, BetteUpstand, Profi Corner

Overview

Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

price

description	see	price
BetteUpstand	p. 278	from £ 408
Profi Corner	p. 282	from £ 385
Special size	p. 284	£ 385
Special size Foot-System	p. 284	£ 36

Overview

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteOcean Low-Line	1500 x 700 x 380	No. 1	8841	1550	1500	750	700	x	x
	1500 x 700 x 380	No. 2	8842	1550	1500	750	700	x	x
	1600 x 700 x 380	No. 1	8830	1650	1600	750	700	x	x
	1600 x 700 x 380	No. 2	8831	1650	1600	750	700	x	x
	1700 x 700 x 380	No. 1	8832	1750	1700	750	700	x	x
	1700 x 700 x 380	No. 2	8833	1750	1700	750	700	x	x
	1700 x 750 x 380	No. 1	8834	1750	1700	800	750	x	x
	1700 x 750 x 380	No. 2	8835	1750	1700	800	750	x	x
BetteOcean Low-Line	1700 x 800 x 380	No. 1	8836	1750	1700	850	800	x	x
	1700 x 800 x 380	No. 2	8837	1750	1700	850	800	x	x
	1800 x 800 x 380	No. 1	8838	1850	1800	850	800	x	x
	1800 x 800 x 380	No. 2	8839	1850	1800	850	800	x	x
BetteOne	1600 x 700 x 420		3310	1650	1520	750	650	x	x
	1700 x 700 x 420		3311	1750	1650	750	650	x	x
	1700 x 750 x 420		3312	1750	1620	800	670	x	x
	1800 x 800 x 420		3313	1850	1720	850	710	x	x
	1900 x 900 x 420		3314						x
BetteOne Relax	1800 x 800 x 450		3323	1850	1700	850	700	x	x
	1900 x 900 x 450		3324						x
	2000 x 900 x 450		3325						x
BettePond	1500 x 1500 x 450		6045						
BettePond Silhouette	1500 x 1500 x 450		6045 CFXXS						
BetteSelect	1600 x 700 x 420		3410	1650	1550	750	685	x	x
	1700 x 700 x 420		3411	1750	1650	750	685	x	x
	1700 x 750 x 420		3412	1750	1650	800	735	x	x
	1800 x 800 x 420		3413	1850	1750	850	785	x	x
BetteSelect Duo	1700 x 750 x 420		3472	1750	1700	800	720	x	x
	1800 x 800 x 420		3473	1850	1800	850	770	x	x
BetteSelect with side overflow	1600 x 700 x 420	No. 1	3420	1650	1550	750	685	x	x
	1600 x 700 x 420	No. 2	3430	1650	1550	750	685	x	x
	1700 x 700 x 420	No. 1	3421	1750	1650	750	685	x	x
	1700 x 700 x 420	No. 2	3431	1750	1650	750	685	x	x
	1700 x 750 x 420	No. 1	3422	1750	1650	800	735	x	x
	1700 x 750 x 420	No. 2	3432	1750	1650	800	735	x	x
	1800 x 800 x 420	No. 1	3423	1850	1750	850	785	x	x
	1800 x 800 x 420	No. 2	3433	1850	1750	850	785	x	x

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteSet	1500 x 750 x 380		2560	1550	1450	800	750	x	x
	1600 x 700 x 380		3650	1650	1550	750	700	x	x
	1600 x 750 x 380		3660	1650	1550	800	750	x	x
	1650 x 750 x 380		3560					x	x
	1700 x 750 x 380		3060	1750	1650	800	750	x	x
	1700 x 800 x 380		3760	1750	1700	850	800	x	x
	1800 x 800 x 380		3860	1850	1750	800	800	x	x
BetteSetline	1700 x 700 x 390		8880					x	x
BetteSpace L	1700 x 1300 x 420	No. 1	1132					x	
	1700 x 1300 x 420	No. 2	1142					x	
BetteSpace M	1700 x 900 x 420	No. 1	1131					x	
	1700 x 900 x 420	No. 2	1141					x	
BetteSpace S	1700 x 750 x 420	No. 1	1130					x	
	1700 x 750 x 420	No. 2	1140					x	
BetteStarlet	1500 x 800 x 420		1210					x	x
	1570 x 700 x 420		2590					x	x
	1600 x 650 x 420		2540	1650	1550	750	650	x	x
	1600 x 700 x 420		1220	1650	1550	750	650	x	x
	1650 x 700 x 420		1230					x	x
	1700 x 700 x 420		1730	1750	1650	800	700	x	x
	1700 x 750 x 420		1380	1750	1650	800	700	x	x
	1750 x 800 x 420		1450	1750	1650	800	700	x	x
	1800 x 750 x 420		1430	1850	1750	800	750	x	x
	1800 x 800 x 420		1630	1850	1750	850	750	x	x
	1850 x 850 x 420		1631	1850	1750	850	750	x	x
	1900 x 900 x 420		1830	1950	1850	950	850		x
BetteStarlet I	1650 x 750 x 420		8300						x
	1750 x 800 x 420		8310						x
	1850 x 850 x 420		8320						x
BetteStarlet I Silhouette	1650 x 750 x 420		8300 CWVVK						
	1750 x 800 x 420		8310 CWVVK						
	1850 x 850 x 420		8320 CWVVK						
	1950 x 950 x 420		8325 CWVVK						
BetteStarlet IV	1650 x 750 x 420		6650						x
	1750 x 800 x 420		6660						x
	1850 x 850 x 420		6670						x
BetteStarlet IV Silhouette	1650 x 750 x 420		6650 CERVK						
	1750 x 800 x 420		6660 CERVK						
	1850 x 850 x 420		6670 CERVK						
	1950 x 950 x 420		6677 CERVK						
BetteStarlet V	1650 x 750 x 420		6680						x
	1750 x 800 x 420		6690						x
BetteStarlet V	1850 x 850 x 420		6700						x
BetteStarlet V Silhouette	1650 x 750 x 420		6680 CELVK						
	1750 x 800 x 420		6690 CELVK						
	1850 x 850 x 420		6700 CELVK						
	1950 x 950 x 420		6720 CELVK						
BetteStarlet Hexa	1880 x 700 x 420		2040						
	2000 x 750 x 420		2060						
	2100 x 800 x 420		2080						
BetteStarlet Flair Oval	1580 x 680 x 420		8772						
	1680 x 730 x 420		8773						
	1780 x 780 x 420		8774						
	1880 x 880 x 420		8775						
BetteStarlet Oval	1500 x 800 x 420		2700						
	1650 x 750 x 420		2720						
	1750 x 800 x 420		2680						
	1850 x 850 x 420		2740						
	1950 x 950 x 420		2745						
BetteStarlet Oval Silhouette	1500 x 800 x 420		2700 CFXXK						
	1650 x 750 x 420		2720 CFXXK						
	1750 x 800 x 420		2680 CFXXK						
	1850 x 850 x 420		2740 CFXXK						
	1950 x 950 x 420		2745 CFXXK						
BetteStarlet Spirit	1700 x 750 x 420		1384						
	1800 x 800 x 420		1634						

Special Size, BetteUpstand, Profi Corner Overview

Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

price

description	see	price
BetteUpstand	p. 278	from £ 408
Profi Corner	p. 282	from £ 385
Special size	p. 284	£ 385
Special size Foot-System	p. 284	£ 36

Overview

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteStep	1050 x 650 x 420		1050	1100	1050	700	650	x	x
	1180 x 730 x 420		1060	1230	1180	780	730	x	x
BetteSuno Oval	1775 x 775 x 420		2740 CFXSR						
LaBette	1080 x 730 x 380		1080	1130	1080	780	730	x	x
	1180 x 730 x 380		1180	1230	1130	780	730	x	x
	1200 x 700 x 390		1200	1250	1200	750	700	x	x
	1240 x 700 x 420		1240	1290	1190	750	700	x	x
	1300 x 700 x 390		1300	1350	1300	750	700	x	x
BetteAir	900 x 900		7350						
	1000 x 800		7358						
	1000 x 900		7351						
	1000 x 1000		7352						
	1100 x 900		7359						
	1100 x 1000		7360						
	1200 x 800		7353						
	1200 x 900		7354						
	1200 x 1000		7355						
	1200 x 1200		7361						
	1400 x 900		7356						
	1400 x 1000		7357						
	1500 x 900		7362						
	1500 x 1000		7363						
	1600 x 900		7364						
	1600 x 1000		7365						

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteFloor	800 × 800		5831						
	900 × 700		5711						
	900 × 750		5841						
	900 × 800		8751						
	900 × 900		5931						
	1000 × 700		5881						
	1000 × 750		1651						
	1000 × 800		5491						
	1000 × 900		1661						
	1000 × 1000		5941						
	1100 × 750		8732						
	1100 × 800		8731						
	1100 × 900		8631						
	1100 × 1000		8735						
	1200 × 700		1672						
	1200 × 750		1671						
	1200 × 800		1681						
	1200 × 900		1261						
	1200 × 1000		8661						
	1200 × 1200		8721						
	1300 × 750		5797						
	1300 × 800		5793						
	1300 × 900		5791						
	1300 × 1000		5794						
	1400 × 700		5803						
	1400 × 750		5802						
	1400 × 800		5801						
	1400 × 900		5836						
	1400 × 1000		5851						
	1500 × 700		5938						
	1500 × 750		5939						
	1500 × 800		5937						
	1500 × 900		5936						
	1500 × 1000		5946						
	1600 × 700		5948						
	1600 × 750		5949						
	1600 × 800		5957						
	1600 × 900		5966						
	1600 × 1000		5969						
	1700 × 750		5994						
	1700 × 800		5989						
	1700 × 900		5991						
	1700 × 1000		5817						
	1800 × 800		5981						
	1800 × 900		5988						
	1800 × 1000		5818						
BetteFloor Side	900 × 900		3381					x	
	1000 × 800		3388					x	
	1000 × 900		3385					x	
	1000 × 1000		3382					x	
	1100 × 800		3374					x	
	1100 × 900		3396					x	
	1200 × 800		3387					x	
	1200 × 900		3380					x	
	1200 × 1000		3383					x	
	1200 × 1200		3391					x	
	1300 × 900		3398					x	
	1300 × 1000		3399					x	
	1400 × 800		3379					x	

Special Size, BetteUpstand, Profi Corner Overview

Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

price

description	see	price
BetteUpstand	p. 278	from £ 408
Profi Corner	p. 282	from £ 385
Special size	p. 284	£ 385
Special size Foot-System	p. 284	£ 36

Overview

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteFloor Side	1400 x 900		3384					x	
	1400 x 1000		3386					x	
	1400 x 1200		3394						
	1500 x 900		3393					x	
	1500 x 1000		3389					x	
	1500 x 1200		3395						
	1600 x 800		3375					x	
	1600 x 900		3390					x	
	1600 x 1000		3397					x	
	1600 x 1200		3392						
	1700 x 900		3376					x	
	1800 x 900		3377						
	1800 x 1000		3378						
BetteFlat	1200 x 1200		3372 AE						
BetteFloor Caro	900 x 900		7191						
	1000 x 1000		7211						
BetteFloor Corner	900 x 900		5421						
	1000 x 1000		5451						
BetteUltra 700-900 mm	700 x 700		5719	750	650	750	650	x	x
	750 x 750		5529	800	700	800	700	x	x
	800 x 700		5679	850	750	750	650	x	x
	800 x 750		5669	850	750	800	700	x	x
	800 x 800		5830	850	750	850	750	x	x
	850 x 850		1589					x	x
	900 x 600		8600	950	850	650	550	x	x
	900 x 700		5709	950	850	750	650	x	x
	900 x 750		5840	950	850	800	700	x	x
	900 x 800		8750	950	850	850	750	x	x
	900 x 850		1559					x	x
	900 x 900		5930	950	850	950	850	x	x
BetteUltra 1000 mm	1000 x 700		5879	1050	950	750	650	x	x
	1000 x 750		1650	1050	950	800	700	x	x
	1000 x 800		5490	1050	950	850	750	x	x
	1000 x 900		1660	1050	950	950	850	x	x
	1000 x 1000		5940	1050	950	1050	950	x	x

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteUltra 1050-1500 mm	1050 × 750 × 35		8710					x	x
	1100 × 700 × 35		8725	1150	1050	750	650	x	x
	1100 × 750 × 35		8727	1150	1050	800	700	x	x
BetteUltra 1050-1500 mm	1100 × 800 × 35		8729	1150	1050	850	750	x	x
	1100 × 900 × 35		8630	1150	1050	950	850	x	x
	1100 × 1000 × 35		8737	1150	1050	1050	950	x	x
	1100 × 1100 × 35		8743	1150	1050	1150	1050	x	x
	1200 × 700 × 35		5979	1250	1150	750	650	x	x
	1200 × 750 × 35		1670	1250	1150	800	700	x	x
	1200 × 800 × 35		1680	1250	1150	850	750	x	x
	1200 × 900 × 35		1260	1250	1150	950	850	x	x
	1200 × 1000 × 35		8660	1250	1150	1050	950	x	x
	1200 × 1100 × 35		8664	1250	1150	1150	1050	x	x
	1200 × 1200 × 35		8720	1250	1150	1250	1150	x	x
	1300 × 700 × 35		5784	1350	1270	750	670	x	x
	1300 × 750 × 35		5785	1350	1270	750	670	x	x
	1300 × 800 × 35		5786	1350	1250	850	750	x	x
	1300 × 900 × 35		5795	1350	1250	950	850	x	x
	1300 × 1000 × 35		5788	1350	1250	1050	950	x	x
	1300 × 1300 × 35		5826	1350	1250	1350	1250	x	
	1400 × 700 × 35		5824	1450	1350	750	650	x	x
	1400 × 750 × 35		5814					x	x
	1400 × 800 × 35		5804	1450	1350	850	750	x	x
	1400 × 900 × 35		5834	1450	1350	950	850	x	x
	1400 × 1000 × 35		5838	1450	1350	1050	950	x	x
	1400 × 1400 × 35		5828	1450	1350	1450	1350	x	
	1500 × 700 × 35		5914	1550	1450	750	650	x	x
	1500 × 750 × 35		5924					x	x
	1500 × 800 × 35		5932	1550	1450	850	750	x	x
	1500 × 900 × 35		5934	1550	1450	950	850	x	x
	1500 × 1000 × 35		5944	1550	1450	1050	950	x	x
	1500 × 1500 × 35		5984						x
BetteUltra 1600-2000 mm	1600 × 700 × 35		5951	1650	1550	750	650	x	x
	1600 × 750 × 35		5953	1650	1550	800	700	x	x
	1600 × 800 × 35		5955	1650	1550	850	750	x	x
	1600 × 900 × 35		5961	1650	1550	950	850	x	x
	1600 × 1000 × 35		5967	1650	1550	1050	950	x	x
	1700 × 700 × 35		5992	1750	1650	750	650	x	x
	1700 × 750 × 35		5996	1750	1700	800	750	x	x
	1700 × 800 × 35		5971	1750	1650	850	750	x	x
	1700 × 900 × 35		5998	1750	1650	950	850	x	x
	1700 × 1000 × 35		5806	1750	1650	1050	950	x	x
	1800 × 800 × 35		5986	1850	1750	850	750	x	x
	1800 × 900 × 35		5982	1850	1750	950	850	x	x
	1800 × 1000 × 35		5808	1850	1750	1050	950	x	x
	1900 × 900 × 35		5973	1950	1850	950	850	x	x
	2000 × 900 × 35		5974	2000	1950	950	850	x	x
BetteSupra 700-900 mm	700 × 700 × 65		5720	750	670	750	670	x	x
	750 × 700 × 65		5360					x	x
	750 × 750 × 65		5530	800	720	800	720	x	x
	800 × 700 × 65		5680	850	770	750	670	x	x
	800 × 750 × 65		5670	850	770	800	720	x	x
	800 × 800 × 65		5820	850	770	850	770	x	x
	850 × 700 × 65		5780					x	x
	850 × 750 × 65		1570					x	x
	850 × 850 × 65		1590					x	x
	900 × 600 × 65		8610	950	870	650	570	x	x
	900 × 700 × 65		5710	950	870	750	670	x	x
	900 × 750 × 65		5770	950	870	800	720	x	x
	900 × 800 × 65		5970	950	870	850	770	x	x
	900 × 850 × 65		1560					x	x
	900 × 900 × 65		5920	950	870	950	870	x	x

Special Size, BetteUpstand, Profi Corner

Overview

Information

Many baths and showers can be adapted to special size. If using the minimum length for baths, arrangement of the tap holes at the foot end is no longer possible. The dimensions of the bath interior remain the same.

Please note that on showers with shank length > 1200 mm are supplied with a 50 mm rim (instead of 30 mm). In these cases, only the BetteLevel and the Foot-System can be used for the assembly.

Please note that the shower tray rim width is reduced in conjunction with custom tailoring. In these cases, the minimum tray support and the BetteLevel mounting foot can no longer be used.

The combination options of the whirlsystems need to be checked individually

price

description	see	price
BetteUpstand	p. 278	from £ 408
Profi Corner	p. 282	from £ 385
Special size	p. 284	£ 385
Special size Foot-System	p. 284	£ 36

Overview

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteSupra 1000-1500 mm	1000 × 700 × 65		5880	1050	970	750	670	x	x
	1000 × 750 × 65		5550	1050	970	800	720	x	x
	1000 × 800 × 65		5520	1050	970	850	770	x	x
	1000 × 900 × 65		5380	1050	970	950	870	x	x
	1000 × 1000 × 65		5620	1050	970	1050	970	x	x
	1050 × 750 × 65		8690					x	x
	1100 × 700 × 65		8726	1150	1070	750	670	x	x
	1100 × 750 × 65		8728	1150	1070	800	720	x	x
	1100 × 800 × 65		8730					x	x
	1100 × 900 × 65		8640	1150	1070	950	870	x	x
BetteSupra 1000-1500 mm	1100 × 1000 × 65		8738	1150	1070	1050	970	x	x
	1100 × 1100 × 65		8744	1150	1070	1150	1070	x	x
	1200 × 700 × 65		5980	1250	1170	750	670	x	x
	1200 × 750 × 65		5570	1250	1170	800	720	x	x
	1200 × 800 × 65		5870	1250	1170	850	770	x	x
	1200 × 900 × 65		1690	1250	1170	950	870	x	x
	1200 × 1000 × 65		8670	1250	1170	1050	970	x	x
	1200 × 1100 × 65		8665	1250	1170	1150	1070	x	x
	1200 × 1200 × 65		5630	1250	1170	1250	1170	x	x
	1300 × 800 × 65		5787	1350	1270	850	770	x	x
	1300 × 900 × 65		5796	1350	1270	950	870	x	x
	1300 × 1000 × 65		5789	1350	1270	1050	970	x	x
	1300 × 1300 × 65		5827	1350	1270	1350	1270	x	
	1400 × 700 × 65		5825	1450	1370	750	670	x	x
	1400 × 750 × 65		5815					x	x
	1400 × 800 × 65		5805	1450	1370	850	770	x	x
	1400 × 900 × 65		5835	1450	1370	950	870	x	x
	1400 × 1000 × 65		5839	1450	1370	1050	970	x	x
	1400 × 1400 × 65		5829	1450	1370	1450	1370	x	
	1500 × 700 × 65		5915	1550	1470	750	670	x	x
	1500 × 750 × 65		5925					x	x
	1500 × 800 × 65		5933	1550	1470	850	770	x	x
	1500 × 900 × 65		5935	1550	1470	950	870	x	x
	1500 × 1000 × 65		5945	1550	1470	1050	970	x	x
	1500 × 1500 × 65		5985						x

model	dimensions in mm	variant	article no.	max. length	min. length	max. width	min. width	BetteUpstand	Profi Corner
BetteSupra 1600-1800 mm	1600 × 700 × 65		5952	1650	1570	750	670	x	x
	1600 × 750 × 65		5954	1650	1570	800	720	x	x
	1600 × 800 × 65		5956	1650	1570	850	770	x	x
	1600 × 900 × 65		5962	1650	1570	950	870	x	x
	1600 × 1000 × 65		5968	1650	1570	1050	970	x	x
	1700 × 700 × 65		5993	1750	1670	750	670	x	x
	1700 × 750 × 65		5997	1750	1700	800	750	x	x
	1700 × 800 × 65		5972	1750	1650	850	750	x	x
	1700 × 900 × 65		5999	1750	1670	950	870	x	x
	1700 × 1000 × 65		5807	1750	1670	1050	970	x	x
	1800 × 800 × 65		5987	1850	1770	850	770	x	x
	1800 × 900 × 65		5983	1850	1770	950	870	x	x
	1800 × 1000 × 65		5809	1850	1770	1050	970	x	x
BetteQuinta 700-900 mm	700 × 700 × 150		5700	750	700	750	700	x	x
	750 × 700 × 150		5370	800	750	750	700	x	x
	750 × 750 × 150		5540	800	750	800	750	x	x
	800 × 700 × 150		5690	850	800	750	700	x	x
	800 × 750 × 150		5650	850	800	800	750	x	x
	800 × 800 × 150		5800	850	800	850	800	x	x
	850 × 700 × 150		5790					x	x
	850 × 750 × 150		1910					x	x
	850 × 850 × 150		1920					x	x
	900 × 600 × 150		8620	950	900	650	600	x	x
	900 × 700 × 150		5730	950	900	750	700	x	x
	900 × 750 × 150		5750	950	900	800	750	x	x
	900 × 800 × 150		5950	950	900	850	800	x	x
	900 × 850 × 150		1900					x	x
	900 × 900 × 150		5900	950	900	950	900	x	x
BetteQuinta 1000-1200 mm	1000 × 700 × 150		5890	1050	1000	750	700	x	x
	1000 × 750 × 150		5560	1050	1000	800	750	x	x
	1000 × 800 × 150		5500	1050	1000	850	800	x	x
	1000 × 900 × 150		5390	1050	1000	950	900	x	x
	1000 × 1000 × 150		5600	1050	1000	1050	1000	x	x
	1050 × 750 × 150		8700					x	x
	1100 × 800 × 150		8740					x	x
	1100 × 900 × 150		8650	1150	1100	950	900	x	x
	1200 × 700 × 150		5990	1250	1200	750	700	x	x
	1200 × 750 × 150		5580	1250	1200	800	750	x	x
	1200 × 800 × 150		5850	1250	1200	850	800	x	x
	1200 × 900 × 150		1290	1250	1200	950	900	x	x
	1200 × 1000 × 150		8680	1250	1200	1050	1000	x	x
	1200 × 1200 × 150		5640	1250	1200	1250	1200	x	x
BetteDelta 800-900 mm	800 × 750 × 280		5660	850	800	800	750	x	x
	800 × 800 × 280		5810	850	800	850	800	x	x
	900 × 700 × 280		5740	950	900	750	700	x	x
	900 × 750 × 280		5760	950	900	800	750	x	x
	900 × 800 × 280		5960	950	900	850	800	x	x
	900 × 900 × 280		5910	950	900	950	900	x	x
BetteDelta 1000-1200 mm	1000 × 800 × 280		5510	1050	1000	850	800	x	x
	1000 × 1000 × 280		5610	1050	1000	1050	1000	x	x
	1200 × 800 × 280		5860	1250	1200	850	800	x	x
BetteCaro 35 mm, same shank length	800 × 800 × 35		5319					x	x
	900 × 900 × 35		7189					x	x
	1000 × 1000 × 35		7219					x	x
BetteCorner 35 mm, same shank length	800 × 800 × 35		5399					x	x
	900 × 900 × 35		5429					x	x
	1000 × 1000 × 35		5459					x	x
BetteCorner 35 mm, different shank length	750 × 900 × 35		8119					x	x
	800 × 900 × 35		5401					x	x
	900 × 750 × 35		8159					x	x
	900 × 800 × 35		5404					x	x
	900 × 1000 × 35		5461					x	x
	1000 × 900 × 35		5464					x	x

Extras

01	Grips	07	Special size	+ = against surcharge
02	BetteAnti-Slip Pro	08	BetteUpstand	o = without surcharge
03	BetteAnti-Slip Sense	09	BetteAirJet Plus Whirlsystem	1 pc. / 2 pcs. = Grips against surcharge
04	BetteAntinoise System	10	BetteJet Whirlsystem	↗ = special information
05	Drillings	11	BetteSpa Whirlsystem	
06	Profil Corner			

description	01	02	03	04	05	06	07	08	09	10	11
BetteArco			+	o	+					+	+
BetteArt			+	o							
BetteArt I			+	o	+						
BetteArt IV			+	o	+						
BetteArt V			+	o	+						
BetteBambino	1		+	+	+	+			+	+	+
BetteClassic	2		+	o	+	↗	↗	↗	+	+	+
BetteComodo	2		+	o	+	+	↗	↗	+	+	+
BetteComodo with side overflow	2		+	o	+	+	↗	↗	+	+	+
BetteDuett	1		+	o	+	+	↗	↗	+	+	+
BetteDuo	1		+	o	+	+	+	+	+	+	+
BetteEve			+	o	+	+		+	+	+	+
BetteEve Oval			+	o					+	+	+
BetteEve Oval Silhouette			+	o							+
BetteForm	2		+	+	+	+	+	↗	+	+	+
BetteFree			+	o	+				+	+	+
BetteLoft			+	o	↗				+	+	+
BetteLoft Ornament			+	o							
BetteLuna	1		+	o	+	+				+	+
BetteLux			+	o	+				+	+	+
BetteLux Oval			+	o	+				+	+	+
BetteLux Oval Couture			+	o							
BetteLux Oval Silhouette			+	o							+
BetteLux Oval I Silhouette			+	o	+						+
BetteLux Oval IV Silhouette			+	o	+						+
BetteLux Oval V Silhouette			+	o	+						+
BetteLux Shape			+								
BetteMetric			+	o	+				+	+	+
BetteOcean	1		+	o	+	+	↗	+		+	+
BetteOcean Low-Line	1		+	o	+	+		+			+
BetteOne	1		+	o	+	+	↗	↗		+	+
BetteOne Relax	2		+	o	+	+	↗	↗	+	+	+
BettePond			+	o						+	+
BettePond Silhouette			+	o							+
BetteSelect	2		+	o	+	+	+	+	+	+	+
BetteSelect Duo	1		+	o	+	+	+	+	+	+	+
BetteSelect with side overflow	1		+	o	+	+	+	+	+	+	+
BetteSet	2		+	o	+	+	↗	+	+	+	+
BetteSetline				o	+	+		+	+	+	+
BetteSpace L	1		+	o	+			+	+	+	+
BetteSpace M	1		+	o				+	+	+	+
BetteSpace S	1		+	o	↗			+	+	+	+
BetteStarlet	1		+	o	+	+	↗	↗	+	+	+
BetteStarlet I	1		+	o	+	+			+	+	+
BetteStarlet I Silhouette	1		+	o	+						+
BetteStarlet IV	1		+	o	+	+			+	+	+
BetteStarlet IV Silhouette	1		+	o	+						+
BetteStarlet V	1		+	o	+	+			+	+	+
BetteStarlet V Silhouette	1		+	o	+						+
BetteStarlet Hexa	1		+	o	+				+	+	+
BetteStarlet Flair Oval	1		+	o	↗				+	+	+
BetteStarlet Oval	1		+	o	+				+	+	+
BetteStarlet Oval Silhouette	1		+	o	+						↗
BetteStarlet Spirit	1		+	o	+				+	+	+
BetteStep	2		+	o	+	+	+	+			
BetteSuno Oval	1			o							
LaBette	2		+	o	+	+	+	+			
BetteAir			+	o							

Extras

01	Grips	07	Special size	+ = against surcharge o = without surcharge 1 pc. / 2 pcs. = Grips against surcharge ↗ = special information
02	BetteAnti-Slip Pro	08	BetteUpstand	
03	BetteAnti-Slip Sense	09	BetteAirJet Plus Whirlsystem	
04	BetteAntinoise System	10	BetteJet Whirlsystem	
05	Drillings	11	BetteSpa Whirlsystem	
06	Profi Corner			

description	01	02	03	04	05	06	07	08	09	10	11
BetteFloor		+	+	O							
BetteFloor Side		+	+	O				↗			
BetteFlat		+		O							
BetteFloor Caro		+	+	O							
BetteFloor Corner		+	+	O							
BetteUltra 700-900 mm		+	+	O	↗	+	↗	+			
BetteUltra 1000 mm		+	+	O		+	+	+			
BetteUltra 1050-1500 mm		↗	+	O	↗	↗	↗	↗			
BetteUltra 1600-2000 mm			+	O	↗	+	+	+			
BetteSupra 700-900 mm		+	+	O	↗	+	↗	+			
BetteSupra 1000-1500 mm		+	+	O	↗	↗	↗	↗			
BetteSupra 1600-1800 mm		+	+	O		+	+	+			
BetteQuinta 700-900 mm			+	+	↗	+	↗	+			
BetteQuinta 1000-1200 mm			+	+		+	+	+			
BetteDelta 800-900 mm			+	+	↗	+	+	+			
BetteDelta 1000-1200 mm			+	+		+	+	+			
BetteCaro 35 mm, same shank length			+			+		+			
BetteCorner 35 mm, same shank length		+	+	O		+		+			
BetteCorner 35 mm, different shank length		+	+	O		+		+			

Accessories

Waste and overflow

- 333 BetteSensory
- 308 Hair Trap for wastes
- 306 Spare covers waste fittings showers
- 300 Waste fittings showers
- 310 Bath waste and overflow fittings for baths

Mounting aid

- 355 Bath divider
- 339 BetteLevel Locks
- 338 BetteLevel installation feet
- 336 Feet
- 354 Foam Central Support System
- 346 Foot-System
- 334 Installation Box BetteAir
- 335 Installation box BetteAir installation aid
- 341 Installation planning flush-to-floor showers
- 351 Minimum support Flex
- 342 Planning help installation systems
- 343 Planning help installation systems
- 345 Planning help installation systems
- 344 Planning help installation systems
- 353 Sealing Set BetteUpstand installation flush-to-floor
- 352 Sealing System
- 353 Sealing tape on roll
- 354 Sound insulation set
- 340 Support foot BetteLevel
- 355 Wall brackets

Washbasin Accessories

- 358 Overflow cover
- 358 Pushwaste
- 357 Spare cover
- 356 Unslotted Waste
- 359 Waste and overflow fitting BetteFlow

Equipment / surface

- 363 Blind plugs for grip holes
- 360 Grips
- 363 LED-Colour Spot Light
- 363 Relax Bath cushion

Cleaning products


- 365 Bath Rubber
- 363 Care Cloth
- 364 Enamel Cleaner
- 364 Enamel Spray Cleaner
- 365 Remalle

Furniture

- 366 Standing Mirror
- 367 Stool
- 366 Towel Rail
- 367 Wooden Inserts

Waste fittings showers

BetteSolid 50, side outlet - 0,6 l/s



Information

Drainage direction: lateral
Installation height: 68 mm
Waste diameter: 90 mm
Drainage capacity: 0.6 l/s
Water seal depth: 50 mm
Certification: Quality-controlled according to EN 274
Easy access for cleaning.


Scope of delivery:
incl. filter



PG	article no.	suitable for	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B598-	BetteFloor	£ 158	£ 212	£ 212
		BetteCaro 35 mm, same shank length			
		BetteCorner 35 mm, different shank length			
		BetteCorner 35 mm, same shank length			
		BetteFlat			
		BetteFloor Caro			
		BetteFloor Corner			
		BetteFloor Side			
		BetteSupra 1000-1500 mm			
		BetteSupra 1600-1800 mm			
		BetteSupra 700-900 mm			
		BetteUltra 1000 mm			
		BetteUltra 1050-1500 mm			
		BetteUltra 1600-2000 mm			
		BetteUltra 700-900 mm			

* Please also state code AY or AX, refer to page 5 for order Information.

BetteSolid 30, side outlet - 0,6 l/s



Information

Drainage direction: lateral
Installation height: 48 mm
Waste diameter: 90 mm
Drainage capacity: 0.6 l/s
Water seal depth: 30 mm
Easy Access for cleaning.

Scope of delivery:
Incl. filter.




PG	article no.	suitable for	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B597-	BetteFloor	£ 158	£ 212	£ 212
		BetteCaro 35 mm, same shank length			
		BetteCorner 35 mm, different shank length			
		BetteCorner 35 mm, same shank length			
		BetteFlat			
		BetteFloor Caro			
		BetteFloor Corner			
		BetteFloor Side			
		BetteSupra 1000-1500 mm			
		BetteSupra 1600-1800 mm			
		BetteSupra 700-900 mm			
		BetteUltra 1000 mm			
		BetteUltra 1050-1500 mm			
		BetteUltra 1600-2000 mm			
		BetteUltra 700-900 mm			

* Please also state code AY or AX, refer to page 5 for order Information.

Waste fittings showers

BetteScope, side outlet - 0,85 l/s



Information


Drainage direction: lateral
Installation height: 65 mm
Drainage capacity: 0.85 l/s
Water seal depth: 50 mm



PG	article no.	suitable for	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B575-	BetteFloor	£ 164	£ 218	£ 218
		BetteCaro 35 mm, same shank length			
		BetteCorner 35 mm, different shank length			
		BetteCorner 35 mm, same shank length			
		BetteFlat			
		BetteFloor Caro			
		BetteFloor Corner			
		BetteFloor Side			
		BetteSupra 1000-1500 mm			
		BetteSupra 1600-1800 mm			
		BetteSupra 700-900 mm			
		BetteUltra 1000 mm			
		BetteUltra 1050-1500 mm			
		BetteUltra 1600-2000 mm			
		BetteUltra 700-900 mm			

* Please also state code AY or AX, refer to page 5 for order Information.

BetteDown, vertical outlet - 0,6 l/s



Information

Drainage direction: vertical
Installation height: 81 mm
Waste diameter: 90 mm
Drainage capacity: 0.6 l/s
Water seal depth: 50 mm
Certification: Quality-controlled according to EN 274

Scope of delivery:
With removable odour trap.




PG	article no.	suitable for	Chrome 901	White and coloured → p. 306	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B594-	BetteFloor	£ 166	£ 220	£ 220
		BetteCaro 35 mm, same shank length			
		BetteCorner 35 mm, different shank length			
		BetteCorner 35 mm, same shank length			
		BetteFlat			
		BetteFloor Caro			
		BetteFloor Corner			
		BetteFloor Side			
		BetteSupra 1000-1500 mm			
		BetteSupra 1600-1800 mm			
		BetteSupra 700-900 mm			
		BetteUltra 1000 mm			
		BetteUltra 1050-1500 mm			
		BetteUltra 1600-2000 mm			
		BetteUltra 700-900 mm			

* Please also state code AY or AX, refer to page 5 for order Information.

Waste fittings showers

BetteCompact, side outlet - 0,45 l/s




Information

- Installation height: 84 mm
Drainage capacity: 0.45 l/s
Water seal depth: 50 mm
Certification: EN 274
- Housing made of polypropylene, high-impact proof, cover made of ABS.
 - Including C lip seal
 - Removable odour trap for cleaning.
 - With building protection and assembly cover
 - Drain fittings: DN 50 lateral
 - Ball joint adjustable from 0 - 15 degrees



PG	article no.	suitable for	Chrome 901	White 000
IN	B637-	BetteFloor	£ 73	£ 77
		BetteCaro 35 mm, same shank length		
		BetteCorner 35 mm, different shank length		
		BetteCorner 35 mm, same shank length		
		BetteFlat		
		BetteFloor Caro		
		BetteFloor Corner		
		BetteFloor Side		
		BetteSupra 1000-1500 mm		
		BetteSupra 1600-1800 mm		
		BetteSupra 700-900 mm		
		BetteUltra 1000 mm		
		BetteUltra 1050-1500 mm		
		BetteUltra 1600-2000 mm		
		BetteUltra 700-900 mm		

BetteCompact, vertical outlet - 0,51 l/s



Information


- Installation height: 103 mm
Drainage capacity: 0.51 l/s
Water seal depth: 50 mm
Certification: EN 274
- Housing made of polypropylene, high-impact proof, cover made of ABS.
 - Including C lip seal
 - Removable odour trap for cleaning.
 - With building protection and assembly cover
 - Drain fittings: DN 50 vertical



PG	article no.	suitable for	Chrome 901	White 000
IN	B638-	BetteFloor	£ 76	£ 81
		BetteCaro 35 mm, same shank length		
		BetteCorner 35 mm, different shank length		
		BetteCorner 35 mm, same shank length		
		BetteFlat		
		BetteFloor Caro		
		BetteFloor Corner		
		BetteFloor Side		
		BetteSupra 1000-1500 mm		
		BetteSupra 1600-1800 mm		
		BetteSupra 700-900 mm		
		BetteUltra 1000 mm		
		BetteUltra 1050-1500 mm		
		BetteUltra 1600-2000 mm		
		BetteUltra 700-900 mm		

Waste fittings showers

BetteAir 50, side outlet - 0,6 l/s



Information


Drainage direction: lateral
Installation height: 68 mm
Drainage capacity: 0.6 l/s
Water seal depth: 50 mm
Certification: Quality-controlled according to EN 274
in accordance with ABP P-4096 TRLP
Easy access for cleaning.

PG	article no.	suitable for	White 000	coloured → p. 307	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B525-	BetteAir	£ 253	£ 253	£ 253

* Please also state code AY or AX, refer to page 5 for order Information.

White and coloured with Antislip Pro* | White 000 with Anti-Slip Sense*

BetteAir 30, side outlet - 0,6 l/s



Information


Drainage direction: lateral
Installation height: 48 mm
Drainage capacity: 0.6 l/s
Water seal depth: 30 mm
Easy access for cleaning.

PG	article no.	suitable for	White 000	coloured → p. 307	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B524-	BetteAir	£ 253	£ 253	£ 253

* Please also state code AY or AX, refer to page 5 for order Information.

White and coloured with Antislip Pro* | White 000 with Anti-Slip Sense*

BetteAir Down, vertical outlet - 0,6 l/s



Information

Drainage direction: vertical
Installation height: 81 mm
Drainage capacity: 0.62 l/s
Water seal depth: 50 mm
Certification: Quality-controlled according to EN 274
Easy access for cleaning.

PG	article no.	suitable for	White 000	coloured → p. 307	White and coloured with Antislip Pro* White 000 with Anti-Slip Sense*
IN	B599-	BetteAir	£ 261	£ 261	£ 261



* Please also state code AY or AX, refer to page 5 for order Information.

White and coloured with Antislip Pro* | White 000 with Anti-Slip Sense*

Scope of delivery:
With removable odour trap.

Waste fittings showers

Shower waste Ø 52 mm, lateral



Information

Drainage direction: lateral
Installation height: 80 mm
Drainage capacity: 0.73 l/s
Water seal depth: 50 mm
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901
IN	B577-	BetteQuinta 700-900 mm	£ 70
		BetteQuinta 1000-1200 mm	



Spare cover for waste fittings



Information


Waste cover made of chromed plastic.

For waste fittings shower areas and trays Ø 90 mm.

variant

PG	article no.	description	price
CP	Z0015725	Spare cover Chrome 901	£ 35

Glazed outlet cover Ø 115 mm



Information

In glazed titanium steel.

For waste fittings shower areas and trays Ø 90 mm.

Available in White (000), Pergamon (001), Manhattan (002), Bahama Beige (003), Edelweiss (004), Jasmin (006), Flanell (008), Ebony (035), Curry (040), Black (056), Starwhite (287), Raven (400), Anthracite (401), Slate (402), Smoke (403), Graphite (404), Silver (410), Quartz (412), Dust (413), Flint (414), Cashmere (415), Stone (416), Hazel (417), Blue Satin (418), Beige (422), Flax (423), Sand (424), Greige (425), Coffee (430), Ebano (434), Taupe (438), Cacao (439), Snow (440), Cream (441) and Midnight (790).

The colour Black (056) is not available with Antislip Pro.


Cannot be combined with BetteCompact.

White 000	White 000
Pergamon 001, Manhattan 002, Bahama Beige 003, Edelweiss 004, Jasmin 006, Flanell 008, Ebony 035, Curry 040, Black 056, Starwhite 287, Raven 400, Anthracite 401, Slate 402, Smoke 403, Graphite 404, Silver 410, Quartz 412, Dust 413, Flint 414), Cashmere 415, Stone 416, Hazel 417, Blue Satin 418, Beige 422, Flax 423, Sand 424, Greige 425, Coffee 430, Ebano 434, Taupe 438, Cacao 439, Snow 440, Cream 441 and Midnight 790	Pergamon 001, Manhattan 002, Bahama Beige 003, Edelweiss 004, Jasmin 006, Flanell 008, Ebony 035, Curry 040, Starwhite 287, Raven 400, Anthracite 401, Slate 402, Smoke 403, Graphite 404, Silver 410, Quartz 412, Dust 413, Flint 414), Cashmere 415, Stone 416, Hazel 417, Blue Satin 418, Beige 422, Flax 423, Sand 424, Greige 425, Coffee 430, Ebano 434, Taupe 438, Cacao 439, Snow 440, Cream 441 and Midnight 790
with Antislip Sense*	with Antislip Pro*
£ 57	£ 57

PG	article no.	description
CP	Y100	Glazed outlet cover Ø 115 mm

*Please also state code AY or AX, refer to page 5 for order information.

BetteAir glazed outlet cover



Information

In glazed titanium steel.

For BetteAir waste fittings.

Available in White (000), Pergamon (001), Manhattan (002), Bahama Beige (003), Edelweiss (004), Jasmin (006), Flanell (008), Ebony (035), Curry (040), Black (056), Starwhite (287), Raven (400), Anthracite (401), Slate (402), Smoke (403), Graphite (404), Silver (410), Quartz (412), Dust (413), Flint (414), Cashmere (415), Stone (416), Hazel (417), Blue Satin (418), Beige (422), Flax (423), Sand (424), Greige (425), Coffee (430), Ebano (434), Taupe (438), Cacao (439), Snow (440), Cream (441) and Midnight (790).

The colour Black (056) is not available with Antislip Pro.

PG	article no.	description	White 000 with Antislip Sense*	White 000 with Antislip Pro*
CP	Y102	BetteAir glazed outlet cover	£ 74	£ 74

*Please also state code AY or AX, refer to page 5 for order Information.

White 000
Pergamon 001, Manhattan 002, Bahama Beige 003, Edelweiss 004, Jasmin 006, Flanell 008, Ebony 035, Curry 040, Starwhite 287, Raven 400, Anthracite 401, Slate 402, Smoke 403, Graphite 404, Silver 410, Quartz 412, Dust 413, Flint 414, Cashmere 415, Stone 416, Hazel 417, Blue Satin 418, Beige 422, Flax 423, Sand 424, Greige 425, Coffee 430, Ebano 434, Taupe 438, Cacao 439, Snow 440, Cream 441 and Midnight 790 with Antislip Pro*


Hair trap for waste BetteScope



variant

PG	article no.	description	price
CP	Z0015855	Hair trap for waste BetteScope	£ 12

Hair trap for wastes BetteDown and BetteAir Down



variant

PG	article no.	description	price
CP	Z0020167	Hair trap for wastes BetteDown and BetteAir Down	£ 11

Hair trap for wastes BetteSolid and BetteAir




variant

PG	article no.	description	price
CP	Z0017593	Hair trap for wastes BetteSolid and BetteAir	£ 8

Bath waste and overflow fittings for baths

Bath waste and overflow fitting Ø 52 mm, 560 mm




Information

Bowden cable length.: 40/50 x 560 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274



PG	article no.	suitable for	Chrome 901	White 000
IN	B600-	BetteArco	£ 142	£ 170
		BetteBambino		
		BetteClassic		
		BetteDelta 1000-1200 mm		
		BetteDelta 800-900 mm		
		BetteDuett		
		BetteDuo		
		BetteForm		
		BetteSelect Duo		
		BetteSet		
		BetteSetline		
		BetteSpace L		
		BetteSpace M		
		BetteSpace S		
		BetteStep		
		LaBette		

Bath waste and overflow fitting Silhouette Ø 52 mm, 725 mm



Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274


Scope of delivery:
a flexible drain pipe for the installation is included



PG	article no.	suitable for	Chrome 901	White 000
IN	B601-	BetteLoft Ornament	£ 203	£ 232
		BetteLux Oval Couture		
		BetteLux Oval I Silhouette		
		BetteLux Oval IV Silhouette		
		BetteLux Oval Silhouette		
		BetteLux Oval V Silhouette		
		BetteStarlet I Silhouette		
		BetteStarlet IV Silhouette		
		BetteStarlet Oval Silhouette		
		BetteStarlet V Silhouette		
		BetteSuno Oval		

Bath waste and overflow fittings for baths

Bath waste and overflow fitting Ø 52 mm, 725 mm



Information


Bowden cable length.: 40/50 x 725 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274



PG	article no.	suitable for	Chrome 901	White 000
IN	B602-	BetteComodo	£ 146	£ 168
		BetteComodo with side overflow		
		BetteFree		
		BetteLoft		
		BetteLuna		
		BetteLux		
		BetteLux Oval		
		BetteMetric		
		BetteOcean		
		BetteOcean Low-Line		
		BetteOne		
		BetteOne Relax		
		BetteSelect with side overflow		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Hexa		
		BetteStarlet I		
		BetteStarlet IV		
		BetteStarlet Oval		
		BetteStarlet Spirit		
		BetteStarlet V		

Bath waste and overflow fittings for baths

Bath waste and overflow fitting Ø 52 mm, 1070 mm




Information

Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B603-	BetteEve	£ 184	£ 219
		BetteEve Oval		
		BetteFree		
		BetteLoft		
		BetteLux		
		BetteSelect		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Oval		



Bath filling, waste and overflow fitting unit Ø 52 mm, 560 mm



Information


Bowden cable length.: 40/50 x 560 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B604-	BetteArco	£ 381	£ 451
		BetteBambino		
		BetteClassic		
		BetteDuett		
		BetteForm		
		BetteSelect Duo		
		BetteSet		
		BetteSetline		
		BetteSpace L		
		BetteSpace M		
		BetteSpace S		
		BetteStep		
		LaBette		



Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Silhouette Ø 52 mm, 725 mm



Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274a flexible drain pipe for the installation is included


Scope of delivery:
a flexible drain pipe for the installation is included



PG	article no.	suitable for	Chrome 901	White 000
IN	B605-	BetteLoft Ornament	£ 574	£ 655
		BetteLux Oval Couture		
		BetteLux Oval I Silhouette		
		BetteLux Oval IV Silhouette		
		BetteLux Oval Silhouette		
		BetteLux Oval V Silhouette		
		BetteStarlet I Silhouette		
		BetteStarlet IV Silhouette		
		BetteStarlet Oval Silhouette		
		BetteStarlet V Silhouette		
		BetteSuno Oval		

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Ø 52 mm, 725 mm



Information


Bowden cable length.: 40/50 x 725 mm
 Installation height: 110 mm
 Waste diameter: 52 mm
 Drainage capacity: 0.92 l/s
 Water seal depth: 50 mm
 Overflow capacity: 0.63 l/s
 Certification: Quality-controlled according to EN 274



PG	article no.	suitable for	Chrome 901	White 000
IN	B606-	BetteComodo	£ 400	£ 486
		BetteComodo with side overflow		
		BetteFree		
		BetteLoft		
		BetteLuna		
		BetteLux		
		BetteLux Oval		
		BetteMetric		
		BetteOcean		
		BetteOcean Low-Line		
		BetteOne		
		BetteOne Relax		
		BetteSelect with side overflow		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Hexa		
		BetteStarlet I		
		BetteStarlet IV		
		BetteStarlet Oval		
		BetteStarlet Spirit		
		BetteStarlet V		

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Ø 52 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B607-	BetteEve	£ 444	£ 522
		BetteEve Oval		
		BetteFree		
		BetteLoft		
		BetteLux		
		BetteSelect		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Oval		



Bath waste and overflow fittings for baths

Bath waste and overflow fitting Ø 90 mm, 725 mm




Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B608-	BettePond	£ 219	£ 232



Bath waste and overflow fitting Silhouette Ø 90 mm, 725 mm



Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B609-	BettePond Silhouette	£ 294	£ 322


Scope of delivery:
a flexible drain pipe for the installation is included



Technical information and prices of additional BetteExtras on page 270. Subject to alteration and production tolerance. Prices excluding VAT.

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Ø 90 mm, 725 mm




Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274

PG	article no.	suitable for	Chrome 901	White 000
IN	B611-	BettePond	£ 506	£ 536



Bath filling, waste and overflow fitting unit Silhouette Ø 90 mm, 725 mm



Information

Bowden cable length.: 40/50 x 725 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274


PG	article no.	suitable for	Chrome 901	White 000
IN	B612-	BettePond Silhouette	£ 721	£ 764

Scope of delivery:
a flexible drain pipe for the installation is included



Bath waste and overflow fittings for baths

Bath waste and overflow fitting Plus 5, Ø 52 mm, 560 mm



Information


Bowden cable length.: 40/50 x 560 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort



PG	article no.	suitable for	Chrome 901
IN	B617-	BetteArco	£ 221
		BetteBambino	
		BetteClassic	
		BetteDuett	
		BetteDuo	
		BetteForm	
		BetteSelect Duo	
		BetteSet	
		BetteSetline	
		BetteSpace L	
		BetteSpace M	
		BetteSpace S	
		BetteStep	
		LaBette	

Bath waste and overflow fittings for baths

Bath waste and overflow fitting Plus 5, Ø 52 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort



PG	article no.	suitable for	Chrome 901
IN	B619-	BetteComodo	£ 253
		BetteComodo with side overflow	
		BetteEve	
		BetteEve Oval	
		BetteFree	
		BetteLoft	
		BetteLux	
		BetteLux Oval	
		BetteMetric	
		BetteOcean	
		BetteOcean Low-Line	
		BetteOne	
		BetteOne Relax	
		BetteSelect	
		BetteSelect with side overflow	
		BetteStarlet	
		BetteStarlet Flair Oval	
		BetteStarlet Hexa	
		BetteStarlet I	
		BetteStarlet IV	
		BetteStarlet Oval	
		BetteStarlet Spirit	
		BetteStarlet V	

Bath waste and overflow fittings for baths

Bath waste and overflow fitting Plus 5, Ø 90 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 90 mm
Waste diameter: 52 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort

PG	article no.	suitable for	Chrome 901
IN	B621-	BettePond	£ 271



Bath waste and overflow fittings for baths

Bath waste and overflow fitting Plus 5 Silhouette Ø 52 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s

Scope of delivery:
a flexible drain pipe for the installation is included



PG	article no.	suitable for	Chrome 901
IN	B625-	BetteEve Oval Silhouette	£ 328
		BetteLoft Ornament	
		BetteLux Oval Couture	
		BetteLux Oval I Silhouette	
		BetteLux Oval IV Silhouette	
		BetteLux Oval Silhouette	
		BetteLux Oval V Silhouette	
		BetteStarlet I Silhouette	
		BetteStarlet IV Silhouette	
		BetteStarlet Oval Silhouette	
		BetteStarlet V Silhouette	
		BetteSuno Oval	

Bath waste and overflow fitting Plus 5 Silhouette Ø 90 mm, 1070 mm



Information

Bowden cable length.: 40/50 x 1070 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s


Scope of delivery:
a flexible drain pipe for the installation is included



PG	article no.	suitable for	Chrome 901
IN	B627-	BettePond Silhouette	£ 363

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 560 mm



Information


Bowden cable length.: 40/50 x 560 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort



PG	article no.	suitable for	Chrome 901
IN	B618-	BetteArco	£ 432
		BetteBambino	
		BetteClassic	
		BetteDuett	
		BetteForm	
		BetteSelect Duo	
		BetteSet	
		BetteSetline	
		BetteSpace L	
		BetteSpace M	
		BetteSpace S	
		BetteStep	
		LaBette	

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Plus 5, Ø 52 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort



PG	article no.	suitable for	Chrome 901
IN	B620-	BetteComodo	£ 501
		BetteComodo with side overflow	
		BetteFree	
		BetteLoft	
		BetteLux	
		BetteLux Oval	
		BetteMetric	
		BetteOcean	
		BetteOcean Low-Line	
		BetteOne	
		BetteOne Relax	
		BetteSelect	
		BetteSelect with side overflow	
		BetteStarlet	
		BetteStarlet Flair Oval	
		BetteStarlet Hexa	
		BetteStarlet I	
		BetteStarlet IV	
		BetteStarlet Oval	
		BetteStarlet Spirit	
		BetteStarlet V	

Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Plus 5, Ø 90 mm, 1070 mm




Information

Bowden cable length.: 40/50 x 1070 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s

PG	article no.	suitable for	Chrome 901
IN	B622-	BettePond	£ 620



Bath filling, waste and overflow fitting unit Plus 5 Silhouette Ø 52 mm, 1070 mm



Information


Bowden cable length.: 40/50 x 1070 mm
Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s- 50 mm higher water level for maximum bathing comfort

PG	article no.	suitable for	Chrome 901
IN	B626-	BetteEve Oval Silhouette	£ 692
		BetteLoft Ornament	
		BetteLux Oval Couture	
		BetteLux Oval I Silhouette	
		BetteLux Oval IV Silhouette	
		BetteLux Oval Silhouette	
		BetteLux Oval V Silhouette	
		BetteStarlet I Silhouette	
		BetteStarlet IV Silhouette	
		BetteStarlet Oval Silhouette	
		BetteStarlet V Silhouette	
		BetteSuno Oval	



Bath waste and overflow fittings for baths

Bath filling, waste and overflow fitting unit Plus 5 Silhouette, Ø 90 mm, 1070 mm



Information

Bowden cable length.: 40/50 x 1070 mm
Installation height: 90 mm
Waste diameter: 90 mm
Drainage capacity: 1.25 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s


PG	article no.	suitable for	Chrome 901
IN	B628-	BettePond Silhouette	£ 890

Scope of delivery:
a flexible drain pipe for the installation is included



Bath waste and overflow fittings for baths

Bath waste and overflow fitting BetteMono, Ø52 mm, enamelled



Information


Installation height: 115 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274
Waste with click valve (push-to-open/close function)



PG	article no.	suitable for	White 000	Key Colours → cover
IN	B640-	BetteArco	£ 287	£ 287
		BetteBambino		
		BetteClassic		
		BetteComodo		
		BetteComodo with side overflow		
		BetteDuett		
		BetteDuo		
		BetteEve		
		BetteEve Oval		
		BetteForm		
		BetteFree		
		BetteLoft		
		BetteLuna		
		BetteLux		
		BetteLux Oval		
		BetteMetric		
		BetteOcean		
		BetteOcean Low-Line		
		BetteOne		
		BetteOne Relax		
		BetteSelect		
		BetteSelect Duo		
		BetteSelect with side overflow		
		BetteSet		
		BetteSetline		
		BetteSpace L		
		BetteSpace M		
		BetteSpace S		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Hexa		
		BetteStarlet I		
		BetteStarlet IV		
		BetteStarlet Oval		
		BetteStarlet Spirit		
		BetteStarlet V		
		BetteStep		
		LaBette		

Bath waste and overflow fittings for baths

Bath waste and overflow fitting with filler, BetteMono Flow, Ø52 mm, enamelled



Information


Installation height: 115 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274
Waste with click valve (push-to-open/close function)



PG	article no.	suitable for	White 000	Key Colours → cover
IN	B641-	BetteArco	£ 543	£ 543
		BetteBambino		
		BetteClassic		
		BetteComodo		
		BetteComodo with side overflow		
		BetteDuett		
		BetteEve		
		BetteEve Oval		
		BetteForm		
		BetteFree		
		BetteLoft		
		BetteLuna		
		BetteLux		
		BetteLux Oval		
		BetteMetric		
		BetteOcean		
		BetteOcean Low-Line		
		BetteOne		
		BetteOne Relax		
		BetteSelect		
		BetteSelect Duo		
		BetteSelect with side overflow		
		BetteSet		
		BetteSetline		
		BetteSpace L		
		BetteSpace M		
		BetteSpace S		
		BetteStarlet		
		BetteStarlet Flair Oval		
		BetteStarlet Hexa		
		BetteStarlet I		
		BetteStarlet IV		
		BetteStarlet Oval		
		BetteStarlet Spirit		
		BetteStarlet V		
		BetteStep		
		LaBette		

Bath waste and overflow fittings for baths

Bath waste and overflow fitting BetteMono Silhouette, Ø52 mm, enamelled



Information

Installation height: 115 mm
Waste diameter: 52 mm
Drainage capacity: 0.92 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274
Waste with click valve (push-to-open/close function)


Scope of delivery:
a flexible drain pipe for the installation is included



PG	article no.	suitable for	White 000	Key Colours → cover
IN	B642-	BetteEve Oval Silhouette	£ 413	£ 413
		BetteLoft Ornament		
		BetteLux Oval Couture		
		BetteLux Oval I Silhouette		
		BetteLux Oval IV Silhouette		
		BetteLux Oval Silhouette		
		BetteLux Oval V Silhouette		
		BetteStarlet I Silhouette		
		BetteStarlet IV Silhouette		
		BetteStarlet Oval Silhouette		
		BetteStarlet V Silhouette		
		BetteSuno Oval		

Bath waste and overflow fittings for baths

Bath waste and overflow fitting BetteMono Flow with filling Silhouette, Ø52 mm, enamelled



Information

Installation height: 115 mm

Waste diameter: 52 mm

Drainage capacity: 0.92 l/s

Water seal depth: 50 mm

Overflow capacity: 0.63 l/s

Certification: Quality-controlled according to EN
274

Waste with click valve (push-to-open/close function)


Scope of delivery:

a water connection and a flexible drain pipe for the installation are included



PG	article no.	suitable for	White 000	Key Colours → cover
IN	B643-	BetteEve Oval Silhouette	£ 758	£ 758
		BetteLoft Ornament		
		BetteLux Oval Couture		
		BetteLux Oval I Silhouette		
		BetteLux Oval IV Silhouette		
		BetteLux Oval Silhouette		
		BetteLux Oval V Silhouette		
		BetteStarlet I Silhouette		
		BetteStarlet IV Silhouette		
		BetteStarlet Oval Silhouette		
		BetteStarlet V Silhouette		
		BetteSuno Oval		


BetteMono outlet cover, enamelled



variant

PG	article no.	description	White 000	Key Colours → cover
CP	Y104	BetteMono outlet cover, enamelled	£ 68	£ 68


BetteMono overflow cover, enamelled



variant

PG	article no.	description	White 000	Key Colours → cover
CP	Y103	BetteMono overflow cover, enamelled	£ 57	£ 57

BetteMono overflow cover with filling, enamelled




variant

PG	article no.	description	White 000	Key Colours → cover
CP	Y105	BetteMono overflow cover with filling, enamelled	£ 57	£ 57

Bath waste and overflow fittings for baths

Bath waste and overflow fitting BetteArt




Information

Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.87 l/s
Water seal depth: 50 mm
Overflow capacity: 0.63 l/s
Certification: Quality-controlled according to EN 274
Waste with click valve (push-to-open/close function)

PG	article no.	suitable for	Chrome 901	White 000
IN	B614-	BetteArt	£ 611	£ 677
		BetteArt I		
		BetteArt IV		
		BetteArt V		



Bath filling, waste and overflow fitting unit Trio BetteArt, 725 mm



Information

Installation height: 110 mm
Waste diameter: 52 mm
Drainage capacity: 0.87 l/s
Water seal depth: 50 mm
Overflow capacity: 0.6 l/s
Certification: Quality-controlled according to EN 274
Waste with click valve (push-to-open/close function)

PG	article no.	suitable for	Chrome 901	White 000
IN	B615-	BetteArt	£ 927	£ 1,091
		BetteArt I		
		BetteArt IV		
		BetteArt V		



BetteSensory



Information

Pop-up wastes with no visible overflow. The overflow function is provided by a pressure sensor integrated in the pop-up waste that records the water level in the bath.

Included in the delivery of the pop-up waste are a control box, a 12-volt mains unit and two 8-m control cables. The control box, which includes an emergency battery, and the mains unit need to be integrated using the 8-m cable in two accessible flush-mounted boxes outside the bath.

A 230-volt power connection is required there.




The control cable needs to be laid from the concealed socket to under the bath for connection to the fitting.

The baths need to be ordered with the ending oUeL.

Further information on installation and functioning can be found at www.my-bette.com.

Scope of delivery


- Control box
- 12-volt mains unit
- emergency battery
- two 8-m control cables



variant

PG	article no.	description	Chrome 901	White 000
IN	B631-	BetteSensory	£ 985	£ 1,089

Installation Box BetteAir



Information

Depending on the floor construction, the BetteAir Connect installation box can easily be cut to a height between 109 and 200 mm.




Minimum box height with:
BetteAir 30 (order no. B524-) - 109 mm
BetteAir 50 (order no. B525-) - 126 mm

Scope of delivery

- Box made of EPP
- Protective building cover made of corrugated cardboard E1.03
- Pre-assembled flexi connector
- Sealing collar
- Foil adhesive

Certification



For standard sealing according to DIN 18534-1.



variant

PG	article no.	description	pcs/pallet	price
IN	B57-0401	Installation Box BetteAir	15	£ 258

Installation box BetteAir installation aid



Feet

Installation aid with individual height adjustment for easy and safe installation of baths.
In addition to the bath feet, we recommend our wall-brackets (article no. Z0008669) with integrated sound insulation, for fixing the bath-rim at the wall.

Bath feet universal



Information

Bath foot for parallel bath base geometries.

Adjustment range 40 mm when installed with a bath

Bath feet for direct installation onto the bath base providing optimum stability.

The feet are height adjustable, and when used in combination with the sound insulation set B57-0100, are sound insulating to DIN 4109/A1.

Scope of delivery

Set of two feet.



PG	article no.	description	pcs/pallet	price
IN	B23-1500	Bath feet universal	150	£ 71

Bath feet oval



Information

Bath foot for oval bath base geometries

Adjustment range 40 mm when installed with a bath

Bath feet for direct installation onto the bath base providing optimum stability.

The feet are height adjustable, and when used in combination with the sound insulation set B57-0100, are sound insulating to DIN 4109/A1.

Scope of delivery

Four single feet for diagonal installation



PG	article no.	description	pcs/pallet	price
IN	B23-1525	Bath feet oval	150	£ 83

Bath feet BetteStep



Information

Adjustment range 50 mm

Bath feet for direct installation onto the bath base providing optimum stability.

The feet are height adjustable, and when used in combination with the sound insulation set B57-0100, are sound insulating to DIN 4109/A1.

Scope of delivery

One set of bath feet, one galvanised steel frame with height adjusters.



PG	article no.	description	pcs/pallet	price
IN	B23-1520	Bath feet BetteStep	150	£ 92

Technical information and prices of additional BetteExtras on page 270. Subject to alteration and production tolerance. Prices excluding VAT.

Feet

Installation aid with individual height adjustment for easy and safe installation of baths.
In addition to the bath feet, we recommend our wall-brackets (article no. Z0008669) with integrated sound insulation, for fixing the bath-rim at the wall.

Height-adjustable feet (4 pieces)



Information

Adjustment range 110-180 mm and 80mm plastic sleeve.

For fitting to factory-fitted feet brackets on large-scale baths.

An M12 threaded rod provides the optimum stability.

The feet are height adjustable, and when used in combination with the sound insulation set B57-0120, are sound insulating to DIN 4109/A1.

Suitable for BetteArco, BetteHome Oval, BettePool, BetteSpace L

Scope of delivery

4 pieces



PG	article no.	description	pcs/pallet	price
IN	B50-0015	Height-adjustable feet (4 pieces)	400	£ 47

Height-adjustable feet (6 pieces)



Information

Adjustment range 110 - 180 mm and 80mm plastic sleeve.

For fitting to factory-fitted feet brackets on large-scale baths.

An M12 threaded rod provides the optimum stability.

The feet are height adjustable, and when used in combination with the sound insulation set B57-0120, are sound insulating to DIN 4109/A1.

Suitable for: BettePond

Scope of delivery

6 pieces



PG	article no.	description	pcs/pallet	price
IN	B50-0016	Height-adjustable feet (6 pieces)	400	£ 57

BetteLevel installation feet

- applicable for BetteCaro, BetteCorner, BetteFlat, BetteFloor, BetteFloor Side, BetteSupra and BetteUltra
- distributes the load evenly around the edge
- allows perfect height adjustment during installation
- can be adapted and scaled for every installation situation
- saves time and therefore money
- adjustable from 85 - 225 mm beneath the tray



4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm



Scope of delivery

- 4 x BetteLevel installation feet
- 4 x BetteLevel adapter plate
- 32 x BetteLevel distance adapter 15 mm

PG	article no.	description	pcs/pallet	price
IN	B57-0420	4 BetteLevel installation feet for showers with both side lengths ≤ 1000 mm	224	£ 169



6 BetteLevel installation feet for showers with a side length > 1000 mm



Scope of delivery

- 6 x BetteLevel installation feet
- 6 x BetteLevel adapter plate
- 48 x BetteLevel distance adapter 15 mm
- 2 x release clamps for pre-tensioning
- 2 x thread extensions (incl. spacer rings)

PG	article no.	description	pcs/pallet	price
IN	B57-0421	6 BetteLevel installation feet for showers with a side length > 1000 mm	112	£ 229



8 BetteLevel installation feet for showers with both sides > 1000 mm



Scope of delivery

- 8 x BetteLevel installation feet
- 8 x BetteLevel adapter plate
- 64 x BetteLevel distance adapter 15 mm
- 4 x release clamps for pre-tensioning
- 2 x thread extensions (incl. spacer rings)

PG	article no.	description	pcs/pallet	price
IN	B57-0422	8 BetteLevel installation feet for showers with both sides > 1000 mm	112	£ 288

BetteLevel Locks

- applicable for BetteCaro, BetteCorner, BetteFlat, BetteFloor, BetteFloor Side, BetteSupra and BetteUltra
- distributes the load evenly around the edge
- allows perfect height adjustment during installation
- can be adapted and scaled for every installation situation
- Saves time and therefore money
- adjustable from 85 - 225 mm beneath the tray



Locks for 4 BetteLevel installation feet



Scope of delivery

4 x locks (incl. release clasp)

PG	article no.	description	pcs/pallet	price
IN	B57-0423	Locks for 4 BetteLevel installation feet	402	£ 76



Locks for 6 BetteLevel installation feet



Scope of delivery

6 x locks (incl. release clasp)

PG	article no.	description	pcs/pallet	price
IN	B57-0424	Locks for 6 BetteLevel installation feet	402	£ 104



Locks for 8 BetteLevel installation feet



Scope of delivery

8 x locks (incl. release clasp)

PG	article no.	description	pcs/pallet	price
IN	B57-0425	Locks for 8 BetteLevel installation feet	172	£ 133

Support foot BetteLevel



Information

Height adjustable foot for additional support of BetteCaro, BetteCorner, BetteFlat, BetteFloor, BetteFloor Side, BetteSupra and BetteUltra. To be fitted during installation. Adjustable from 85 - 225 mm beneath the tray.


From a side length of 1000 mm we recommend the use of one support foot B57-0426.

From a side length of 1500 mm we recommend the use of two support feet B57-0426.



- Scope of delivery:
- 1 x BetteLevel installation foot
 - 1 x BetteLevel adapter plate
 - 7 x BetteLevel distance adapter 15 mm
 - 1 x release clamp for pre-tensioning
 - 1 x thread extensions (incl. spacer rings)
 - 1 x lock (incl. release clasp)

PG	article no.	description	price
IN	B57-0426	Support foot BetteLevel	£ 76

Installation planning flush-to-floor showers




								
Waste fittings			BetteAir	BetteFloor Side	BetteFloor	BetteUltra ≤ 1000 mm	BetteUltra > 1000 mm	BetteSupra
	BetteSolid 50	Installation height waste fitting in mm		68	68	68	68	68
	B598- Drainage capacity 0.6 l/s, Water seal depth 50 mm, quality monitored to DIN EN 274	Total installation height in mm		118	118	113	123	153
	BetteSolid 30	Installation height waste fitting in mm		48	48	48	48	48
	B597- Drainage capacity 0.6 l/s, Water seal depth 30 mm	Total installation height in mm		98	98	93	103	133
	BetteScope	Installation height waste fitting in mm		65	65	65	65	65
	B574- Drainage capacity 0,85 l/s, Water seal depth 50 mm, quality monitored to DIN EN 274	Total installation height in mm		115	115	110	120	150
	BetteDown	Installation height waste fitting in mm		81	81	81	81	81
	B594- Drainage capacity 0.6 l/s, Water seal depth 50 mm, quality monitored to DIN EN 274	Total installation height in mm		50	50	45	55	85
	BetteAir 50	Installation height waste fitting in mm	68					
	B525- Drainage capacity 0.6 l/s, Water seal depth 50 mm, Quality-controlled according to EN 274 in accordance with ABP P-4096 TRLP	Total installation height in mm	117					
	BetteAir 30	Installation height waste fitting in mm	48					
	B524- Drainage capacity 0.6 l/s, Water seal depth 30 mm	Total installation height in mm	97					
	BetteAir Down	Installation height waste fitting in mm	81					
	B599- Drainage capacity 0.6 l/s, Water seal depth 50 mm, quality-controlled according to EN 274	Total installation height in mm	67					

Planning help installation systems

		Installation							
		Flush-to-floor installation		Raised installation				for combination with Bette Upstand	
									Adjustment range
	Minimum Support	x							
BetteAir	Foot-System		x		x	x	x		Installation system
	BetteLevel		x		x	x	x		Adjustment range
BetteFloor	Minimum Support			x					Foot-System, Foot-System BetteCaro, Foot-System BetteCorner
	Foot-System		x		x	x	x	x	
BetteFloor Side	BetteLevel		x		x	x	x	x	BetteLevel
	Minimum Support			x				x	85 - 225 mm
	Foot-System		x		x	x	x	x	
BetteUltra	BetteLevel		x		x	x	x	x	Minimum support
	Minimum Support			x				x	-
	Polystyrene support ***				x				
	Foot-System					x	x	x	
BetteSupra	BetteLevel		x		x	x	x	x	
	Polystyrene support ***				x				

* Figures on the screed on installation. ** As per the structural test report. *** Only available for selected product dimensions.

Planning help installation systems

		Installation								
		Flush-to-floor installation		Raised installation			for combination with Bette Upstand			
										
									Adjustment range	
	Foot-System				x	x	x		Installation system	Adjustment range
BetteFloor Caro	BetteLevel		x		x	x	x			
	Foot-System				x	x	x		Foot-System, Foot-System BetteCaro, Foot-System BetteCorner	80 – 200 mm With a separate spacer: 205 – 325 mm
BetteFloor Corner	BetteLevel		x		x	x	x			
	Foot-System BetteCaro				x	x	x	x		
BetteCaro	BetteLevel		x		x	x	x	x		
	Foot-System BetteCorner				x	x	x	x		
BetteCorner	BetteLevel		x		x	x	x	x		
	Foot-System		x		x	x	x	x	Minimum support	–
BetteQuinta										

* Figures on the screed on installation. ** As per the structural test report. *** Only available for selected product dimensions.

Planning help installation systems


		Sound insulation		Seals				
		Sound insulation level 3 < 25 dB(A)		Tested waterproof seal included in the delivery	Optional: Seal cutting protection	Optional: Seal without cutting protection		
		As per VDI 4100	As per DIN 4109		Flush-to-Floor	Installation Box BetteAir B57-0401	Sealing system for wooden floors B57-0375	Other sealing systems
	Minimum Support	18 dB(A)**	21 dB(A)**			x		
BetteAir								
	Foot-System				B57-0376		x	B57-0370
BetteFloor	BetteLevel				B57-0376	B57-0377	x	B57-0370
	Minimum Support	15 dB(A)*	17 dB(A)*				x	B57-0371
	Foot-System				B57-0376		x	B57-0370
	BetteLevel				B57-0376	B57-0377	x	B57-0370
BetteFloor Side	Minimum Support						x	B57-0371
	Foot-System				B57-0376		x	B57-0370
	BetteLevel	25 dB(A)**	27 dB(A)**		B57-0376	B57-0377	x	B57-0370
BetteUltra	Minimum Support	16 dB(A)*	17 dB(A)*				x	B57-0371
	Polystyrene support ***							
	Foot-System				B57-0376		x	B57-0370
BetteSupra	BetteLevel				B57-0376	B57-0377	x	B57-0370
	Polystyrene support ***							

* Figures on the screed on installation. ** As per the structural test report. *** Only available for selected product dimensions.

Planning help installation systems

		Sound insulation		Seals				
		Sound insulation level 3 < 25 dB(A)		Tested waterproof seal included in the delivery	Optional: Seal cutting protection	Optional: Seal without cutting protection		
		As per VDI 4100	As per DIN 4109		Flush-to-Floor	Installations-box BetteAir B57-0401	Sealing system for wooden floors B57-0375	Other sealing systems
 BetteFloor Caro	Foot-System				B57-0379			B57-0374
	BetteLevel				B57-0379			B57-0374
 BetteFloor Corner	Foot-System				B57-0378			B57-0373
	BetteLevel				B57-0378			B57-0373
 BetteCaro	Foot-System BetteCaro				B57-0379			B57-0374
	BetteLevel				B57-0379			B57-0374
 BetteCorner	Foot-System BetteCorner				B57-0378			B57-0373
	BetteLevel				B57-0378			B57-0373
 BetteQuinta	Foot-System				B57-0376			B57-0370

Foot-System



Information

The BetteFoot-System guarantees quick, safe and cost-effective height compensations in the installation of shower trays. For this purpose a frame is clamped under the tray edge into which the height adjustable feet are screwed. In this way the load is distributed over the entire frame and not just at certain points. It is no longer necessary to underpin the shower tray.

Installation height 80 - 200 mm.

For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.

Can be combined with BetteUpstand.

variant

PG	article no.	description	price
IN	B50-3020	Foot-System for Shower tray 700 × 700 mm	£ 169
IN	B50-3021	Foot-System for Shower tray 750 × 700 mm	£ 169
IN	B50-3031	Foot-System for Shower tray 750 × 750 mm	£ 169
IN	B50-3022	Foot-System for Shower tray 800 × 700 mm	£ 169
IN	B50-3032	Foot-System for Shower tray 800 × 750 mm	£ 169
IN	B50-3041	Foot-System for Shower tray 800 × 800 mm	£ 169
IN	B50-3023	Foot-System for Shower tray 850 × 700 mm	£ 169
IN	B50-3033	Foot-System for Shower tray 850 × 750 mm	£ 169
IN	B50-3070	Foot-System for Shower tray 850 × 850 mm	£ 169
IN	B50-3073	Foot-System for Shower tray 900 × 600 mm	£ 169
IN	B50-3024	Foot-System for Shower tray 900 × 700 mm	£ 169
IN	B50-3034	Foot-System for Shower tray 900 × 750 mm	£ 169
IN	B50-3043	Foot-System for Shower tray 900 × 800 mm	£ 169
IN	B50-3071	Foot-System for Shower tray 900 × 850 mm	£ 169
IN	B50-3051	Foot-System for Shower tray 900 × 900 mm	£ 169
IN	B50-3026	Foot-System for Shower tray 1000 × 700 mm	£ 169
IN	B50-3036	Foot-System for Shower tray 1000 × 750 mm	£ 169
IN	B50-3045	Foot-System for Shower tray 1000 × 800 mm	£ 169
IN	B50-3053	Foot-System for Shower tray 1000 × 900 mm	£ 169
IN	B50-3064	Foot-System for Shower tray 1000 × 1000 mm	£ 169
IN	B50-3037	Foot-System for Shower tray 1050 × 750 mm	£ 169
IN	B50-3025	Foot-System for Shower tray 1100 × 700 mm	£ 169
IN	B50-3027	Foot-System for Shower tray 1100 × 750 mm	£ 169
IN	B50-3047	Foot-System for Shower tray 1100 × 800 mm	£ 169
IN	B50-3055	Foot-System for Shower tray 1100 × 900 mm	£ 169
IN	B50-3028	Foot-System for Shower tray 1100 × 1000 mm	£ 169
IN	B50-3029	Foot-System for Shower tray 1100 × 1100 mm	£ 169
IN	B50-3030	Foot-System for Shower tray 1200 × 700 mm	£ 194
IN	B50-3040	Foot-System for Shower tray 1200 × 750 mm	£ 194
IN	B50-3049	Foot-System for Shower tray 1200 × 800 mm	£ 194
IN	B50-3057	Foot-System for Shower tray 1200 × 900 mm	£ 194
IN	B50-3074	Foot-System for Shower tray 1200 × 1000 mm	£ 194
IN	B50-3035	Foot-System for Shower tray 1200 × 1100 mm	£ 194
IN	B50-3065	Foot-System for Shower tray 1200 × 1200 mm	£ 194

PG	article no.	description	price
IN	B50-3056	Foot-System for Shower tray 1300 × 700 mm	£ 194
IN	B50-3054	Foot-System for Shower tray 1300 × 750 mm	£ 194
IN	B50-3060	Foot-System for Shower tray 1300 × 800 mm	£ 194
IN	B50-3038	Foot-System for Shower tray 1300 × 900 mm	£ 194
IN	B50-3061	Foot-System for Shower tray 1300 × 1000 mm	£ 194
IN	B50-3092	Foot-System for Shower tray 1300 × 1300 mm	£ 212
IN	B50-3058	Foot-System for Shower tray 1400 × 700 mm	£ 212
IN	B50-3059	Foot-System for Shower tray 1400 × 750 mm	£ 212
IN	B50-3050	Foot-System for Shower tray 1400 × 800 mm	£ 212
IN	B50-3062	Foot-System for Shower tray 1400 × 900 mm	£ 212
IN	B50-3039	Foot-System for Shower tray 1400 × 1000 mm	£ 212
IN	B50-3093	Foot-System for Shower tray 1400 × 1400 mm	£ 238
IN	B50-3075	Foot-System for Shower tray 1500 × 700 mm	£ 212
IN	B50-3076	Foot-System for Shower tray 1500 × 750 mm	£ 212
IN	B50-3079	Foot-System for Shower tray 1500 × 800 mm	£ 212
IN	B50-3077	Foot-System for Shower tray 1500 × 900 mm	£ 212
IN	B50-3078	Foot-System for Shower tray 1500 × 1000 mm	£ 212
IN	B50-3080	Foot-System for Shower tray 1500 × 1500 mm	£ 238
IN	B50-3042	Foot-System for Shower tray 1600 × 700 mm	£ 238
IN	B50-3044	Foot-System for Shower tray 1600 × 750 mm	£ 238
IN	B50-3066	Foot-System for Shower tray 1600 × 800 mm	£ 238
IN	B50-3046	Foot-System for Shower tray 1600 × 900 mm	£ 238
IN	B50-3068	Foot-System for Shower tray 1600 × 1000 mm	£ 238
IN	B50-3081	Foot-System for Shower tray 1700 × 700 mm	£ 238
IN	B50-3082	Foot-System for Shower tray 1700 × 750 mm	£ 238
IN	B50-3063	Foot-System for Shower tray 1700 × 800 mm	£ 238
IN	B50-3048	Foot-System for Shower tray 1700 × 900 mm	£ 238
IN	B50-3089	Foot-System for Shower tray 1700 × 1000 mm	£ 238
IN	B50-3069	Foot-System for Shower tray 1800 × 800 mm	£ 238
IN	B50-3052	Foot-System for Shower tray 1800 × 900 mm	£ 238
IN	B50-3091	Foot-System for Shower tray 1800 × 1000 mm	£ 238
IN	B50-3096	Foot-System for Shower tray 1900 × 900 mm	£ 238
IN	B50-3097	Foot-System for Shower tray 2000 × 900 mm	£ 238

Spacer




Information

For installation height 205 - 325 mm spacers, need to be ordered separately.
For shower trays up to a side length of 1100 mm we recommend 4 spacers, for a side length of 1200 mm or more we recommend 6 spacers, for a dimension of 1200 x 1200 mm or more we recommend 8 spacers.

variant

PG	article no.	description	price
IN	B50-0005	Spacer for Shower tray (4 pcs.)	£ 50
IN	B50-0006	Spacer for Shower tray (6 pcs.)	£ 69
IN	B50-0007	Spacer for Shower tray (8 pcs.)	£ 91



Foot-System BetteCaro



Information

Adjustment range: 80-200 mm.
For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.
Can be combined with BetteUpstand.

variant

PG	article no.	description	price
IN	B51-3041	Foot-System for BetteCaro Shower Tray 800 x 800 mm	£ 199
IN	B51-3051	Foot-System for BetteCaro Shower Tray 900 x 900 mm	£ 199
IN	B51-3064	Foot-System for BetteCaro Shower Tray 1000 x 1000 mm	£ 199

Foot-System BetteCorner



Information

Adjustment range: 80-200 mm.
For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.
Can be combined with BetteUpstand.

variant

PG	article no.	description	price
IN	B52-3034	Foot-System for BetteCorner Shower Tray 750 x 900/900 x 750 mm	£ 191
IN	B52-3041	Foot-System for BetteCorner Shower Tray 800 x 800 mm	£ 191
IN	B52-3043	Foot-System for BetteCorner Shower Tray 800 x 900/900 x 800 mm	£ 191
IN	B52-3051	Foot-System for BetteCorner Shower Tray 900 x 900 mm	£ 191
IN	B52-3053	Foot-System for BetteCorner Shower Tray 900 x 1000/1000 x 900 mm	£ 191
IN	B52-3064	Foot-System for BetteCorner Shower Tray 1000 x 1000 mm	£ 191

Foot-System for BetteFloor



Information

The BetteFoot-System guarantees quick, safe and cost-effective height compensations in the installation of shower trays. For this purpose a frame is clamped under the tray edge into which the height adjustable feet are screwed. In this way the load is distributed over the entire frame and not just at certain points. It is no longer necessary to underpin the shower tray.

Installation height 80 - 200 mm.

For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.

variant

PG	article no.	description	price
IN	B50-3141	Foot-System BetteFloor 800 x 800 mm	£ 265
IN	B50-3124	Foot-System BetteFloor 900 x 700 mm	£ 265
IN	B50-3134	Foot-System BetteFloor 900 x 750 mm	£ 265
IN	B50-3143	Foot-System BetteFloor 900 x 800 mm	£ 265
IN	B50-3151	Foot-System BetteFloor 900 x 900 mm	£ 265
IN	B50-3126	Foot-System BetteFloor 1000 x 700 mm	£ 265
IN	B50-3136	Foot-System BetteFloor 1000 x 750 mm	£ 265
IN	B50-3145	Foot-System BetteFloor 1000 x 800 mm	£ 265
IN	B50-3153	Foot-System BetteFloor 1000 x 900 mm	£ 265
IN	B50-3164	Foot-System BetteFloor 1000 x 1000 mm	£ 265
IN	B50-3127	Foot-System BetteFloor 1100 x 750 mm	£ 265
IN	B50-3147	Foot-System BetteFloor 1100 x 800 mm	£ 265
IN	B50-3155	Foot-System BetteFloor 1100 x 900 mm	£ 265
IN	B50-3128	Foot-System BetteFloor 1100 x 1000 mm	£ 265
IN	B50-3130	Foot-System BetteFloor 1200 x 700 mm	£ 291
IN	B50-3140	Foot-System BetteFloor 1200 x 750 mm	£ 291
IN	B50-3149	Foot-System BetteFloor 1200 x 800 mm	£ 291
IN	B50-3157	Foot-System BetteFloor 1200 x 900 mm	£ 291
IN	B50-3174	Foot-System BetteFloor 1200 x 1000 mm	£ 291
IN	B50-3165	Foot-System BetteFloor 1200 x 1200 mm	£ 291
IN	B50-3154	Foot-System BetteFloor 1300 x 750 mm	£ 291
IN	B50-3160	Foot-System BetteFloor 1300 x 800 mm	£ 291
IN	B50-3138	Foot-System BetteFloor 1300 x 900 mm	£ 291
IN	B50-3161	Foot-System BetteFloor 1300 x 1000 mm	£ 291
IN	B50-3158	Foot-System BetteFloor 1400 x 700 mm	£ 317

PG	article no.	description	price
IN	B50-3159	Foot-System BetteFloor 1400 x 750 mm	£ 317
IN	B50-3150	Foot-System BetteFloor 1400 x 800 mm	£ 317
IN	B50-3162	Foot-System BetteFloor 1400 x 900 mm	£ 317
IN	B50-3139	Foot-System BetteFloor 1400 x 1000 mm	£ 317
IN	B50-3184	Foot-System BetteFloor 1400 x 1200 mm	£ 317
IN	B50-3175	Foot-System BetteFloor 1500 x 700 mm	£ 317
IN	B50-3176	Foot-System BetteFloor 1500 x 750 mm	£ 317
IN	B50-3179	Foot-System BetteFloor 1500 x 800 mm	£ 317
IN	B50-3177	Foot-System BetteFloor 1500 x 900 mm	£ 317
IN	B50-3178	Foot-System BetteFloor 1500 x 1000 mm	£ 317
IN	B50-3185	Foot-System BetteFloor 1500 x 1200 mm	£ 317
IN	B50-3142	Foot-System BetteFloor 1600 x 700 mm	£ 317
IN	B50-3144	Foot-System BetteFloor 1600 x 750 mm	£ 317
IN	B50-3166	Foot-System BetteFloor 1600 x 800 mm	£ 317
IN	B50-3146	Foot-System BetteFloor 1600 x 900 mm	£ 317
IN	B50-3168	Foot-System BetteFloor 1600 x 1000 mm	£ 317
IN	B50-3183	Foot-System BetteFloor 1600 x 1200 mm	£ 317
IN	B50-3182	Foot-System BetteFloor 1700 x 750 mm	£ 317
IN	B50-3163	Foot-System BetteFloor 1700 x 800 mm	£ 317
IN	B50-3148	Foot-System BetteFloor 1700 x 900 mm	£ 317
IN	B50-3189	Foot-System BetteFloor 1700 x 1000 mm	£ 317
IN	B50-3169	Foot-System BetteFloor 1800 x 800 mm	£ 317
IN	B50-3152	Foot-System BetteFloor 1800 x 900 mm	£ 317
IN	B50-3191	Foot-System BetteFloor 1800 x 1000 mm	£ 317

Foot-System for BetteFloor Caro





Information

The BetteFoot-System guarantees quick, safe and cost-effective height compensations in the installation of shower trays. For this purpose a frame is clamped under the tray edge into which the height adjustable feet are screwed. In this way the load is distributed over the entire frame and not just at certain points. It is no longer necessary to underpin the shower tray.

Installation height 80 - 200 mm.

For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.

variant

PG	article no.	description	price
IN	B51-3151	Foot-System for BetteFloor Caro 900 x 900 mm	£ 306
IN	B51-3164	Foot-System for BetteFloor Caro 1000 x 1000 mm	£ 306

Foot-System for BetteFloor Corner





Information

The BetteFoot-System guarantees quick, safe and cost-effective height compensations in the installation of shower trays. For this purpose a frame is clamped under the tray edge into which the height adjustable feet are screwed. In this way the load is distributed over the entire frame and not just at certain points. It is no longer necessary to underpin the shower tray.

Installation height 80 - 200 mm.

For installation height 205 - 325 mm spacers, art.-no. B50-0005, need to be ordered separately.

variant

PG	article no.	description	price
IN	B52-3151	Foot-System for BetteFloor Corner 900 x 900 mm	£ 245
IN	B52-3164	Foot-System for BetteFloor Corner 1000 x 1000 mm	£ 245

Minimum support Flex



Information

- adapts to individual requirements
- can be combined with BetteFloor, BetteFloor Side and BetteUltra
- extremely light
- saves warehouse space
- ideal for construction and renovations
- suitable for screed or wooden floors
- minimum installation height from 35 mm
- can be combined with a sealing system
- at only 17 dB(A), it exceeds the higher requirements of sound insulation class 3, VDI 4100 (installation on screed including insulation)


For a seal that complies with the standard, we recommend combination with the installation box Easy Connect (item no. B57-0400) or with the sealing system for minimum tray carriers (item no. B57-0371)

If used with the BetteUpstand, the Flex minimum support can only be used on shower trays with a side length of ≤ 1200 mm, and on the BetteFloor Side shower area, with a side length of < 1200 mm.

variant

PG	article no.	description	price
IN	B57-0410	Minimum Support Flex for shower trays 25 mm & shower areas	£ 54
IN	B57-0411	Minimum Support Flex for shower trays 35 mm	£ 54

Sealing System




Waterproof
ETAG 022
DIN 18534

Information

- waterproof installation
- wall seal for baths and showers
- also suitable for flush-to-floor installation of showers
- pre-assembled corner elements for fast, safe installation
- Sealing tapes are particularly flexible and adaptable

Scope of delivery

- Sealing Fleece
- Prefabricated corners
- Insulating tape
- Tile separator strip
- Pressure roller

Certification

For standard wall sealing according to DIN 18534-1.

variant

PG	article no.	description	price
IN	B57-0370	Sealing System for rectangular shower trays	£ 104
IN	B57-0371	Sealing System for Minimum Support	£ 104
IN	B57-0372	Sealing System for baths	£ 100
IN	B57-0373	Sealing System for Corner shower trays	£ 115
IN	B57-0374	Sealing System for Caro shower trays	£ 115
IN	B57-0375	Sealing System onto wooden floor	£ 134

Sealing tape on roll



Waterproof
ETAG 022
DIN 18534



Information

Our sealing tape adapts precisely to your specific sealing situation.
Once installed, it permanently remains in condition thanks to its low shrinkage.

It is compatible with all our existing sealing elements.


The sealing tape is absolutely resistant: even acids, alkalis and microorganisms cannot harm it.

Certification

It fulfils all existing certificates for standard-compliant sealing according to DIN 18534-1 tested according to ETAG 022.

PG	article no.	description	price
IN	B57-0408	Sealing tape on roll 4 m	£ 22
IN	B57-0409	Sealing tape on roll 25 m	£ 112

Sealing Set for BetteUpstands Installation Flush-to-Floor



Information

- Waterproof installation
- Suitable for the flush-to-floor installation of shower trays with BetteUpstand.
- Pre-fabricated corner elements for fast, safe installation
- Sealing tapes are particularly flexible and adaptable


Scope of delivery:
3x sealing tape 1.80 m
4x sealing corners 90°

Certification

For standard sealing according to DIN 18534-1.

PG	article no.	description	price
IN	B57-0080	Sealing Set BetteUpstand installation flush-to-floor	£ 101

Foam Central Support System



Information

Additional central support for BetteFloor, BetteFloor Side and BetteUltra.

Special advantage: can be used after installation via the waste hole.

Scope of delivery:
1 pc.

PG	article no.	description	price
IN	B57-0230	Foam Central Support System	£ 81

Sound insulation set



Information

Installation acc. to DIN 4109/A1


Decouples sound to the wall, floor and brickwork.

The sound insulation set can be combined with our foot systems for shower trays and with the feet for baths.

PG	article no.	description	price
IN	B57-0100	Sound insulation set for baths	£ 231
IN	B57-0120	Sound insulation set for shower trays	£ 223

Technical information and prices of additional BetteExtras on page 270. Subject to alteration and production tolerance. Prices excluding VAT.

Bath divider




Information

Very stretchy, tearproof nonwoven/foil combination for defined separation between the bathroom product and the on-site substructure. Mineral adhesives achieve the optimum bond with the incorporated nonwoven.

PG	article no.	description	price
IN	B57-0407	Bath divider 3300 x 120 mm	£ 31

Wall Brackets



Information

Bath anchors with integrated sound insulation for wall mounting baths and shower trays.

The set contains the three anchors recommended for installation.

Scope of delivery:
3 pieces

PG	article no.	description	price
IN	Z0008669	Wall Brackets	£ 38


Unslotted Waste



Information

Our washbasins are optionally available with the unslotted waste 1¼".

Scope of delivery:
1 hair trap



PG	article no.	description	price
IN	B580-901	Unslotted waste 1¼ ", Chrome	£ 70
IN	B580-000	Unslotted waste 1¼ ", enamelled, White	£ 114
IN	B580-001	Unslotted waste 1¼ ", enamelled, Pergamon	£ 114
IN	B580-002	Unslotted waste 1¼ ", enamelled, Manhattan	£ 114
IN	B580-003	Unslotted waste 1¼ ", enamelled, Bahama beige	£ 114
IN	B580-004	Unslotted waste 1¼ ", enamelled, Edelweiss	£ 114
IN	B580-006	Unslotted waste 1¼ ", enamelled, Jasmin	£ 114
IN	B580-008	Unslotted waste 1¼ ", enamelled, Flanell	£ 114
IN	B580-016	Unslotted waste 1¼ ", enamelled, Moss green	£ 114
IN	B580-035	Unslotted waste 1¼ ", enamelled, Ebony	£ 114
IN	B580-040	Unslotted waste 1¼ ", enamelled, Curry	£ 114
IN	B580-056	Unslotted waste 1¼ ", enamelled, Black	£ 114
IN	B580-115	Unslotted waste 1¼ ", enamelled, Evergreen	£ 114
IN	B580-124	Unslotted waste 1¼ ", enamelled, Violet	£ 114
IN	B580-400	Unslotted waste 1¼ ", enamelled, Raven	£ 114
IN	B580-401	Unslotted waste 1¼ ", enamelled, Anthracite	£ 114
IN	B580-402	Unslotted waste 1¼ ", enamelled, Slate	£ 114
IN	B580-403	Unslotted waste 1¼ ", enamelled, Smoke	£ 114
IN	B580-404	Unslotted waste 1¼ ", enamelled, Graphite	£ 114
IN	B580-410	Unslotted waste 1¼ ", enamelled, Silver	£ 114

PG	article no.	description	price
IN	B580-412	Unslotted waste 1¼ ", enamelled, Quartz	£ 114
IN	B580-413	Unslotted waste 1¼ ", enamelled, Dust	£ 114
IN	B580-414	Unslotted waste 1¼ ", enamelled, Flint	£ 114
IN	B580-415	Unslotted waste 1¼ ", enamelled, Cashmere	£ 114
IN	B580-416	Unslotted waste 1¼ ", enamelled, Stone	£ 114
IN	B580-417	Unslotted waste 1¼ ", enamelled, Hazel	£ 114
IN	B580-422	Unslotted waste 1¼ ", enamelled, Beige	£ 114
IN	B580-423	Unslotted waste 1¼ ", enamelled, Flax	£ 114
IN	B580-424	Unslotted waste 1¼ ", enamelled, Sand	£ 114
IN	B580-425	Unslotted waste 1¼ ", enamelled, Greige	£ 114
IN	B580-430	Unslotted waste 1¼ ", enamelled, Coffee	£ 114
IN	B580-434	Unslotted waste 1¼ ", enamelled, Ebano	£ 114
IN	B580-438	Unslotted waste 1¼ ", enamelled, Taupe	£ 114
IN	B580-439	Unslotted waste 1¼ ", enamelled, Cacao	£ 114
IN	B580-440	Unslotted waste 1¼ ", enamelled, Snow	£ 114
IN	B580-441	Unslotted waste 1¼ ", enamelled, Cream	£ 114
IN	B580-418	Unslotted waste 1¼ ", enamelled, Blue Satin	£ 114
IN	B580-790	Unslotted waste 1¼ ", enamelled, Midnight	£ 114
IN	B580-788	Unslotted waste 1¼ ", enamelled, Daylight	£ 114
IN	B580-791	Unslotted waste 1¼ ", enamelled, Forest	£ 114

Glazed outlet cover Ø 65 mm for unslotted waste



Information

In glazed titanium steel.

Available in White (000), Pergamon (001), Manhattan (002), Bahama Beige (003), Edelweiss (004), Jasmin (006), Flanell (008), Ebony (035), Curry (040), Black (056), Starwhite (287), Raven (400), Anthracite (401), Slate (402), Smoke (403), Graphite (404), Silver (410), Quartz (412), Dust (413), Flint (414), Cashmere (415), Stone (416), Hazel (417), Blue Satin (418), Beige (422), Flax (423), Sand (424), Greige (425), Coffee (430), Ebano (434), Taupe (438), Cacao (439), Snow (440), Cream (441) and Midnight (790).


PG	article no.	description	price
CP	Y101	Glazed outlet cover Ø 65 mm for unslotted waste	£ 53

Spare cover



PG	article no.	description	price
CP	Z0013794	Washbasin spare cover, Chrome	£ 28

Pushwaste



Information

For Bette washbasins with overflow 1¼" push wastes are available.

PG	article no.	description	price
IN	B581-000	Pushwaste 1 ¼ ", White varnished	£ 115
IN	B581-901	Pushwaste 1 ¼ ", Chrome	£ 90

Overflow cover




Information

Compatible with Bette washbasins overflow sets. Suitable as a replacement for the Chrome overflow cover.

Scope of delivery:
Overflow cover, white lacquered
Sealing set for overflow cover
Assembly tool for overflow cover

PG	article no.	description	price
CP	Z0019886	Overflow cover, white lacquered	£ 22



Waste and overflow fitting for washbasins without overflow, operation via lever rod. Length and height can be adapted to suit the washbasin.

PG	article no.	description	price
IN	B616-901	Waste and overflow fitting BetteFlow, Chrome	£ 89
IN	B616-000	Waste and overflow fitting BetteFlow, White	£ 101

Grips

Grips B060




PG	article no.	suitable for	Chrome 901
IN	B060-	BetteStep	£ 289



Scope of delivery:
2 pcs.

Grips B080




PG	article no.	suitable for	Chrome 901
IN	B080-	BetteClassic	£ 221
		BetteComodo	
		BetteComodo with side overflow	
		BetteForm	
		BetteOne Relax	
		BetteSelect	
		LaBette	



Scope of delivery:
2 pcs.

Grips

Grip B090




Scope of delivery:
1 pc.

PG	article no.	suitable for	Chrome 901
IN	B090-	BetteBambino	£ 168
		BetteDuett	
		BetteDuo	
		BetteLoft	
		BetteLuna	
		BetteOcean	
		BetteOcean Low-Line	
		BetteOne	
		BetteSelect Duo	
		BetteSelect with side overflow	
		BetteSpace L	
		BetteSpace M	
		BetteSpace S	
		BetteStarlet	
		BetteStarlet I	
		BetteStarlet I Silhouette	
		BetteStarlet IV	
		BetteStarlet IV Silhouette	
		BetteStarlet V	
		BetteStarlet V Silhouette	
		BetteStarlet Hexa	
		BetteStarlet Flair Oval	
		BetteStarlet Oval	
		BetteStarlet Oval Silhouette	
		BetteStarlet Spirit	



Grips B110




Scope of delivery:
2 pcs.

PG	article no.	suitable for	Chrome 901
IN	B110-	BetteSet	£ 212



Grips

Grip B120




Scope of delivery:
1 pc.

PG	article no.	suitable for	Chrome 901
IN	B120-	BetteBambino	£ 168
		BetteDuett	
		BetteDuo	
		BetteLoft	
		BetteLuna	
		BetteOcean	
		BetteOcean Low-Line	
		BetteOne	
		BetteSelect Duo	
		BetteSelect with side overflow	
		BetteSpace L	
		BetteSpace M	
		BetteSpace S	
		BetteStarlet	
		BetteStarlet I	
		BetteStarlet I Silhouette	
		BetteStarlet IV	
		BetteStarlet IV Silhouette	
		BetteStarlet V	
		BetteStarlet V Silhouette	
		BetteStarlet Hexa	
		BetteStarlet Flair Oval	
		BetteStarlet Oval	
		BetteStarlet Oval Silhouette	
		BetteStarlet Spirit	



Grips B122



Scope of delivery:
2 pcs.

PG	article no.	suitable for	Chrome 901
IN	B122-	BetteClassic	£ 221
		BetteComodo	
		BetteComodo with side overflow	
		BetteForm	
		BetteOne Relax	
		BetteSelect	
		LaBette	



Blind Plugs for Grip Holes



Scope of delivery:
1 pc.

PG	article no.	description	price
CP	B970-901	Blind Plugs Chrome for handle holes	£ 15

Relax Bath cushion




Information

The ergonomically designed bath cushion provides pleasant support for the head, neck, arms or feet. Thanks to the integrated magnets you can accurately position the bath cushion BetteRelax anywhere you want. Dimension: 340 x 120 x 40 mm.

Use of the BetteRelax bath cushion is not recommended for people with a heart pacemaker or implanted defibrillator.

PG	article no.	description	price
CP	B57-0213	BetteRelax, black, 1 piece	£ 129
CP	B57-0212	BetteRelax, black, 2 pieces	£ 214
CP	B57-0211	BetteRelax, white, 1 piece	£ 129
CP	B57-0210	BetteRelax, white, 2 pieces	£ 214

LED-Colour Spot Light



Information

- Set of two spotlights factory fitted on both long sides of the bath
- The LED-Colour Spot Lights are capable of displaying the complete RGB colour spectrum
- Operation via control pad inside the bath

PG	article no.	description	price
IN	B465-901	LED-Colour Spot Light, Chrome	£ 1,181
IN	B465-000	LED-Colour Spot Light, White	£ 1,281
IN	B465-903	LED-Colour Spot Light, Gold finish	£ 1,512

Care Cloth



Information

Gentle cleaning and care of the surfaces: BetteGlaze®, BetteGlaze® Plus, BetteAntislip, BetteAntislip Pro, BetteAntislip Sense

Use:

The BetteCareCloth is ideal for the daily care and cleaning of our bathroom elements in glazed titanium steel.

PG	article no.	description	price
CP	Z0016912	Care Cloth	£ 7

Enamel Spray Cleaner



Information

Spray cleaner with water-beading action for glazed titanium steel. For the gentle cleaning and care for BetteGlaze®, BetteGlaze® Plus, BetteAnti-Slip, BetteAnti-Slip Pro and BetteAnti-Slip Sense, finishes.

Use:
Spray on the enamel cleaner and leave to work for a few moments. Then rub well over the surface using a soft, wet cloth. Rinse with warm water and wipe dry.

PG	article no.	description	price
CP	B57-0245	Enamel Spray Cleaner	£ 10

Enamel Cleaner



Information

Gentle cleaning and care of the surfaces: BetteGlaze®, BetteAnti-slip, BetteAnti-slip Pro.

Use:
Apply enamel cleaner onto the moistened surface, and gently rub over with a soft cloth. Rinse with warm water and wipe dry. If using on matt colours and the BetteAntislip finish, wet the surface generously with plenty of water. Use a damp cloth to rub in the cleaner gently, and rinse off with hot water.

PG	article no.	description	price
CP	Z0015908	Enamel Cleaner Paste 100 ml	£ 9

Technical information and prices of additional BetteExtras on page 270. Subject to alteration and production tolerance. Prices excluding VAT.

Bath Rubber



Information

Gentle cleaning and care of the surfaces: BetteGlaze®.

Use:
For stubborn deposits and dirt, simply wet the area with plenty of water and rub the enamel care pen over it repeatedly while still wet. Not suitable for matt Colours, BetteGlaze® Plus and BetteAnti-Slip Sense.

PG	article no.	description	price
CP	Z0007521	Bath rubber	£ 7

Remalle



Information

Repair paint to touch up damaged enamel.

Remalle is available in 8ml tubes.


Available in white and selected colours. Please contact us.

PG	article no.	description	price
CP	B270-000	Remalle white	£ 10

BetteLux Shape Accessoires

Information

Design: Tesseraux + Partner



Standing Mirror

- Wall mounting
- with high-quality real-wood veneer rear panel
- incl. shelf and hook

Scope of delivery

- incl. shelf, hook and fastening material




PG	article no.	dimensions in mm	description	
CP	Q050 FH814	600 × 244 × 1900	Standing Mirror with rear panel oak nature 814	

White matt 807
Black matt 815
→ cover

£ 1,196

Please note the ordering information on page 5, in particular the position of the colour number.



Towel Rail

The wooden inlay can be ordered separately.

Scope of delivery

- incl. fastening material



PG	article no.	dimensions in mm	description	
CP	Q030	400 × 120 × 70	Towel Rail 400 mm	
CP	Q031	600 × 120 × 70	Towel Rail 600 mm	
CP	Q032	800 × 120 × 70	Towel Rail 800 mm	
CP	Q033	1000 × 120 × 70	Towel Rail 1000 mm	

White matt 807
Black matt 815
→ cover

£ 229

£ 229


£ 237

£ 237

BetteLux Shape Accessoires


Information

Design: Tesseraux + Partner



Wooden Inserts

PG	article no.	dimensions in mm	description	oak nature 814 → cover
CP	Q040	200 x 120 x 19	Wooden Slat for Towel Rail, 200 mm	£ 82
CP	Q041	400 x 120 x 19	Wooden Slat for Towel Rail, 400 mm	£ 85
CP	Q042	600 x 120 x 19	Wooden Slat for Towel Rail, 600 mm	£ 106
CP	Q043	800 x 120 x 19	Wooden Slat for Towel Rail, 800 mm	£ 130
CP	Q044	1000 x 120 x 19	Wooden Slat for Towel Rail, 1000 mm	£ 138




Stool

- Dimension: 350 x 350 x 430 mm
- incl. real-wood covering

PG	article no.	dimensions in mm	description	White matt 807 Black matt 815 → cover
CP	Q020 FH814	350 x 350 x 430	Stool with real-wood covering oak nature 814	£ 415

Please note the ordering information on page 5, in particular the position of the colour number.

Whirlsystems



- 372 BetteAirjet Plus Whirlsystem
- 373 BetteJet Whirlsystem
- 374 BetteSpa Whirlsystem
- 375 Disinfection liquid
- 375 Whirlsystem Disinfection

Whirlsystems

Feature

description	Airjet Plus	Jet	Spa
Feature	Air + water	Water	Air
Side jets (water)	8	8	
Base jets (air)	12		12/18
Micro jets in the shoulder area	5		
Micro jets in the reflexology area	2/5 on Duo baths		
Individual direction of massage spray	x	x	
Regulation of air supply via control pad	x		x
Continuous regulation of the air mixture	x	x	
Massage via air supply			x
Massage via water spray or optionally water-air mix	x	x	
Integrated control elements in the bath interior	x	x	x
Preheating air system	x		x
Dry-run protection via level controller	x	x	

Operation

description	Airjet Plus	Jet	Spa
Interval function	x	x	x
Electronically controlled	x	x	x
Keypad to control all the functions	x	x	x
Continuous adjustment of intensity	x	x	x

Hygienic

description	Airjet Plus	Jet	Spa
Integrated residual water drainage system	x	x	x
Automatic dry-blowing function	x		
Manual dry-blowing function			x

Whirlsystems

Output

description	Airjet Plus	Jet	Spa
Rated output water pump	800 W	600 W	
Rated output blower incl. preheating	1050 W		1050 W

Mounting height

description	Airjet Plus	Jet	Spa
Mounting height of waste fitting Multiplex included sealings	160 mm	160 mm	140 mm

Optional features

description	Airjet Plus	Jet	Spa
BetteDisinfection	x	x	x
LED-Colour Spot Lights	x	x	x
Pop-up waste with integrated inlet	x	x	x

BetteAirjet Plus Whirlsystem



Information

Combination of up to 12 air jets in the floor, 8 water jets in the side and microjets at the head- and foot end of the bath.

An inspection gap of at least 79 cm² must be left on installation to allow for the air intake.

All baths with a whirlsystem will be delivered with a 52 mm diameter waste hole.

Please refer to the "Extras overview" for the exact combination options of our baths and the system.

State code "AJETP" when ordering the bath. The appropriate accessories must be ordered under a separate position.

Please note that the installation height of the bath with whirlpool system is higher than that of a classic built-in bath. The waste set selected determines this. → P. 371

Scope of delivery

All baths are delivered with a height-adjustable frame. The motor is located under the head end of single ended baths and on the left side of doubled ended baths if the overflow is at the front.

The scope of delivery includes a waste fitting.

Surface colours

PG	article no.	Colours	price
IN	B350-901	Chrome 901	£ 7,546
IN	B350-000	White 000	£ 8,946
IN	B350-903	Gold finish 903	£ 11,392

Bath waste and overflow fittings

PG	article no.	description	price
EX	MT	Multiplex Trio	£ 317

Accessories

PG	Article no.	Description	Chrome 901	White 000	Gold finish 903
IN	B465-	LED-Colour Spot Light (2 pieces)	£ 1,181	£ 1,281	£ 1,512
IN	B480-	Disinfection	£ 2,752	£ 3,021	£ 3,603

PG	article no.	description	price
CP	Z0008621	Disinfection liquid 500 ml	£ 49

BetteJet Whirlsystem



Information

Water System with 8 adjustable jets integrated into the sides.

All baths with a whirlsystem will be delivered with a 52 mm diameter waste hole.

Please refer to the "Extras overview" for the exact combination options of our baths and the system.

State code "JET" when ordering the bath. The appropriate accessories must be ordered under a separate position.

Please note that the installation height of the bath with whirlpool system is higher than that of a classic built-in bath. The waste set selected determines this. → P. 371

Scope of delivery

All baths are delivered with a height-adjustable frame.

The scope of delivery includes a waste fitting.

Surface colours

PG	article no.	Colours	price
IN	B380-901	Chrome 901	£ 3,918
IN	B380-000	White 000	£ 4,430
IN	B380-903	Gold finish 903	£ 5,425

Bath waste and overflow fittings

PG	article no.	description	price
EX	MT	Multiplex Trio	£ 317

Accessories

PG	Article no.	Description	Chrome 901	White 000	Gold finish 903
IN	B465-	LED-Colour Spot Light (2 pieces)	£ 1,181	£ 1,281	£ 1,512
IN	B480-	Disinfection	£ 2,752	£ 3,021	£ 3,603

PG	article no.	description	price
CP	Z0008621	Disinfection liquid 500 ml	£ 49

BetteSpa Whirlsystem



Information

Up to 12 air jets integrated in the floor of the bath.

An inspection gap of at least 79 cm² must be left on installation to allow for the air intake.

All baths with a whirlsystem will be delivered with a 52 mm diameter waste hole.

Please refer to the "Extras overview" for the exact combination options of our baths and the system.

State code "SPA" when ordering the bath. The appropriate accessories must be ordered under a separate position.

Please note that the installation height of the bath with whirlpool system is higher than that of a classic built-in bath. The waste set selected determines this. → P. 371

Scope of delivery

All baths are delivered with a height-adjustable frame.

The scope of delivery includes a waste fitting.

Surface colours

PG	article no.	Colours	price
IN	B370-901	Chrome 901	£ 3,478
IN	B370-000	White 000	£ 3,944
IN	B370-903	Gold finish 903	£ 4,841

Bath waste and overflow fittings

PG	article no.	description	price
EX	MT	Multiplex Trio	£ 317

Accessories

PG	Article no.	Description	Chrome 901	White 000	Gold finish 903
IN	B465-	LED-Colour Spot Light (2 pieces)	£ 1,181	£ 1,281	£ 1,512
IN	B480-	Disinfection	£ 2,752	£ 3,021	£ 3,603

PG	article no.	description	price
CP	Z0008621	Disinfection liquid 500 ml	£ 49

Disinfection



Information

- For thorough disinfection to prevent bacteria forming, especially in the concealed pipes in whirlsystems.
- Depending on use, disinfection is recommended every 2-4 weeks.
- Using the recommended disinfection liquid, the unit is filled via the visible opening on the upper part of the bath.
- To begin the disinfection procedure, the bath is filled with hot water until all jets are submerged.
- The disinfection process will start by pressing the disinfection button.
- Once the disinfection process has been completed, the bath should be rinsed thoroughly.

PG	article no.	description	price
IN	B480-901	Disinfection unit, Chrome	£ 2,752
IN	B480-000	Disinfection unit , White	£ 3,021
IN	B480-903	Disinfection unit, Gold finish	£ 3,603

Disinfection liquid 500 ml



Information

The disinfection liquid is a sterilising agent for whirlsystems, which is free from chlorine and formaldehyde. When used at regular intervals it provides preventative protection against germs and algae. The liquid also provides protection against legionella pneumophila and most bacteria, viruses and moulds.

PG	article no.	description	price
CP	Z0008621	Disinfection liquid 500 ml	£ 49

Postcode map Great Britain


Area Sales Manager

● Alistair Lomas
Area Sales Manager
alistair.lomas@bette.co.uk
M +44 7719 326 325

● Paul Moore
Area Sales Manager
paul.moore@bette.co.uk
M +44 7485 357 920

● Alan Doig
Area Sales Manager
alan.doig@bette.co.uk
M +44 7841 929 302

● Sonia Serne
Area Sales Manager
sonia.serne@bette.co.uk
M +44 7841 929 303



General Terms and Conditions

§ 1 Scope of application

1. These General Terms and Conditions (hereinafter also referred to as GTC) shall apply to all contracts of sale concluded between us (hereinafter also referred to as Seller) and you as our customer (hereinafter also referred to as Buyer or Last Seller) in accordance with § 1 number 2 of these GTC. The GTC apply exclusively to companies pursuant to § 14 BGB (German Civil Code) or merchants pursuant to § 1 ff HGB (German Commercial Code) as customers. These conditions, which can also be accessed at any time on the Internet at www.my-bette.com or made available on written request, apply to all present and future contracts and business relationships between Seller and Buyer. If the GTC have in accordance with §§ 305 ff BGB been effectively included by us, as the user of these GTC, as part of the first-time conclusion of a contract, they shall also apply to any further contracts within the current business relationship.
2. Purchase contracts are all contracts that have as their object the sale of movable goods where the focus is on the transfer and procurement of ownership in accordance with §§ 433 paragraph 1, 929 BGB. This also includes deliveries, manufacture and planning by Seller if and to the extent that Buyer installs the goods or has them installed by third parties, even if initial operation is based on final settings and/or adjustment and final acceptance by Seller. Seller's recommendations communicated in this context are exclusively product-related and limited to product properties. Recommendations and statements by Seller that relate to specific construction projects and/or enquiries of Buyer and are to be regarded as a preliminary stage to the delivery of plant components or products to be manufactured as the focus of the contract shall not qualify the services as a contract for work and services. Rather the focus of the contract shall in such cases be on the delivery of movable goods and shall qualify the contract as a contract for work and materials. The fact that system parts or products are intended to be assembled into a system and then permanently installed on land or as an integral part of a building shall not prevent them from being classified as movable property within the meaning of § 650 BGB. The decisive factor is whether the goods are movable at the time of delivery.
3. All agreements made between Seller and Buyer in connection with the purchase contract shall be based on these GTC, Seller's written order confirmations and Seller's declaration of acceptance.
4. The version of the GTC valid at the time of conclusion of the contract shall apply.
5. Deviating, conflicting or supplementary terms and conditions of Buyer or other agreements between the parties shall not form part of the contract unless their validity has been expressly agreed in writing or confirmed in the order confirmation. Silence in respect of a contractual declaration by Buyer stating deviating terms and conditions and/or new conditions and regulations shall not constitute commercial or other confirmation.
6. Sales representatives, whether salaried or freelance, and service/application technicians of Seller are not authorised to agree to deviating terms and conditions within the meaning of § 1 paragraph 4 of these GTC or to issue or accept declarations of intent as part of legal transactions.

§ 2 Contract formation, acceptance

1. The presentation and advertising of articles from the programme, website, advertising, brochures and other printed products in digital and offline media of the Seller shall not constitute a binding offer to conclude a sales contract.
2. A contract is only concluded when Seller accepts an order enquiry by means of a declaration of acceptance or order confirmation or by delivering the ordered items. In the latter case, the order confirmation will be replaced by Seller's invoice.
3. The properties of samples, models and templates provided by Seller shall become part of the contract only where contractually agreed between Seller and Buyer (sample as subject of a product specification). In this case, if samples are expressly made the subject of a product specification, deviations from the sample due to production or manufacturing conditions or product development processes are expressly reserved.
4. In the case of call-off orders, Seller is entitled to procure the material or the goods for the entire order and to manufacture and/or purchase the entire order quantity immediately and Buyer shall accept the object of purchase at first offer. Any changes requested by Purchaser can therefore no longer be taken into account after conclusion of contract, unless expressly agreed otherwise between Purchaser and Seller in writing or such changes can be reasonably accommodated by Seller. Price and delivery date adjustments are in such cases expressly reserved.
5. The concluded contract is binding and cannot be changed unilaterally by Buyer.
6. Buyer shall accept the goods in accordance with § 433 paragraph 2 BGB within the framework of the agreement reached and, in accordance with § 280, 286 BGB, shall reimburse any loss caused by delay, in particular additional storage and delivery costs. In the absence of timely acceptance after the agreed delivery dates or delivery periods, Buyer shall owe a

contractual penalty of 0.3 % of the net delivery Price per working day of delay, but not exceeding 5 % of the net delivery Price, unless Buyer is not responsible for the delay. Any other claims for damages shall be offset against this contractual penalty. This shall not affect any further reimbursable loss or expenses.

7. Delivery dates and delivery periods shall be binding only if agreed in writing or in text form. Delivery dates that are clearly marked as non-binding, in particular by information or additions from Seller such as „approx.“, etc., shall be non-binding. Delivery periods shall commence upon receipt by Buyer of confirmation of order. In the event of valid changes to order, the delivery period shall recommence upon receipt by Buyer of the amended order confirmation only if and to the extent that Seller expressly confirms the delivery periods in the amended order confirmation. In the event that Seller is culpably unable to comply with an expressly agreed contractual period or is in default for other reasons, Buyer shall grant a reasonable grace period, commencing on the date of receipt by Seller of written notice of default or, in the event that the period is specified by the calendar, on that date. After fruitless expiry of this period, Buyer shall be entitled to assert statutory claims. If delivery is delayed due to circumstances for which Seller is not responsible, e.g. strike (including at Seller's supplier) or force majeure, Buyer shall be informed immediately if possible and Seller shall not be obliged to pay damages or reimbursement of expenses at least in this case. Force majeure within the meaning of these contractual conditions shall also apply if circumstances have occurred at suppliers (and their suppliers) of Seller or at Seller itself that are not to be expected in the normal course of business. This includes, for example, the destruction and cessation of the means of production/manufacturing facilities due to e.g. fire, flood, extraordinary storm events (extraordinary in this context is if no comparable storm has occurred in the region concerned in the past five years) or a supply bottleneck for a necessary raw material due to a market-wide shortage of raw materials or if there are officially ordered plant shutdowns that are not attributable to culpable conduct on the part of Seller. If delays are considerable and if waiting is unreasonable for Buyer, Buyer is entitled to withdraw from the contract in writing after setting an ultimate written deadline, unless delivery is impossible or is a fixed transaction, i.e. Buyer's interest in the goods stands and falls with the delivery date. In the event that Seller obtains the goods from a third party or a manufacturer within the framework of a commercial transaction or a buyer who is an entrepreneur or a business person, the contract shall be subject to termination due to the lack of delivery by the contractual partner and Buyer shall not be entitled to compensation for damages or expenses. Should delivery be delayed for the aforementioned reasons – without performance being or becoming impossible – only to an extent reasonable for Buyer (generally 21 days beyond the agreed delivery date), Buyer shall not be entitled to the aforementioned rights, unless with respect to an absolute transaction for delivery by a fixed date. If the new delivery date or the delay is no longer reasonable for Buyer, Buyer may withdraw from the contract in writing after expiry of a reasonable grace period.
8. If the goods are dispatched by Seller via a logistics company commissioned by Seller, risk shall transfer to Buyer on transfer to a competent and hitherto reliable transport agent. In the event of damage to or destruction of goods after delivery to the carrier for reasons for which Seller is not responsible, Seller shall not be obliged to re-supply the goods and Buyer shall pay the purchase Price. In this respect, Seller shall assign to Buyer its claims for damages against the logistics company but shall not to assert any claim against the logistics company on behalf of Buyer subsequent to authorisation. During delay of Buyer in accepting goods, Seller shall be liable only for intent and gross negligence. If a product/item of a specific type is owed, risk shall pass to Buyer at the point at which Buyer is in default for non-acceptance of the product/item offered, § 300 BGB (German Civil Code).
9. The goods intended for installation must be installed by Buyer or by a specialist company commissioned by it (specialist engineer for sanitary equipment) independently of this contract. If Buyer is the final seller and its customer (end customer) is obliged to install the goods or products of Seller in fulfilment of a contract concluded with a third party, Buyer or the final seller shall impose on its customer (end customer) the provisions of section 9 of these GTC as below. If the goods are not installed professionally or in accordance with the installation conditions and installation descriptions, or if modifications are made to the goods supplied or to the installation materials by Buyer, a third party commissioned by Buyer or the end customer, warranty claims against Seller and claims under §§ 439 Para. 3, 445 a Para. 1 BGB shall be excluded, as in such cases the item is no longer the same as the purchased item. Buyers and end customers must inspect the goods or products immediately in accordance with § 377 HGB (see also below). Buyer understands this and shall inform its customers (end customers) that, in the course of the manufacturing process of Seller's high-quality products, it cannot be guaranteed that the areas behind the flanged edge (rear side of the surrounding vertical edge section of the bathtubs, shower trays, shower areas and washstands) that are not exposed to direct water contact during professional installation and assembly will have a complete glazing of the titanium steel. In order to ensure that no moisture/water can get behind the flanging edge, which due to manufacturing conditions does not have a complete glaze, it is the responsibility of Buyer or the end customer to fully comply with the installation instructions and product descriptions and to make no changes to the sealing interfaces. This is the only way to prevent any subsequent corrosion damage. In this respect, a production-related and unavoidable glaze of the titanium steel in the area behind the flanging edge that does not cover the entire surface or the entire circumference shall not be deemed a defect in the delivered goods/product

§ 3 Further terms of delivery and reservation of prepayment

1. The Seller shall be entitled to make partial deliveries, insofar as is reasonable for Buyer and nothing else has been confirmed in the order confirmation as agreed.
2. In the case of orders from Buyers with their place of residence and business abroad or if there are well-founded indications of a possible risk of non-payment by Buyer, Seller expressly reserves the right to deliver only after receipt of the purchase Price plus shipping costs (prepayment reservation). If Seller exercises its right to prepayment, Buyer will be informed immediately. In this case, the delivery period shall commence only on payment of the purchase Price and shipping costs.

§ 4 Prices and despatch costs

1. The prices quoted by Seller are in euros ex works and do not include transport or packaging costs or VAT or, in the event of export deliveries, customs duties or fees or other public charges.
2. If under § 4 paragraph 1 of these GTC Seller fulfils orders of Buyer by means of partial deliveries, Buyer shall incur shipping costs only for the first partial delivery. If partial deliveries are made at Buyer's request, Seller shall charge the shipping costs for each partial delivery.

§ 5 Terms of payment, acknowledgement, set-off and right of retention

1. The purchase Price does not include statutory sales tax.
2. Invoices of Seller shall be payable in accordance with the terms and conditions agreed separately with Buyer or in the absence of such terms and conditions immediately. The date of payment shall be the date on which the money is received by Seller or credited to Seller's account. Buyer shall be in default of payment ten days after delivery even without a reminder from Seller. Seller is entitled to payment concurrently with delivery of goods. If a cash discount has been agreed it shall be based on the net amount and permissible only if all other obligations over 30 days old arising from Buyer's commercial relationship with Seller have been met in full.
3. Payments that are not sufficient to settle all liabilities arising from the continuing business relationship or in respect of an individual order shall initially be set off against the older liability. Seller shall inform Buyer of the set-off. If costs and interest have already been incurred, the payment shall first be set off against the costs, then against the interest and finally against the principal performance.
4. In the event of default by Buyer, Seller shall be entitled to retain deliveries or services under the ongoing business relationship with the Buyer until payment is made in full. Buyer may forestall this right of retention by providing a directly enforceable and unlimited guarantee from a German bank or cooperative bank or from a municipal credit institution (affiliated to a bonded security fund) covering all claims due to Buyer. If payments are deferred and made later than originally agreed, Buyer shall owe default interest for the deferment period in accordance with the provisions below.
5. The invoice sent to Buyer shall be deemed accepted if Buyer does not object to it within 30 calendar days of receipt of the invoice and if this legal consequence has been pointed out separately and prominently in the invoice.
6. Buyer shall for the period of the delay pay interest on the monetary debt at a rate of nine percentage points above the respective base interest rate plus a processing fee of €25.00, §§ 247, 288 BGB.
7. Buyer shall have the right of offset only where its counterclaims are legally established or are due and uncontested.

§ 6 Reservation of title

1. The delivered goods (reserved goods) shall remain the property of Seller until all claims to which Seller is entitled from Buyer, including future claims, have been met, including all balance claims from Buyer's account. Insofar as Buyer is in breach of contract – in particular insofar as Buyer is in default of remuneration – Seller shall be entitled to take back the reserved goods after setting a reasonable deadline for payment. Transport costs incurred for the return shall be borne by Buyer. Seller's revocation of reserved goods shall constitute withdrawal from contract. Withdrawal from contract shall likewise be constituted by Seller's seizure of reserved goods. Reserved goods taken back by Seller may be used again by Seller. The proceeds of the realisation shall be set off against payments owed by Buyer to Seller and after Seller has deducted an appropriate amount for administration costs.
2. Buyer shall treat reserved goods with care and store them in a suitable manner. Buyer shall at its own expense insure them against fire, water and theft at replacement value. If maintenance and inspection work becomes necessary, Buyer must carry this out in good time at its own expense.

3. Buyer may use the reserved goods and resell them in the ordinary course of business as long as Buyer is not in default of payment. Buyer shall not however pledge the reserved goods or assign them by way of security. Buyer's claims for payment against its customers from a resale of the reserved goods as well as Buyer's claims against its customers or third parties in respect of the reserved goods and arising from any other legal reason (in particular claims from tortious acts and claims to insurance benefits), including all balance claims from its current account, are hereby assigned by Buyer to Seller in full by way of security. Seller accepts this assignment. Buyer may on its own account and in its own name and on Seller's behalf collect these claims assigned to Seller as long Seller does not revoke this authorisation. Seller's right to collect these claims itself shall remain unaffected, although Seller shall not assert the claims itself, and shall not revoke authorisation to collect, as long as Buyer meets its payment obligations properly and completely.

If however Buyer is in breach of contract – in particular if it is in default of payment – Seller may require Buyer to notify Seller of the assigned claims and the respective debtors, to notify the respective debtors of the assignment and to provide Seller with all documents and information required by Seller to assert the claim. In this respect, the parties agree that an independent right of Seller to information and inspection hereby arises.

4. Any processing or transformation of the reserved goods by Buyer shall be carried out on behalf of Seller. If the reserved goods are processed with other items not belonging to Seller, Seller shall acquire co-ownership of the new item in the same ratio as the ratio of the value of the reserved goods (final invoice amount including VAT) to the other processed items at the time of processing. In all other respects, the provisions applicable to the reserved goods shall likewise apply to the new object resulting from the processing. If the reserved goods are combined inseparably or mixed with other items not belonging to Seller, Seller shall acquire co-ownership of the new item in proportion to the value of the reserved goods (final invoice amount including VAT). If the reserved goods are combined or mixed in such a way that Buyer's item is to be regarded as the main item, Buyer and Seller shall agree that Buyer transfers co-ownership of the item to Seller on a pro rata basis. Seller accepts this transfer. Buyer shall properly keep and insure for Seller the sole ownership or co-ownership of any object thus created.
5. In the event of seizure of the reserved goods by third parties or other interventions by third parties, Buyer must refer to Seller's ownership and notify Seller immediately in writing so that Seller can assert its ownership rights. If the third party is unable to reimburse Seller for any court or out-of-court costs incurred in this connection, Buyer shall be liable for them.
6. At Buyer's request, Seller shall release the securities to it is entitled insofar as their realisable value exceeds the value of outstanding claims against Buyer by more than 10%. Seller may however select the securities to be released.

§ 7 Guarantee

1. a) Seller shall be liable for material defects and defects of title of delivered goods in accordance with statutory provisions, in particular §§ 434 ff, 280 ff BGB, although, or in the event of a commercial transaction, Buyer shall comply with § 377 HGB in accordance with the following provisions. The limitation period for statutory warranty claims is one year and begins with the delivery or handover of the goods to Buyer, unless Seller has fraudulently concealed a defect or assumed a guarantee for the quality of the goods or individual properties of the goods or the goods have within a year of delivery or transfer and in the sense intended by § 438 paragraph 1 No. 2 b) BGB been properly installed in accordance with Seller's specifications in an immovable structure firmly fixed to the ground, in which case the statutory limitation period applies.

b) Recognisable defects, including to usable partial delivery, must be reported to Seller in writing by Buyer within six days of performance. Any complaint not made in due time or form excludes any claim of Buyer arising from breach of duty due to poor performance.

c) Buyer must notify the transport company of any defects that are recognisable upon delivery and the transport company must arrange for the defects to be recorded. Complaints must contain a detailed Description of the defect to the best of Buyer's ability. A complaint not made in due time or form excludes any claim of Buyer arising from breach of duty due to poor performance. Insofar as defects in quantity, weight or volume are recognisable on delivery in accordance with the aforementioned inspection obligations, Buyer shall notify the carrier of these defects on receipt of the goods and have the complaint documented. Failure to give notice of defects in due time shall also exclude any claim by Buyer for breach of duty due to defective performance. Concealed defects must be communicated in writing immediately after they have become apparent and at the latest in accordance with the limitation period applicable in these GTC. Complaints must also contain a detailed Description of the defect. Any complaint not made in due time or form excludes any claim by Buyer for breach of duty due to defective performance.

d) Upon commencement of processing, treatment, combination or mixing with other items or resale to end customers, the delivered goods shall be deemed to have been approved by Buyer in accordance with the contract.

e) Other breaches of duty must prior to assertion of further rights by Buyer be reported by Buyer in writing and a reasonable period allowed for subsequent performance. Seller shall be granted three opportunities to remedy any defect. Seller assumes no liability for the usability of delivered goods or products within the overall system of Buyer or the end customer, unless such usability has been expressly assured in writing by Seller. Buyer must take this into account and as the final seller notify the end customer accordingly. In the course of work or construction owed by the final seller and/or end customer, the final seller and/or end customer must independently check with third parties whether the delivered goods and products that as far as necessary and legally prescribed have building authority approvals can achieve the results expected of them and whether national regulations (e.g. on construction, hygiene, sound, heat and environmental and current protection (e.g. equipotential bonding)) are complied with.

f) If, in the course of rectification or any replacement delivery by Seller, it should transpire that it is not the performance of Seller or a product supplied by Seller that is responsible for the defect but rather another product or the equipment of the end customer or incorrect usage or handling or incorrect installation (e.g. by the end customer), Buyer shall on request reimburse the expenses provably incurred by Seller (e.g. travel expenses, customer service, hours, etc.). Liability for guarantee and damages is excluded if modifications have been made to Seller's goods either by Buyer or the end buyer or end customer or if the goods have been installed contrary to instructions. The same shall apply if material defects in the goods of Seller have arisen due to the fact that the delivered goods have been maintained or cleaned and used contrary to care instructions. The guarantee shall be void if Buyer or end buyer or end customer does not ensure through the professional installation and further use of the delivered goods that no moisture or water reaches incompletely glazed surfaces (flared edge) so that potential corrosion is avoided. Seller shall not be liable for dismantling or installation costs or for costs for interruption and re-commissioning of systems in which a product or product has been installed by Seller, unless Seller is responsible for the resulting defect, especially in the event of recall by the manufacturer or any other known defectiveness of the delivered goods.

g) Should subsequent performance fail, whereby a subsequent improvement is to be regarded as failed only on the third unsuccessful attempt, or if Seller has rejected subsequent performance in writing expressly and finally, Buyer may assert its statutory claims. In the event of only a minor breach of contract, in particular only minor defects, Buyer shall not be entitled to withdraw from the contract. This is in particular the case if the functionality of the delivered goods is not significantly restricted and the assertion of the right to rescind the contract would therefore be disproportionate.

h) Defects – with the exception of recourse against supplier as per §§ 445a, 475 BGB – shall be remedied free of charge by means of rectification or replacement delivery, the choice to be at Seller's discretion. Defects caused by Buyer or the end buyer or end customer and unjustified complaints shall be remedied on behalf of and at the expense of Buyer.

i) Buyer shall provide all information necessary for the examination and handling of guarantee claims. Buyer shall provide Seller with the information required, including at least the Bette order confirmation number, article number and reason for complaint and where possible pictures of the damage. A form for complaints is available for download at www.bette.de. If installation has taken place at the end buyer or end customer, a copy of the installation protocols etc. must be made available.

j) Claims by Buyer, the end buyer or end customer for expenses incurred for the purpose of subsequent performance, in particular transport and travel costs and labour and material costs, shall be excluded insofar as such expenses increase because the delivery item has subsequently been taken to a location other than the place of delivery or the branch office of Buyer. This shall not apply in cases of supplier recourse under §§ 445a, 475 BGB or in the case of claims due to breaches of duty resulting from malice or intent or in connection with death or injury.

Any claims for cancellation on the part of Buyer against Seller in the event of resale of goods shall be valid only insofar as Buyer has not reached an agreement with its buyer (end buyer) or end customer that goes beyond statutory warranty claims.

k) Recognition of breaches of obligation must be made in writing to be valid.

Any guarantees given by Seller for certain goods shall apply in addition to claims for material defects or defects of title within the meaning of paragraph 1. Details of the scope of such guarantees shall be derived from guarantee conditions that accompany the article or the goods.

Information, advice, advertising. Information and advice regarding Seller's products/goods shall be provided exclusively on the basis of previous experience. As far as goods that require building supervisory approval are concerned, this approval is available. Only the product qualities specified by Seller (manufacturer) in relation to the respective product shall be decisive. Buyer or the end buyer and end customer must check at their own risk whether the goods can be installed and used as planned (see above). It is imperative that Buyer or end buyer and end customer carefully implement and observe product descriptions, assembly instructions and care instructions.

§ 8 Liability

Seller shall be liable for damages and reimbursement of expenses for defects already existing at the time of conclusion of contract only in the event of intent or gross negligence or if it fraudulently deceives Buyer.

If substantial defects occur that in accordance with the preceding provisions Buyer is not obliged to remedy or has not itself caused, Buyer shall initially only be entitled to remedy of defect by way of subsequent improvement within a reasonable period commencing on notification of defect. If remedy of defect is unsuccessful, unreasonable or impossible, Buyer shall have only statutory rights to reduction and withdrawal (see above).

In all other respects, liability of Seller, including for the conduct of its representatives and vicarious agents, for breach of other duties, tort and pursuant to §§ 280, 281 BGB shall be limited to gross negligence and intent. Seller shall therefore be liable only if it has caused the loss intentionally or through gross negligence. Seller is therefore not liable for loss or damage caused to Buyer's, end buyer's or end customer's goods, furnishings, data and the like, regardless of the type, origin, duration and extent of the damage or loss, unless Seller has caused the damage or loss intentionally or through gross negligence. This also applies to damage caused by the effects of moisture.

In the event of slight negligence, Seller shall be liable only if essential or typical contractual obligations (known as cardinal obligations) are breached. Cardinal obligations are those which enable contractual performance. Compensation for indirect loss such as loss of profit is excluded. With regard to electronic data and technical systems, it is recommended that Buyer, end purchaser and end customer take precautions against voltage drops and changes and take out appropriate electronic insurance (costs of data alteration, etc.).

The aforementioned exclusions and limitations of liability shall not apply in the event of death, injury or impairment of health, freedom or sexual self-determination resulting from a negligent breach of duty by Seller or a corresponding breach of duty by a legal representative or vicarious agent.

The aforementioned exclusions and limitations of liability shall not apply to damage or loss for the insurance of which Seller is responsible. In terms of amount, the Seller shall be liable, in particular in the event of recourse within the supply chain (§ 445 a BGB), up to the amount for which it is covered under its liability insurance. Buyer has the right at any time to ask Seller in writing about the amount of cover and the insurance conditions. Seller is obliged to inform Buyer, at least in text form, of the amount of cover and to make the insurance conditions available to Buyer upon request. Buyer is at liberty, in agreement with Seller and its insurer, to increase the sum insured on assumption of the policy costs involved.

If other factors have contributed to loss for which Seller is responsible, Seller shall be liable only to the extent of its fault in relation to the other causes.

§ 9 Copyright

Seller has copyright to all images, films and texts published or to be published by it. The images, films and texts may not be used without the express permission of Seller.

§ 10 Applicable law and jurisdiction

The law of Germany shall apply to the exclusion of UN sales law.

If Buyer is a merchant and has its head office in Germany at the time of the order, the exclusive place of jurisdiction shall be the head office of Seller, Bette GmbH & Co. KG, Heinrich-Bette-Strasse 1, 33129 Delbrück, Germany. Otherwise, for local and international jurisdiction, the applicable statutory provisions shall apply.

Publishing and legal information



Copyright:



All Image and trademark rights reserved.

Program and technical changes and errors
excepted.

The colours of individual illustrations may vary,
due to the printing process.

Next generation material: Glazed Titanium-Steel

We believe in quality that lasts.



Glazed
Titanium-Steel



Sustainable
Quality

30

Years
Warranty*¹



Made in
Germany

¹ Further information on our guarantee terms at www.my-bette.com

/ARGE

Building digital competence

The masterdata is available to download at
www.building-masterdata.com or
www.igneuemedien.at

Gross purchase price list
Price list excluding VAT.
Valid from 1. January 2025

Bette GmbH & Co. KG
Heinrich-Bette-Straße 1
33129 Delbrück
Germany
T +49 5250 511-0
international@bette.de
www.my-bette.com

Bette GmbH & Co. KG UK Branch
Unit 3
The Courtyard
Church Street
Lockington
Derbyshire
DE74 2SL
T +44 844 800 0547
info@bette.co.uk

www.my-bette.com

Z0020395 UK 10/2024 - Product changes, errors and omissions excepted.

